



[Home](#) » [BLAUBERG](#) » **BLAUBERG Turbo 200 Mixed Flow Inline Fans Instructions** 

Contents [[hide](#)]

- [1 BLAUBERG Turbo 200 Mixed Flow Inline Fans](#)
- [2 Product Usage Instructions](#)
- [3 Features](#)
- [4 Dimensions](#)
- [5 FAQ](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)



BLAUBERG Turbo 200 Mixed Flow Inline Fans



Product Usage Instructions

Installation:

1. Ensure the connected air duct size matches the product specifications (200mm).
2. Check the supply voltage is within the range of 230V to avoid damage.
3. Securely mount the Turbo 200 in a suitable location with proper ventilation.

Operation:

1. Switch on the power supply and select the desired speed setting (1 or 2).
2. Monitor the airflow and adjust as needed based on your ventilation requirements.

Maintenance:

1. Regularly clean the unit to prevent dust buildup and maintain optimal performance.
2. Check for any unusual sounds or vibrations during operation and address them promptly.



Features

Mixed-flow inline fans

- Sound pressure level LpA at 3 m: 45
- Motor type: AC
- Control: Speed switch
- Impeller type: Mixed-flow
- Casing material: Plastik
- Installation in any position
- Cable with mains plug


	Unit of measurement	Turbo 200
--	---------------------	-----------

Connected air duct size	mm	200	
Speed	–	2	
Phases	–	1	
Minimum supply voltage	V	230	
Maximum supply voltage	V	230	
Power supply frequency	Hz	50/60	
Rated power	W	76	108
Unit current	A	0.34	0.48
Maximum airflow	m ³ /h	830	1040
Rotation speed at 50hz	–		
Sound pressure level LpA at 3 m	dB(A)	39	45
Weight	kg	3.95	
Transported air temperature (max)	°C	60	
Ambient air temperature min	°C	0	
Ambient air temperature max	°C	0	
Ingress protection rating	–	IPX4	
Ingress protection rating of the drive	–	IPX4	



Dimensions

ØD	ØD1	B	H	L
199	209	239	261	295.5



blaubergventilation.com.au

FAQ


Q: What is the maximum transported air temperature for the Turbo 200?

A: The maximum transported air temperature is 60°C.

Q: What is the Ingress Protection rating for the drive of the Turbo 200?

A: The Ingress Protection rating for the drive is IPX4.

Documents / Resources



BLAUBERG Turbo 200 Mixed Flow Inline Fans [pdf] Instructions

Turbo 200 Mixed Flow Inline Fans, Turbo 200, Mixed Flow Inline Fans, Flow Inline Fans, Inline Fans

References

- [User Manual](#)

<
/ul>

BLAUBERG

BLAUBERG, Flow Inline Fans, Inline Fans, Mixed Flow Inline Fans, Turbo 200, Turbo 200 Mixed Flow Inline Fans

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.