

Contents [[hide](#)]

[1 BLAUBERG Turbo 250 Inline Mixed Flow Fan](#)

[2 Features](#)

[3 Specification](#)

[4 Frequency](#)

[5 Dimensions](#)

[6 Product Usage Instructions](#)

[7 Frequently Asked Questions](#)

[8 Documents / Resources](#)

[8.1 References](#)



BLAUBERG Turbo 250 Inline Mixed Flow Fan



Features


- Mixed-flow inline fans
- Sound pressure level LpA at 3 m: 51
- Motor type: AC
- Control: Speed switch
- Impeller type: Mixed-flow
- Casing material: Plastik
- Installation in any position
- Cable with mains plug


Specification

	Unit of measurement	Turbo 250	
Connected air duct size	mm	250	
Speed	–	2	
Phases	–	1	
Minimum supply voltage	V	230	
Maximum supply voltage	V	230	
Power supply frequency	Hz	50/60	
Rated power	W	125	177
Unit current	A	0.54	0.79
Maximum airflow	m ³ /h	1110	1400
Rotation speed at 50hz	–		
Sound pressure level LpA at 3 m	dB(A)	44	51
Weight	kg	7.8	

Transported air temperature (max)	°C	60
Ambient air temperature min	°C	0
Ambient air temperature max	°C	0
Ingress protection rating	–	IPX4
Ingress protection rating of the drive	–	IPX4


Frequency





Dimensions

ØD	ØD1	B	H	L
247	257	287	323	383



Product Usage Instructions

Installation:

1. Ensure the power supply matches the required voltage and frequency.
2. Connect the air duct size of 125mm to the unit.
3. Mount the Turbo 250 in a suitable location following the provided guidelines.

Operation:

1. Switch on the power supply.
2. Select the desired speed setting based on your ventilation needs.
3. Monitor the airflow and adjust as necessary.

Maintenance:

1. Regularly clean the unit to prevent dust buildup and maintain optimal performance.
2. Check for any unusual sounds or vibrations during operation and address if needed.

blaubergventilation.com.au

Frequently Asked Questions

Q: What is the maximum airflow of the Turbo 250?

A: The maximum airflow of the Turbo 250 is 1400 cubic meters per hour.

Q: What is the sound pressure level at a distance of 3 meters?

A: The sound pressure level at a distance of 3 meters is 44 decibels.

Documents / Resources



[BLAUBERG Turbo 250 Inline Mixed Flow Fan \[pdf\]](#) Instruction Manual
Turbo 250 Inline Mixed Flow Fan, Turbo 250, Inline Mixed Flow Fan, Mixed Flow Fan, Flow Fan, Fan

References

- [User Manual](#)

BLAUBERG

BLAUBERG, fan, Flow Fan, Inline Mixed Flow Fan, Mixed Flow Fan, Turbo 250, Turbo 250 Inline Mixed Flow Fan

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.