

BLUESOUND NODE 2i Wireless Multi-Room Hi-Res Music Streaming Player User Guide

Home » BLUESOUND » BLUESOUND NODE 2i Wireless Multi-Room Hi-Res Music Streaming Player User Guide

BLUESOUND NODE 2i Wireless Multi-Room Hi-Res Music Streaming Player User Guide



Contents [hide

- 1 WELCOME TO #LIVINGHIFI
- 2 1 CONNECT FOR SOUND
- **3 2 PLUG IN YOUR PLAYER**
- 4 3 ADD YOUR NODE TO THE NETWORK
- **5 Product Overview**
- **6 ACCESSORIES**
- **7 HAVE QUESTIONS?**
- 8 Documents / Resources
 - 8.1 References
- 9 Related Posts

WELCOME TO #LIVINGHIFI

We know that audio quality matters to you. It matters to us, too. A lot. The NODE is the gold-standard of hiresolution, multi-room audio players. It is a network music streamer that works with any amplifier or active speakers to conveniently bring the enjoyment of hi-resolution music to everyday life. It can be used as a standalone streamer alongside your preferred amp, or grouped with other Bluesound Players to create multi-room listening experiences. The NODE must be wired or connected wirelessly to your home network for full

functionality.

This Quick Setup Guide will take you through the basic steps to get your NODE positioned, plugged in, and on your network.

Go to **bluesound.com/downloads** to download the App.

The initial network setup is done using the BluOS App on your phone or tablet. Make sure you have the App downloaded and installed, and your phone or tablet nearby as you get started.



The NODE online owners manual has even more in-depth information, including troubleshooting tips and tricks. Please visit <u>bluesound.com/products/node</u> to download the latest version of the manual.




If you have any questions during setup please visit our support site at support.bluesound.com

1 CONNECT FOR SOUND

ANALOG RCA, OPTICAL, OR COAXIAL OUTPUT TO A MATCHING INPUT ON YOUR SYSTEM

Connecting with the Analog RCA output will use the NODE's internal DAC. Connecting with a digital output (Optical or Coaxial) will bypass the NODE's internal DAC.





2 PLUG IN YOUR PLAYER

WATCH FOR THE LED TO TURN SOLID GREEN, INDICATING 'HOTSPOT' MODE



3 ADD YOUR NODE TO THE NETWORK


USING YOUR PHONE OR TABLET, DOWNLOAD AND OPEN THE BLUOS APP

The 'Add A Player' wizard will guide you through the steps to complete your setup.




bluesound.com/downloads

Product Overview




- 1. PRESETS 1-5
- 2. PREVIOUS TRACK/NEXT TRACK
- 3. VOLUME SLIDER/TAP
- 4. STATUS INDICATOR
- 5. PLAY/PAUSE BUTTON
- 6. HEADPHONE JACK



- 7. ANALOG OUT
- 8. SUBWOOFER OUT
- 9. COAX OUT
- 10. OPTICAL IN/ANALOG IN
- 11. OPTICAL OUT
- 12. TRIGGER OUT
- 13. LAN PORT
- 14. IR IN
- 15. USB (TYPE A)
- 16. HDMI eARC
- 17. AC MAINS INPUT

ACCESSORIES



HAVE QUESTIONS?

GET IN TOUCH

support.bluesound.com support@bluesound.com

North America: 1 855 531 4666

EU: 00 800 53 14 66 66

Documents / Resources



BLUESOUND NODE 2i Wireless Multi-Room Hi-Res Music Streaming Player [pdf] User Gui

NODE 2i, Wireless Multi-Room Hi-Res Music Streaming Player

References

- 3 Wireless multi-room speakers and components for music streaming Bluesound
- **<u>⊃ Downloads Bluesound</u>**
- **B**NODE Bluesound

Manuals+, home privacy