

blurams A12S FoldVue Cam User Manual

Home » blurams » blurams A12S FoldVue Cam User Manual




Contents

- 1 A12S FoldVue Cam 2 Documents / Resources
 - 2.1 References

A12S FoldVue Cam




https://helpcenter.blurams.com/hc/en-us/sections/360008609214-Multilingual-Manual-Guide



Packing list

- 1. Camera
- 2. Type-C interface & Power adapter
- 3. Screw accessory pack
- 4. Plotting sheet
- 5. Manual




Get to know your camera

- 1. Indicator light
- 2. Reset button
- 3. Microphone
- 4. microSD card slot

5. Type-C interface


Congratulations!

Your camera is ready to use. Thank you for choosing breams.



Contact us to extend the product warranty for another 180 days





Plug in your camera

Plug the power adapter into a power outlet with Type-C cable connected. Please use the items included in the original package for optimal performance.



blurams App QR code

https://www.blurams.com/app/1540795774407





Download blurams App

Download the App by searching "blurams" in the App Store or Google Play.

Alternatively, you can open a QR scanner App and scan the blurams App QR code below to install the App.







Add your camera into App

Enter into the blurams App, sign up for a free blurams account and log in. Go to the home page and Click the "+" icon on the top right corner, select your camera.

Please follow the instruction on the App interface to add your camera.

Use of access to the cameras via a web interface


After you have installed the camera on your mobile phone and created an account with blurams there, you can also access the camera via a browser (Chrome, Firefox, Edge).

Please enter the following address in the address line: https://client.blurams.com/login

Enter your registered email address, password and a verification code.

Click on your camera and the live image will appear. At the top right you will find a gear symbol. If you click on it you can change the settings of the camera and see the recordings made.

Customer Service





- On not use the camera in the environment at too high or too low temperature, never expose the camera under strong sunshine or too wet environment. The suitable temperature for the product and accessories is 10°C-50°C.
- The plug considered as disconnect device of adapter. If you use a third-party charger, the recommended output voltage/current of the adaptor is DC 5V/1A, and the adapter shall be CE approval type.
- RF exposure information: The Maximum Permissible Exposure (MPE) level has been calculated based on a distance of d=20 cm between the device and the human body.
- To maintain compliance with RF exposure requirement, use product that maintain a 20cm distance between the device and human body.
- Wi-Fi Operating Frequency Range: 2412MHz~2472MHz; Wi-Fi Max Output Power: 17.13dBm(EIRP)
- Wi-Fi Operating Frequency Range: 5150MHz~5850MHz; Wi-Fi Max Output Power: 13.7dBm(EIRP)
- This product can be used across EU member states.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with

the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is

encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To assure continued compliance, any changes or modifications not expressly approved by the party.

Responsible for compliance could void the user's authority to operate this equipment. (Example- use only shielded interface cables when connecting to computer or peripheral devices).

This equipment complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference, and
- 2. This device must accept any interference received, including interference that may cause undesired operation.

FCC Radiation Exposure Statement:

The equipment complies with FCC Radiation exposure limits set forth for uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body. FCC ID: 2ASAQ-A1XX

Documents / Resources



blurams A12S FoldVue Cam [pdf] User Manual A12S, A12S FoldVue Cam, FoldVue Cam, Cam

References

- O client.blurams.com/login
- User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.