



BMPRO RVDRS101 SmartSecure Wireless Open/Close Sensor Instructions

[Home](#) » [BMPRO](#) » [BMPRO RVDRS101 SmartSecure Wireless Open/Close Sensor Instructions](#) 



Contents

- [1 BMPRO RVDRS101 SmartSecure Wireless Open/Close Sensor Instructions](#)
- [2 Documents / Resources](#)
- [3 Related Posts](#)

BMPRO RVDRS101 SmartSecure Wireless Open/Close Sensor Instructions



WARNING: Do not ingest battery. Chemical Burn Hazard. This product contains a coin/ button cell battery. If the coin/button battery is swallowed, it can cause severe internal burns in just 2 hours and can lead to death. Keep new and used batteries away from children. If the battery compartment does not close securely, stop using the product and keep it away from children. If you think batteries might have been swallowed or placed inside any part of the body, seek immediate medical attention.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna,
- Increase the separation between the equipment and receiver,
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected,
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This device contains licence-exempt transmitter/receiver that complies with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions: (1) This device may not cause interference. (2) This device must accept any interference received, including interference that may cause undesired operation.

INSTALL OPEN/ CLOSE SENSOR

1. Ensure the surfaces for mounting of the open close sensors are clean. Remove any debris, excess paint or rust.
2. Peel off the protective film and attach one part of the sensor using the adhesive backing.
3. Position the second part of the sensor so that the magnets on both parts are aligned. Make sure the magnets make good contact with each other when the door / awning / window is closed.
4. Open your app* and navigate to the SmartSecure screen.
5. Follow the instructions in the app to pair your SmartSecure sensor.
6. The sensor is now paired to the app and will show the status of your awnings, doors, vents etc.

A compatible BMPRO app must be installed in your RV or on your smartphone. SmartSecure is compatible with all devices that have Bluetooth 4.0+ Low Energy (BLE).

Head office – Australia

19 Henderson Rd, Knoxfield, VIC, 3180

Phone: +61 3 9673 0962

USA office

Unit 1, 821 E Windsor Ave, Elkhart, Indiana, 46514

Phone: +1 574 322 4934

SmartSecure is compatible with BMPRO's Odyssey and ProSmart apps and does NOT operate on it's own.



Read More About This Manual & Download PDF:

Documents / Resources



[BMPRO RVDRS101 SmartSecure Wireless Open/Close Sensor](#) [pdf] Instructions
RVDRS101, 2ASJH-RVDRS101, 2ASJHRVDRS101, SmartSecure Wireless Open Close
Sensor, RVDRS101 SmartSecure Wireless Open Close Sensor