

BOSCH CSG958DB1 Built In Compact Oven With Steam Function User Guide

Home » Bosch » BOSCH CSG958DB1 Built In Compact Oven With Steam Function User Guide 1



Contents

- 1 BOSCH CSG958DB1 Built In Compact Oven With Steam
- **Function**
- 2 Included accessories
- 3 Optional accessories
- **4 Technical Data**
- **5 Heating Functions**
- **6 Safety and Environment**
- **7 Dimensions**
- 8 Documents / Resources



BOSCH CSG958DB1 Built In Compact Oven With Steam Function



Included accessories

1 x enamel baking tray, 1 x grid, 1 x universal pan, 1 x steam container, punched, size XL, 1 x sponge, 1 x Steam container, punched, size M, 1 x Steam container, unpunched, size M

Optional accessories

- **HEZ530000**: Half tray
- HEZ531010: Baking tray, non-stick ceramic coated
- HEZ532010: Universal pan, non-stick ceramic coated
- HEZ631070: Baking tray, anthracite enameled
- **TFT Touch Display Pro:** perfect control thanks to an innovative Digital Control Ring and full-surface TFT touchscreen.
- Air Fry Function: for perfectly fried foods, such as vegetables and chips.
- Eco Clean Direct: easy cleaning thanks to a coating that breaks down grease while you bake.
- Steam Function with Sous-Vide: for gentle, healthy food preparation that keeps food moist throughout.
- Added Steam Function: food turns out crispy on the outside and juicy on the inside.

Technical Data

• Color / Material Front: Black

• Built-in / Free-standing: Built-in

• Door opening: Dropdown

• Cleaning: Catalytic liners (all sides), Hydrolytic

• Control Panel Material: Glass

• Door Material: Glass

• **Dimensions (HxWxD)**: 455 x 594 x 548 mm

• Dimensions of the packed product (HxWxD): 520 x 660 x 690 mm

• Min. required niche size for installation (HxWxD): 450-455 x 560-568 x 550 mm

• Cavity dimensions: 235 x 480 x 415 mm

• Usable volume of cavity: 47 |

• Number of interior lights: 1

• Net weight: 36.2 kg

• Gross weight: 38.5 kg

EAN code: 4242005326211Connection Rating: 3300 W

• Fuse protection: 16 A

• Voltage: 220-240 V

• Frequency: 50; 60 Hz

• Length of electrical supply cord: 150.0 cm

Heating Functions

- Compact steam oven with 24 heating methods: 4D HotAir, Top/bottom heating, Hot air grilling, Full-width grill, Half width grill, Pizza setting, Bottom heating, Intensive heat, Slow cooking, Preheat ovenware, Drying, Keep warm, Hotair gentle, Conventional heat gentle, AirFry, Pure steaming, Reheating, Dough Proving, Defrost setting, sous-vide cooking, hot air grilling + steam, keep warm + steam, 4D hotAir + steam, Top/bottom heat + steam
- Temperature range 30 °C 250 °C. Steam Function Plus 120 °C
- Steam Function Plus 120 °C
- · Cavity volume: 47 net usable liters

Hook-in racks/rails

- Number of shelf levels: 3
- 1 set of level independent telescopic rails (Clip-on rail), fully extendable, safety stop function

Design

- · Carbon Black Design
- Anthracite enamel cavity with 3 shelf positions
- Touch control
- · Digital Control Ring

Cleaning

- EcoClean Direct: coating of ceiling, back panel, side liners
- Cleaning Assistance (HydroClean program)

Convenience

- Automatic temperature proposal, Residual heat indicator, Actual temperature display, Meat probe function
- Air Fry Function
- There are different steam intensities selectable: steam level high, steam level middle, steam level low

- Steam Boost Add three intensive steams with a touch of a button.
- · PerfectRoast Plus
- · PerfectBake plus
- Bosch Assist a menu of dishes for automatic cooking
- HomeConnect
- · Oven Assistant with Voice Control
- · Automatic rapid heat function
- · Drop down door
- · Integrated cooling fan
- ED lighting
- Electronic clock/timer with end-time programming
- · The water tank empty indicator
- The location of the steam generator is outside of the cavity

Accessories

• 1 x enamel baking tray, 1 x Steam container, punched, size M, 1 x steam container, punched, size XL, 1 x Steam container, unpunched, size M, 1 x grid, 1 x sponge, 1 x universal pan

Safety and Environment

- Mechanical safety locking device, Child lock, Automatic safety switch off function, Residual heat indicator, Start button, Door contact switch
- · Triple glazed door
- · Full glass inner door

Technical Info


Length of mains cable: 150 cm
Nominal voltage: 220 – 240 V


• Total connected load electric: 3.3 KW

Dimensions


- Appliance dimensions (HxWxD): 455 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 450 mm 455 mm x 560 mm 568 mm x 550 mm
- · Please reference the built-in dimensions provided in the installation drawing

Installing two appliances on top of each other Air exchange






Installation with a hob.



measurements in mm



If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm

Documents / Resources



BOSCH CSG958DB1 Built In Compact Oven With Steam Function [pdf] User Guide CSG958DB1 Built In Compact Oven With Steam Function, CSG958DB1, Built In Compact Oven With Steam Function, Oven With Steam Function, With Steam Function, Steam Function

Manuals+,