

BRANDMOTION FVMR-2000 Digital 2 Input Mirror Owner's Manual

Home » BRANDMOTION » BRANDMOTION FVMR-2000 Digital 2 Input Mirror Owner's Manual



BRANDMOTION FVMR-2000 Digital 2 Input Mirror



Contents

- **1 Recommended Tools**
- 2 Kit Contents
- **3 Installation of the Digital Mirror**
- 4 Camera Mounting & Power
- **5 CUSTOMER SUPPORT**
- **6 Documents / Resources**
 - **6.1 References**

Recommended Tools

Recommended Tools	Difficulty Level	
Wire Strippers	Install Time	
Wire Cutters		
Electrical Tape		
• Screw Driver • Zip Ties	① 1hr 30m – 2hr	
Questions? Call the Brand motion technical support line at 734-619-1250 or CLICK HERE		

Kit Contents



- 1x Video Mirro
- 1x Power Harness
- 1x Windshield mirror mount

Installation of the Digital Mirror

Part 1 Attaching the Digital Mirror to the windshield 1. Remove the mirror from the protective sleeve and e BEFORE nsure that the mirror and mounting arm are oriented as illustrated. 2. Remove the old mirror from the mount on the winds hield as per manufacturer's directions. Be sure to use the proper removal tool if required. 3. Install new mirror on to D-tab and tighten with a Phil lips screwdriver. Please call our offices and select o ption one if your mirror mount does not look like the illustration. **ACAUTION** Take care not to overtighten. Overtightening could result in damage to your windshield.

Part 2	Powering the Digital Mirror
 Connect the power harness to the plug on the mirro r. Route the harness across the head liner, down th e A-pillar, and to the desired location in the kick pan el. Ensure that the harness will not be pinched when tri m panels are replaced. 	

Part 3	Wiring the Digital Mirror
Connect the RED wire from the mirror harness to 1	
2-volt accessory power.	
2. Connect the BLACK wire to a solid ground. Chassis	
ground in the kick panel is recommended.	
3. The GREEN wire is not used for this application	

A CAUTION If your installation includes a secondary camera on the vehicle, we recommend labeling the display side of the harness to be sure that it gets plugged into the desired channel.

Part 4	Function test of the Digital Mirror
 Connect rear camera directly to AV2 on the mirror h arness Test mirror and camera by turning on ignition power. You can also plug a camera directly into the mirror i f you want to test both channels with video before p roceeding. 	

Camera Mounting & Power

Part 5	Camera Connection
The camera(s) will be powered via monitor harness. Connect the camera(s) to the extension harness to draw the necessary power and video signal.	

Part 6

Compatible with any 1080p AHD 4-pin camera. See Brandmotion Parts:

- FLTW-1000
- FLTW-1001
- FLTW-1002
- FLTW-1003
- FLTW-1004
- FLTW-1100
- FLTW-1101
- FLTW-1102



CUSTOMER SUPPORT

Vehicle Application: Universal

Part Number: FVMR-2000



Documents / Resources



BRANDMOTION FVMR-2000 Digital 2 Input Mirror [pdf] Owner's Manual FVMR-2000, FVMR-2000 Digital 2 Input Mirror, Digital 2 Input Mirror, 2 Input Mirror, Mirror

References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.