

**BRIMFORD  
Black Wired  
Programming  
Macro Custom  
Knob**



# BRIMFORD Black Wired Programming Macro Custom Knob Owner's Manual

[Home](#) » [BRIMFORD](#) » BRIMFORD Black Wired Programming Macro Custom Knob Owner's Manual 

## Contents

- [1 BRIMFORD Black Wired Programming Macro Custom Knob](#)
- [2 Specifications](#)
- [3 Product Usage Instructions](#)
- [4 Product attributes](#)
- [5 Key position](#)
- [6 FAQ](#)
- [7 Documents / Resources](#)
  - [7.1 References](#)

# BRIMFORD

**BRIMFORD Black Wired Programming Macro Custom Knob**



## Specifications

- **Model:** VTUPNLFZQBEPQFSBUJPONBOVBM
- **Features:** LFZ LFZ LFZ LFZ LFZ LFZ
- **Power:** 1SPEVDUBUUSJCVUFT
- **Dimensions:** B4QFDJGJDBUJPOT, LFZ, OPCLFZQBE
- **Weight:** CDPNNVOJDBUJPONPEF64# 5QZF\$

## Product Usage Instructions

### Setting up the Product:

1. Unbox the product and carefully remove all packaging materials.
2. Place the product on a flat and stable surface.
3. Connect the necessary cables and power source according to the user manual.

### Operating the Product:

1. Turn on the product by pressing the power button located on the control panel.
2. Use the provided remote control to navigate through different settings and options.
3. Adjust the settings as per your preference using the control buttons or remote.

### Maintenance and Care:

1. Regularly clean the product with a soft, dry cloth to remove dust and debris.
2. Avoid exposing the product to direct sunlight or extreme temperatures.
3. Refer to the user manual for specific maintenance instructions and troubleshooting tips.

## Product attributes

1. **Specifications:** 3Key+1Knob keypad
2. **communication mode :**USB(Type-C )


### Setting method:

1. When unpacking, first confirm that there is no obvious damage in the logistics process, and then click each button normally to confirm that the hand feel is normal; (if some shafts are loose, just press them normally)
2. Scan the QR code behind the instruction manual to obtain the download link for the keyboard settings tool. Unzip on WIN OS computer. Run the following icon, And ignore the relevant prompts, it's just a setting tool.  
——run this icon



3. Connect the USB cable to the computer. If the connection error is reported, reinstall it or change another USB port for connection. After the connection is normal, the LED light will flash.


### Key position



### Example of key setting method

**Example 1:** The pasted key combination Ctrl + V set to key1

1. Enter the key setting interface, and then select key1 with the mouse




2. On the lower left side, select "Ctrl Shift Alt" column, click Ctrl, and then click the letter C, as shown below



3. The interface after selection is as follows. After confirming that Ctrl and C are selected normally, click the download button.
4. Next, you can copy the content first, and then press key1 on the keyboard product to confirm the effect after setting.

### Example 2:++ENTER combination set to key2

1. The selection method is the same, first select Key2, then click + twice and enter once.
2. Click download after selecting:



### Knob setting method

1. For a keyboard with only one knob, the corresponding number of the knob is "K1".
2. K1 left refers to counterclockwise rotation, K1 centre refers to pressing, and K1 right refers to clockwise rotation.
3. For example, if the knob is pressed set to pause or play, the next song is clockwise, the previous song is counterclockwise, or it is used for volume control. After pressing the corresponding selection, the download will take effect. (of course, other key values can also be written)
4. After selection, enter the multimedia column for setting:



### Lighting mode settings

1. Click the LED setting column to switch to the LED setting interface. After the LED mode 0 is selected and downloaded, the function is turn off the light.
2. Others are different light effect modes, and the download mode is the same as the key setting.

### Description of other problems

1. The connection error may be due to the abnormal identification of the USB port. Please change the USB port and confirm again.
2. Users who do not like LED lights can directly set “mode 0” to turn off.
3. The serial number of the keys corresponds to the figure. The extra part is ignored because of the compatible design.

### Scan the code to obtain the download link for the keyboard settings tool



1. Scan the code and copy the link to the computer browser to run.
2. Unzip tool software and run it on WIN PC



3. Connect the keypad to the PC through cable
4. The scanned link is the cloud drive download link. Please feel free to use it.TKS!

### FAQ

#### **Q: How do I reset the product to factory settings?**

A: To reset the product to factory settings, navigate to the settings menu and select the reset option. Follow the on-screen instructions to complete the process.


**Q: What should I do if the product stops working suddenly?**

A: If the product stops working unexpectedly, first check the power source and connections. If the issue persists, contact customer support for further assistance.

**Q: Can I use third-party accessories with this product?**

A: It is recommended to use accessories recommended by the manufacturer to ensure compatibility and optimal performance. The use of third-party accessories may void the warranty.

**Documents / Resources**

	<p><a href="#">BRIMFORD Black Wired Programming Macro Custom Knob</a> [pdf] Owner's Manual Black Wired Programming Macro Custom Knob, Black Wired, Programming Macro Custom Knob, Macro Custom Knob, Custom Knob</p>
---	--

**References**

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.