

BriskHeat TB261P Ambient Sensing Capillary Temperature Controller Owner's Manual

Home » BriskHeat » BriskHeat TB261P Ambient Sensing Capillary Temperature Controller Owner's Manual



BriskHeat TB261P Ambient Sensing Capillary Temperature Controller



Contents

- 1 Features & Benefits
- 2 Specifications
- **3 Ordering Information**
- **4 Dimensions**
- **5 Customer Support**
- 6 Documents /

Resources

6.1 References

7 Related Posts

Features & Benefits

- · Controls based on ambient conditions
- · Suitable for outdoor use
- · Manually set desired temperature
- Rugged polycarbonate NEMA 4X enclosure
- 1/2" Knockouts for wiring

Specifications

Voltage: Up to 277 VAC

Maximum Amp Load: 22 amps (SPST) or 16 amps (SPDT)

Temperature Control Range: 30°F to 110°F Temperature Display Unit: °F and °C

Sensor Type: Corrosion resistant vinyl-coated ambient sensing bulb and capillary

Power Connection: Single pole double throw (SPDT) and Single pole single throw (SPST) contacts


Environmental Exposure Operating Range: -26°F to 140°F (-32°C to 60°C) **Overall Dimensions**: 7.38 in \times 2.81 in \times 3.38 in

(187 mm x 71 mm x 85 mm); Wt: 1.2 lbs (0.54 kg)




Ordering Information

Part No.	Volts	Amps	Range
TB261P-110	Up to 277	22	30°F to 110°F (-1°C to 43 °C)



Dimensions



Customer Support

800-848-7673
614-294-3376
BriskHeat.com
bhtsales1@briskheat.com
© BriskHeat Corporation. All Rights Reserved. 22-06



Documents / Resources



BriskHeat TB261P Ambient Sensing Capillary Temperature Controller [pdf] Owner's Manua

TB261P, TB261P Ambient Sensing Capillary Temperature Controller, TB261P, Ambient Sensing Capillary Temperature Controller, Sensing Capillary Temperature Controller, Capillary Temperature Controller, Controller,

References

- BriskHeat | Flexible Surface Heating Solutions & Controls BriskHeat
- User Manual

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.