

# **BRISTAN W BATH03 C Clicker Bath Waste with Overflow Instruction Manual**

Home » BRISTAN » BRISTAN W BATH03 C Clicker Bath Waste with Overflow Instruction Manual



#### **Contents**

- 1 BRISTAN W BATH03 C Clicker Bath Waste with **Overflow**
- **2 Product Information**
- 2.1 Product Usage Instructions
- 2.2 Introduction
- 2.3 Installation
- 2.4 Installation
- 2.5 General Cleaning
- 3 Documents / Resources
  - 3.1 References
- **4 Related Posts**



**BRISTAN W BATH03 C Clicker Bath Waste with Overflow** 



# **Product Information**

Thank you for choosing Bristan, the UK's leading taps and showers expert. The Clicker Bath Waste with Overflow is designed for your enjoyment and needs to be fitted correctly to work to its full potential. The product components include:

| Component                  | Description   |
|----------------------------|---|
| 1. Waste Body              | Main body of the waste system                           |
| 2. Waste Rubber Washer     | Washer for the waste body                               |
| 3. Silicone Washer         | Washer for securing the flange                          |
| 4. Flange                  | Secures the waste body and houses the clicker mechanism |
| 5. Clicker Mechanism       | Mechanism for controlling the waste system              |
| 6. 500mm Hose              | Flexible hose for the overflow system                   |
| 7. O-Ring                  | Sealing ring for the hose connection                    |
| 8. Overflow Body           | Main body of the overflow system                        |
| 9. Bath Rubber Washer      | Washer for securing the overflow body                   |
| 10. Overflow Rubber Washer | Washer for creating a seal in the overflow system       |
| 11. Overflow Face          | Faceplate for the overflow system                       |

If you need further assistance, you can contact us at 0330 026 6273.

# **Product Usage Instructions**

#### Installation

- 1. Identify all components are present prior to installation.
- 2. Place the waste body (1) and waste rubber washer (2) under the bath. Screw the flange (4) into the waste body (1) to secure, ensuring the silicone washer (3) is in place.
- 3. Push the clicker mechanism (5) into the flange (4). Test the mechanism by pressing down and pressing again for it to pop up.
- 4. Fit the overflow body (8) with the bath rubber washer (9) behind the bath. Secure in place by screwing the overflow face (11) onto the body, ensuring the overflow rubber washer (10) is in place to create a seal.
- 5. The hose (6) uses push-fit connections to secure in place. Push one end over the top of the overflow body (8) ensuring it goes over the O-ring (7). Push the other end of the hose onto the waste body connection (1) as far as possible.
- 6. Turn on the water supply and check all joints and connections for leaks.

# **General Cleaning**

Bristan products are made from premium materials with hand polishing and electroplated finishes. To clean your waste:

- Regularly clean with warm water and a mild pH-neutral liquid soap.
- Polish with a soft cloth to maintain its appearance.
- Rinse off any residues from soap, toothpaste, shampoos, and shower gels immediately after use to prevent blemishes.
- Avoid using household bleaches and cleaners containing harsh chemicals as they may damage the surface finish.
- Avoid using abrasive cloths, scouring pads, scrub sponges, steel wool, or similar materials.
- Avoid hanging cloths on surfaces, especially for nickel and pewter surfaces, as some cloth dyes may cause discoloration.

If you need further assistance, you can contact us at 0330 026 6273.

## Models Covered: W BATH03 C/BLK/BB/GM

Please keep this booklet for future reference.


Installer, when you have read these instructions please ensure you leave them with the user.

#### Introduction

Thank you for choosing Bristan, the UK's leading taps and showers expert. We have designed this product with your enjoyment in mind. To ensure that it works to its full potential, it needs to be fitted correctly. These fitting instructions have been created to give you all of the information you need and, if you need any further help, please do not hesitate to give us a call on 0330 026 6273.

#### Installation

## Components



- 1. Waste Body
- 2. Waste Rubber Washer
- 3. Silicone Washer
- 4. Flange
- 5. Clicker Mechanism
- 6. 500mm Hose
- 7. O-Ring
- 8. Overflow Body
- 9. Bath Rubber Washer
- 10. Overflow Rubber Washer
- 11. Overflow Face

Need help? Give us a call on 0330 026 6273 and speak to one of our trained advisors

# Installation

- 1. Identify all components are present prior to installation.
- 2. Place the waste body (1) and waste rubber washer (2) under the bath. Screw the flange (4) into the waste body (1) to secure, ensuring the silicone washer (3) is in place.
- 3. Push the clicker mechanism (5) into the flange (4). Test the mechanism by pressing down and pressing again for it to pop up.
- 4. Fit the overflow body (8) with the bath rubber washer (9) behind the bath. Secure in place by screwing the overflow face (11) onto the body, ensuring the overflow rubber washer (10) is in place to create a seal.
- 5. The hose (6) uses push-fit connections to secure in place. Push one end over the top of the overflow body (8) ensuring it goes over the O-ring (7). Push the other end of the hose onto the waste body connection (1) as far

as possible.

6. Turn on the water supply and check all joints and connections for leaks.

# **General Cleaning**

- Bristan products are made from premium materials, with hand polishing and electroplated finishes.
- Your waste should be regularly cleaned with warm water, a mild pH-neutral liquid soap, and polished with a soft cloth. Any residues from soap, toothpaste, shampoos and shower gels can cause blemishes if not rinsed off

straight after use.

- Household bleaches and cleaners contain harsh chemicals and may damage the surface finish. Avoid using abrasive cloths, scouring pads, scrub sponges, steel wool or anything similar.
- Some surfaces such as nickel and pewter may be affected by the dye found in some cloths, so it is also important to avoid hanging cloths on surfaces

Issue: D4

Part Number: FI W BATH03

Bristan Group Ltd.

UK: Bristan Group, B78 1SG.

EU: Masco Europe S.à.r.l. 14 Rue Strachen 6933 Mensdorf Luxembourg

**Customer Service**: +44330 026 6273

Web: <u>www.bristan.com</u> Email: <u>enquire@bristan.com</u>

A Masco Company

At Bristan, we want to make things as easy as possible for our customers. That's why we offer solid guarantees on all our products, effective from the date of purchase, to give you peace of mind.

To start your free guarantee simply scan the QR code and register your product.

Alternatively visit www.bristan.com/register.

For any other queries, please call our Customer Service on 0330 026 6273 where our expert team of advisors will be able to offer you any help and advice.

For full guarantee terms and conditions visit www.bristan.com/service-centre/guarantees

## **Documents / Resources**

Installation Instructions and User Guide
Cicker Bash Watan with Overflow

Models Coursel:

6/2 8/27/4/25 C/86/4/254

Please leagy-titls bandfeld for februr
yelymmic.

Induffer, when yelythey raid fines
industrialing places stream yes bear

BRISTAN W BATH03 C Clicker Bath Waste with Overflow [pdf] Instruction Manual W BATH03 BB, W BATH03, C-BLK-BB-GM, W BATH03 C Clicker Bath Waste with Overflow, Clicker Bath Waste with Overflow, Overflow

#### References

• B Register a product

