

Contents [[hide](#)]

- [1 BSEED WIFI02-GF Smart Socket Plug](#)
- [2 Product Features](#)
- [3 Operation](#)
- [4 Specification](#)
- [5 APP Step](#)
- [6 Frequently Asked Questions](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)


BSEED

BSEED WIFI02-GF Smart Socket Plug



Product Features

1. Using APP to control and operate the unit.
2. Using the gear switch to control and setting the time.



Operation

- WIFI02 is a single output Smart WIFI timer socket.
 - Use mobile software to control the on/off and countdown of the socket through WIFI connection.
1. Before using the device, you need to configure the network to connect the product to the Internet via WIFI, which can be either a router or a hot spot on a mobile phone. When the product is powered on, the display flashes OFF, long press the red button for 3S for connecting till the display shows “00.00” and stop to flash which means successful. If no need to distribution network, can press the red button or rotate the gear switch to be in “00.00” standby mode directly.
 2. Two mode of red button: short press and long press.
 - In standby mode, short press to be ON, the socket is outputting continuously. Press again to stop the outputting.
 - Long press is to enter the status of the EZ distribution network. When the OFF is flashing, it can be connected according to the EZ configuration method; and exit the previously connected mobile phone signal;
 3. There is a gear switch around the product casing. It has two mode of clockwise and counterclockwise.
 - In standby mode, rotating clockwise by 1 grid will increase the countdown timer by 15 minutes and display 00.15. Rotated clockwise continuously, the maximum display will be 24.00.

- Conversely, rotate counterclockwise by 1 grid to reduce the countdown timer by 15 minutes, and rotate counterclockwise continuously until the minimum display is 00.00.

Specification

- **Product model:** WIFI02
- **Product size:** 67 × 67 × 84MM
- **Color:** WHITE
- **Product weight:** 95g
- **Input voltage:** 230Vac/50Hz
Load power: 16A Max. 3680W
- **WIFI parameters:** Supports protocol 802.11 b/g/n; passageway 1-14@2.4GHz
Support WPA/WPA2 security
- **Power Consumption:** 0.5W
- **System supports:** iOS 8.0 and above versions;
• Android 4.4 and above mobile phones

APP Step

To scanning the QR code as below for download the APP.




Frequently Asked Questions

How do I download the APP for this product?

To download the APP, scan the QR code provided in the user manual or search for the app in your device's app store.

Documents / Resources



[BSEED WIFI02-GF Smart Socket Plug \[pdf\]](#) User Manual
WIFI02-GF Smart Socket Plug, WIFI02-GF, Smart Socket Plug, Socket Plug, Plug

References

- [User Manual](#)

 BSEED, Plug, Smart Socket Plug, Socket-Plug, WIFI02-GF, WIFI02-GF Smart Socket

 BSEED Plug

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.