



BUFFALO DB175 Double Slice Conveyor Toaster Instruction Manual

[Home](#) » [BUFFALO](#) » **BUFFALO DB175 Double Slice Conveyor Toaster Instruction Manual**

BUFFALO DB175 Double Slice Conveyor Toaster Instruction Manual



Contents [[hide](#)

- [1 Safety Tips](#)
- [2 Product Description](#)
- [3 Introduction](#)
- [4 Pack Contents](#)
- [5 Operation](#)
- [6 Cleaning, Care & Maintenance](#)
- [7 Troubleshooting](#)
- [8 Technical Specifications](#)
- [9 Electrical Wiring](#)
- [10 Compliance](#)
- [11 Documents / Resources](#)
 - [11.1 References](#)
- [12 Related Posts](#)

Safety Tips

- Position on a flat, stable surface.
- A service agent/qualified technician should carry out installation and any repairs if required. Do not remove any components on this product.
- Consult Local and National Standards to comply with the following:
 - Health and Safety at Work Legislation
 - BS EN Codes of Practice
 - Fire Precautions
 - IEE Wiring Regulations
 - Building Regulations



- Some surfaces become hot during and after operation – take care when using or handling the appliance.
- DO NOT use metal utensils to remove bread or crumbs from the appliance.
- DO NOT immerse the appliance in water.
- DO NOT clean with jet/pressure washers.
- DO NOT leave the appliance unattended during operation.
- DO NOT obstruct or cover the appliance in any way when in use.
- Not suitable for outdoor use.
- Always switch off and disconnect the power supply to the appliance before when not in use.
- This appliance must only be used in accordance with these instructions and by persons competent to do so.
- Keep all packaging away from children. Dispose of the packaging in accordance to the regulations of local authorities.
- If the power cord is damaged, it must be replaced by an BUFFALO agent or a recommended qualified technician in order to avoid a hazard.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience or knowledge, unless they have been given supervision or instruction concerning the use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.

- Buffalo recommend that this appliance should be periodically tested (at least annually) by a Competent Person. Testing should include, but not be limited to: Visual Inspection, Polarity Test, Earth Continuity, Insulation Continuity and Functional Testing.
- Buffalo recommend that this product is connected to a circuit protected by an appropriate RCD (Residual Current Device).

Product Description

DB175 – Double Slice Feed Conveyor Toaster

Introduction

Please take a few moments to carefully read through this manual. Correct maintenance and operation of this machine will provide the best possible performance from your BUFFALO product.

Pack Contents


The following is included:

- Buffalo Conveyor Toaster
- Return chute
- Pass through chute
- Feeder
- Crumb tray
- Back door
- Feet x 4
- Instruction manual

BUFFALO prides itself on quality and service, ensuring that at the time of packaging the contents are supplied fully functional and free of damage.

Should you find any damage as a result of transit, please contact your BUFFALO dealer immediately.

Operation



WARNING: Take care to avoid touching the surfaces as surfaces remain hot during and immediately after use.

BUFFALO Conveyor Toasters can be set up to return the toast from the front or rear of the appliance. This is known as 'Return' or 'Pass-through' operation and can be set up to best suit the kitchen environment.


Fit the Feeder

1. Squeeze the arms of the feeder and slot the arms in to the feeder mounting holes (Fig. 1).
2. Rest the legs on the outside of the appliance.

Return Operation

To set-up the toaster for return operation:


1. Close the back door of the appliance and fix it in the vertical position.
2. Slide the return chute in to the bottom of the appliance and secure it to the two pins located inside the rear of the appliance.



Pass-through Operation

To set-up the toaster for pass-through operation:

1. Remove the back door of the appliance.
2. Fix it inside the appliance by resting the curved lip of the door on the two pins at the end of the belt [Fig. 2].
3. Attach the Pass-through chute to the hanging screws at the rear of the appliance.



Toasting

The BUFFALO Conveyor Toaster has 3 power levels:

Top&Bottom	Full power to both upper and lower elements
Top	Full power to upper element only
Standby	Energy Saver (reduces power to minimum, providing quick heat up times when required)

The speed of the conveyor belt can also be altered to adjust the cooking level.

- Turn the knob clockwise towards Light (increases the speed of the belt) for a lighter toasting.
- Turn the knob anti-clockwise towards Dark (slows the speed of the belt) for a darker toasting.

To toast:

1. Connect the appliance to the power supply.
2. Set the power and belt speed.



Note: BUFFALO recommend that the Conveyor Toaster is allowed to heat up for 30 minutes before use.

3. Place the bread on the Feeder.
4. The bread is toasted as it travels through the appliance.
5. If necessary, adjust the power level / belt speed to achieve the desired level of toasting.

Cleaning, Care & Maintenance

- Always turn Off the appliance and disconnect from the power supply before cleaning.
- Allow the appliance to cool before cleaning.
- Regularly remove and empty the crumb tray.
- Use warm, soapy water and a damp cloth to clean the exterior of the appliance.
- Dry thoroughly after cleaning.
- A BUFFALO dealer or qualified technician should carry out repairs if required.

Troubleshooting

Fault	Probable Cause	Solution
Appliance not working	The unit is not switched on	Check the unit is plugged in correctly and switched on
	Plug and lead are damaged	Call BUFFALO agent or qualified Technician
	Fuse in the plug has blown	Replace the plug fuse
	Power supply	Check power supply
	Internal wiring fault	Call BUFFALO agent or qualified technician

Appliance does not reach set temperature	Faulty thermostat	Call BUFFALO agent or qualified technician
	Faulty element	Call BUFFALO agent or qualified technician
Appliance heats up but indicator light does not come on	Indicator light has expired	Call BUFFALO agent or qualified technician
Power indicator light comes on but appliance does not heat up	Faulty element	Call BUFFALO agent or qualified technician
	Faulty thermostat	Call BUFFALO agent or qualified technician
	Thermostat set incorrectly	Check thermostat
Appliance slow to heat up	Faulty element	Call BUFFALO agent or qualified technician
Belt does not move/ is slower than usual	Loose chain	Call BUFFALO agent or qualified technician
Uneven toasting	Incorrect power setting	Check power setting
	Not yet up to temperature	Allow appliance to heat up
No power	Auto re-set activated	Allow product to cool for 30 minutes


Technical Specifications

Model	Voltage	Power	Current	Dimensions H x W x D mm	Weight
DB175	230V, 50Hz	2400W	10.4A	420 x 370 x 410	16.5kg

Electrical Wiring

This appliance is supplied with a 3 pin BS1363 plug and lead.
The plug is to be connected to a suitable mains socket.
This appliance is wired as follows:

- Live wire (coloured brown) to terminal marked L
- Neutral wire (coloured blue) to terminal marked N
- Earth wire (coloured green/yellow) to terminal marked E

This appliance must be earthed. 

If in doubt consult a qualified electrician.

Electrical isolation points must be kept clear of any obstructions. In the event of any emergency disconnection being required they must be readily accessible.

Compliance



■ The WEEE logo on this product or its documentation indicates that the product must not be disposed of as household waste. To help prevent possible harm to human health and/or the environment, the product must be disposed of in an approved and environmentally safe recycling process. For further information on how to dispose of this product correctly, contact the product supplier, or the local authority responsible for waste disposal in your area.

BUFFALO parts have undergone strict product testing in order to comply with regulatory standards and specifications set by international, independent, and federal authorities.

BUFFALO products have been approved to carry the following symbol:



All rights reserved. No part of these instructions may be produced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of BUFFALO.

Every effort is made to ensure all details are correct at the time of going to press, however, BUFFALO reserve the right to change specifications without notice.

 The image shows the front cover of the Buffalo DB175 Double Slice Conveyor Toaster instruction manual. It features the Buffalo logo at the top left, a photograph of the toaster in the center, and a list of features on the right side. The text 'Conveyor Toaster' is visible at the top right of the cover.	<p>BUFFALO DB175 Double Slice Conveyor Toaster [pdf] Instruction Manual</p> <p>DB175, Double Slice Conveyor Toaster, Slice Conveyor Toaster, Conveyor Toaster, Toaster, DB 175 Double Slice Conveyor Toaster</p>
---	---

References

- [🌐 Buffalo Home Page](#)