




CAFE CTS90DM2NS5 Minimal Series 30 Inch Smart Built In Convection Single Wall Oven Owner's Manual

[Home](#) » [Cafe](#) » CAFE CTS90DM2NS5 Minimal Series 30 Inch Smart Built In Convection Single Wall Oven Owner's Manual 

C A F É

DISTINCT BY DESIGN™
Café Minimal Series 30" Smart Built-In
Convection Single Wall Oven in Platinum Glass
CTS90DM2NS5



This model requires a one-time WiFi connection to download oven features and functionality enabled by software. Follow instructions on your LCD screen on how to connect.

Contents

[1 FEATURES & BENEFITS](#)

[2 FEATURES](#)

[3 DIMENSIONS AND INSTALLATION INFORMATION](#)

[4 FLUSH INSET DIMENSIONS AND INSTALLATION INFORMATION](#)

[5 Documents / Resources](#)

[5.1 References](#)

[6 Related Posts](#)

FEATURES & BENEFITS

Built-In WiFi, Powered by SmartHQ App* – Manage all aspects of your kitchen with the help of the SmartHQ™ App or your voice assistant. Personalized Features + **pgrades** * – Usher in the latest features by downloading cooking upgrades right to your oven, putting Air Fry and more in your repertoire. Create an easy-to-clean, contemporary look for your kitchen with the striking reflective glass finish.

Simply use your voice * to open the wall oven, so you can keep both hands on heavy dishes.

Monitor your food from your smart device thanks to a heat-resistant in-oven camera * , which syncs to the SmartHQ app.

Simplify the cooking process with precision cooking modes that automatically track progress, and make time and temperature adjustments.

Integrated hot air frying technology gives you crispy results in your oven without using oil.

Make homemade chips, spices and dehydrated fruits more easily than ever with a moisture-removing setting in

your oven.
Eliminate the need for preheating and save time with a variety of precision cooking modes.
This oven features True European Convection, an advanced convection system that uses a third heating element and reversing fan for the highest level of heat and air circulation.
A precision temperature probe connects to the oven to ensure your food is properly cooked.
This oven will fit your existing cut-out, or GE Appliances will help pay for modifications up to \$300. *Some features require continuous WiFi connection to use.

FEATURES

Configuration	Single Oven
Cooking System	True European Convection with Direct Air
Oven Cleaning Type	Self-Clean with Steam Clean Option
Cleaning Time	Variable with Delay Clean Option
Oven Cooking Modes	Convection Bake Convection Bake Multi-Rack Convection Broil Hi/Lo Convection Roast Hot-Air Frying Precision Cooking Modes Thermal Bake Thermal Broil Hi/Lo
Self-Clean Oven Door Lock	Automatic
Control Type	7" Full-Color Touch LCD Screen
Oven Features	10-Pass Bake Element 10-Pass Dual Broil Element Closed Door Broiling
Oven Rack Features	2 Self-Clean Roller Racks 6 Embossed Rack Positions

Oven Control Features	12-Hour Shut-Off Capability Audible Preheat Signal Auto Recipe Conversion Sabbath Mode Control Lock Capability Cook Time C° or F° Programmable Dehydration Delay Time Electronic Clock & Kitchen Timer Mis-Wire Detection Oven Camera Proof Mode Remote Enabled Scan-to-cook Temperature Probe Warm Mode
WiFi Connect	Built-In
Connected Capabilities	Amazon Alexa The Google Assistant IFTTT Nest Drop Innit
Cooking Technology	Convection
Oven Interior	2 Halogen Interior Oven Lights Black Gloss Finish Hidden Bake
CAPACITY	
Total Capacity (cubic feet)	5.0 cu ft
POWER / RATINGS	
Amp Rating at 208V	20
Amp Rating at 240V	20
Bake Wattage	2,850W
Broiler Wattage	4,300W
Convection Wattage	2,400W
KW Rating at 208V	3.4
KW Rating at 240V	4.5
WEIGHTS & DIMENSIONS	

Approximate Shipping Weight	177 lb
Net Weight	161 lb
Overall Height	28-5/8 in
Overall Width	29-3/4 in
Overall Depth	24-3/4 in
Cabinet Width	30 in
Cutout Dimensions (W x H x D) (in.)	28-5/8 x 27-5/16 x 23-1/2
Oven Interior Dimensions (W x H x D) (in.)	25 x 17-3/8 x 20-1/4
APPEARANCE	
Color Appearance	Platinum Glass
Handle	Push-to-Open, Soft Open Hinges
Installation	9-1/2" Above Warming Drawer Side-by-Side Under Built-In Advantium Under Built-In Microwave Flush Inset
WARRANTY	
Parts warranty	Limited 1-year entire appliance
Labor warranty	Limited 1-year entire appliance
Warranty notes	See written warranty for full details

DIMENSIONS AND INSTALLATION INFORMATION




Single wall ovens are NOT approved for stacking above or below another single wall oven or undercounter installation.

Conduit 48" Wall coverings, countertops and cabinets surrounding the wall oven must be able to withstand a temperature of up to 200°F (94°C).

Conduit 48" If the cabinet in which the wall oven is installed does not have a solid bottom, two braces or runners must be installed to support the weight of the oven. The runners and braces must support up to 220 lbs (99 kg).

ATTENTION INSTALLER: Electric wall ovens are NOT approved for installation with a plug and receptacle. They must be hard wired into an approved junction box 22" minimum door opening allowance 22" minimum door opening allowance

IMPORTANT: Before installing, consult installation instructions packed with product for current dimensional data.



Cabinet	30"
A – Overlap of oven at top of cutout	1-1/4"
B – Overlap of oven other side of edge of cutout	3/4"
C – Overlap of oven at bottom of cutout	1-1/4"
Oven	
D – Install depth	24-3/4"
E – Overall height with trim	28-5/8"
F – Overall width	29-3/4"

FLUSH INSET DIMENSIONS AND INSTALLATION INFORMATION

NOTES:

A Junction Box location (may also be located in an adjacent cabinet.


B Platform must be able to support 220 lbs (99 kg).

C Cabinet surfaces must be an appearance finished surface for flush installation.

D Cleats may be visible and should be finished to match cabinetry.

ATTENTION INSTALLER: Electric wall ovens are NOT approved for installation with a plug and receptacle. They must be hard wired into an approved junction box.

IMPORTANT: Before installing, consult installation instructions packed with ALL products for current dimensional and combination data.




Allow $\frac{1}{8}"$ (0.3) clearances from side edges of oven door.
Dimension and installation information are shown in inches.

For answers to your Cafe™ product questions, visit our website at cafeappliances.com.

© 2022 GE Appliances

Documents / Resources

	CAFE CTS90DM2NS5 Minimal Series 30 Inch Smart Built In Convection Single Wall Oven [pdf] Owner's Manual CTS90DM2NS5, Minimal Series, 30 Inch Smart Built In Convection Single Wall Oven, CTS90DM2NS5 Minimal Series 30 Inch Smart Built In Convection Single Wall Oven, Minimal Series 30 Inch Smart Built In Convection Single Wall Oven, Smart Built In Convection Single Wall Oven, Built In Convection Single Wall Oven, Convection Single Wall Oven, Single Wall Oven, Wall Oven, Oven
---	---

References

-  [Cafe Appliances](#)