


**CALIMET
CM9-975B
Vehicle Exit
Wand**



CALIMET CM9-975B Vehicle Exit Wand Instructions

[Home](#) » [CALIMET](#) » CALIMET CM9-975B Vehicle Exit Wand Instructions 

Contents

- [1 CALIMET CM9-975B Vehicle Exit Wand](#)
- [2 Product Usage Instructions](#)
- [3 Exit Wand Installation](#)
- [4 FAQs](#)
- [5 Documents / Resources](#)
 - [5.1 References](#)

CALIMET

CALIMET CM9-975B Vehicle Exit Wand



Specifications

- Model: CM9-975B Vehicle Exit Wand
- Installation: Ground Level, New Concrete Sealer, Electrical Conduit

- Wire Connection Diagram: Exit Wand Wire Connection Diagram
- Power Supply: 24V-DC
- Color Coding: Open/Loop (Y), 24V-DC (R), 24V-COM (B)

Product Usage Instructions

Installation

1. Ensure the installation location is at ground level and has a new concrete sealer.
2. Run the electrical conduit to the designated power source.
3. Refer to the Exit Wand Wire Connection Diagram for proper wire connections.


Operation

1. Ensure the power supply is 24V-DC.
2. Connect the wires following the color coding: Open/Loop (Y), 24V-DC (R), 24V-COM (B).
3. Secure connections to ensure a snug fit.


CM9-975B VEHICLE EXIT WAND

Exit Wand Installation

1. On your concrete drive-way, use a 1 inch concrete bit and drill a 5 inch deep at the desired position.
2. Cut a straight line 1 inch deep and 3/16 inch width from the exit wand to the motor.
3. Install the exit wand in the hole and make sure it is snug fit to the bottom. You should have 1.75" to the ground level.
4. Install the exit wand wire (we recommend using electric conduit to extends the cable life).
5. Follow the wiring diagram and connect while main power is OFF.



Exit Wand Wire Connection Diagram



CM9-975B USER MANUAL

FAQS

Q: What should I do if the wand is not detecting vehicles?

A: Check the power supply connection and ensure the wires are properly connected following the wire connection diagram.

Q: Can the exit wand be installed on any surface?

A: It is recommended to install the exit wand on a ground level surface with a new concrete sealer for optimal performance.

Documents / Resources

	<p>CALIMET CM9-975B Vehicle Exit Wand [pdf] Instructions CM9-975B Vehicle Exit Wand, CM9-975B, Vehicle Exit Wand, Exit Wand, Wand</p>
--	---

References

- [User Manual](#)

[Manuals+.](#) [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.