

CANOPIA Automatic Louver Window Opener Installation Guide


[Home](#) » [CANOPIA](#) » CANOPIA Automatic Louver Window Opener Installation Guide 

Contents

- 1 CANOPIA Automatic Louver Window Opener
- 2 HOW TO ASSEMBLE
- 3 PARTS REQUEST
- 4 ASSEMBLY ASSISTANCE
- 5 CUSTOMER SUPPORT
- 6 BEFORE ASSEMBLY
- 7 FITTING THE UNIT
- 8 IMPORTANT INFORMATION
- 9 TECHNICAL INFORMATION
- 10 TOOLS & EQUIPMENT
- 11 DURING ASSEMBLY
- 12 Documents / Resources
 - 12.1 References
- 13 Related Posts



CANOPIA Automatic Louver Window Opener



HOW TO ASSEMBLE

AUTOMATIC LOUVER WINDOW OPENER™

Suitable for Palram – Canopia Greenhouses with pre-assembled Side Louver Window

IMPORTANT!

Please read these instructions carefully before starting assembly. Keep these instructions in a safe place for future reference.

www.canopia.com



AFTER SALES SERVICE

PARTS REQUEST

In the case of missing or damaged parts, do not return product to store.

Go to the link below or scan the QR code for help, it will direct you to a form that will help us assist you as soon as possible.



Contact us on our website: bit.ly/3js7yZi

ASSEMBLY ASSISTANCE

If you need any technical assistance in assembling your product, go to the link below or scan the QR code for help. It will direct you to a form that will help us assist you as soon as possible.



Contact us on our website: bit.ly/3kqqFEc

CUSTOMER SUPPORT

WE ARE HERE TO HELP



For general questions: bit.ly/3kY07dP

USA	
	877-627-8476
	hobbyservice@poly-tex.com

CANADA	
	905-5646007
	sales@footprintproducts.com

UNITED KINGDOM . IRELAND	
	01302-380775
	customer.serviceUK@palram.com

GERMANY	
	0180-522-8778
	customer.serviceDE@palram.com

FRANCE . BELGIUM	
	+33-169-791-094
	customer.serviceFR@palram.com

ISRAEL	
	04-848-6816
	info.il@palram.co.il

ITALY • NETHERLANDS • PORTUGAL • SPAIN	
	+33-169-791-094
	customer.serviceFR@palram.com

AUSTRIA . LUXEMBURG . LIECHTENSTEIN	
	+49-180-522-8778
	customer.serviceDE@palram.com

AUSTRALIA	
	03-9219-4444
	salesvic@palram.com

NORWAY • SWEDEN • ARGENTINA • GREECE • GREENLAND • ICELAND • ESTONIA • JAPAN • LATVIA • LITHUANIA MAURITIUS • MEXICO • ROMANIA • RUSSIA • TURKEY • UZBEKISTAN • UKRAINE • SWAZILAND • KOREA	
	+972-4-848-6816
	customer.service@palram.com

AUSTRALIA – GREENHOUSES	
	03-9544-6-999
	info@mazedistribution.com.au

HUNGARY . SLOVAKIA	
	+420-493-523-523
	servis@garland.c
	NEW ZEALAND
	0800 800 880
	customer.service@palram.com

DENMARK	
	07-575 42 70
	post@nshnordic.com

SOUTH AFRICA	
	011-397-7771
	receptionza@palram.com

CROATIA . SLOVENIA	
	0599-37-057
	info@ms-viscom.com

CZECH REPUBLIC	
	0493-523-523
	servis@garland.cz

FINLAND	
	Neuvonta: 09-6866720 Tuki / Varaosat: 050-3715350
	www.horizontenterprises.fi tuki@horizontenterprises.fi

POLAND	
	Infolinia: 801-011-929 22-349-93-36
	kontakt@ogrodosfera.pl

CYPRUS	
	0224-971-13
	alpaco@alpacodomica.com www.alpacodomica.com

SWITZERLAND	
	062-287-33-77
	info@ritter.ch

BEFORE ASSEMBLY

1. Please CAREFULLY READ all instructions BEFORE STARTING THE ASSEMBLY of the Automatic Side Louver Opener.
2. Carry out the steps In the order set out in the instructions.
3. Close the louvre. Press upwards to ensure louvre blades are fully closed.
If necessary, adjust the position of the louvre opener to ensure that the louvre blades are fully closed.
4. Tighten the two screws just enough to hold the louver control opener firmly in place and to ensure it does not slip. Do not overtighten.
5. It is necessary to cool the cylinder before fitting.
6. Fit the adjusting screw into the end of the cylinder.

FITTING THE UNIT

- If a manual vent opener is already assembled, it should be removed.
- Follow the next steps for fitting the unit according to the greenhouse model you have purchased.
- After allowing the cylinder to reach the temperature at which you wish the louver to start opening, operate the louver manually by pulling down on the arm to remove the pressure and firmly turn the adjusting screw in the direction of the 'LO' arrow (clockwise), until the unit begins to open the louver without manual assistance .
- Any rise of the greenhouse temperature will now cause the louver to open wider. Further adjustment may be necessary, in which case repeat the process.
- By turning the adjusting screw in the direction of the 'LO' arrow (clockwise) the louvre starts opening at a lower temperature. If the adjusting screw is turned in the direction of the 'HI' arrow (anti-clockwise) the louver will not open until a higher temperature is reached.
- Please note adjustment cannot be made without operating the unit manually by pulling down on the arm to relieve the return spring pressure.
- Manual Override – If you wish to open or close the louver manually, remove the top half of the plastic catch and carefully remove the link arm from the pivot pin. Providing you do not move the unit or the adjusting knob, the unit will operate at your chosen temperature when reconnected.

IMPORTANT INFORMATION

- Do not heat more than 50°C (122°F).
- Do not apply heavy load on louver when locking or covering.
- Do not attempt to dismantle the cylinder.


TECHNICAL INFORMATION

- Opening temperature range adjustable between 15°C and 25°C (59°F and 77°F) GUARANTEED


TOOLS & EQUIPMENT




□ Wrench
10 mm | 3/8"




□ Philips Head
Screwdriver



□ Cordless Drill
with Drill Bit
4 mm | 5/32"



□ Wrench
7 mm | 1/4"



□ Flat Head
Screwdriver

DURING ASSEMBLY

- During assembly, you will encounter different icons for different products.

Please see below for more information:



- This icon indicates that the installer should be inside the product.
- This icon indicates that the installer should be outside the product.

SUITABLE FOR HARMONY / HYBRID MYTHOS / GLORY / OCTAVE BALANCE / ESSENCE / AMERICANA



SUITABLE FOR HARMONY/ HYBRID/ MYTHOS /GLORY/ OCTAVE/ BALANCE/ ESSENCE/ AMERICANA

423 3

421 1

428 2



..... 1



..... 1



..... 1



..... 1




..... 1

..... 2





..... 1



SUITABLE FOR GRAND GARDENER/ PRESTIGE/ HOBBY GARDENER / ECO GROW




















423 3

421 1

428 2





Documents / Resources



[CANOPIA Automatic Louver Window Opener](#) [pdf] Installation Guide
Automatic Louver Window Opener, Automatic Window Opener, Louver Window Opener, Window Opener, Automatic Opener, Opener

References

- [tex.com](https://www.tex.com)
- [Inspection Systems for the Electronics Industry – Viscom – Viscom](#)
- [Home - Alpaco Domica](#)
- [Canopia by Palram - Celebrate Outdoor Living](#)
- [Laatua vapaa-aikaan | Horisont Enterprises](#)