



Carrier ACA001 Request To Exit Button Surface Mounted User Guide

[Home](#) » [Carrier](#) » Carrier ACA001 Request To Exit Button Surface Mounted User Guide 



ACA001
Request to Exit Button
Surface Mounted

Contents

- [1 Product overview](#)
- [2 Details](#)
- [3 Technical specifications](#)
- [4 Documents / Resources](#)
 - [4.1 References](#)

Product overview

The ACA001 is a surface mount request to exit button.



Details

- Flush mounted
- Momentary – pulse
- Easy to install

Technical specifications


General	
Accessory group	Access control
Type	Exit device
Physical	
Physical dimensions	76 x 72 x 32 mm (H x W x D)
Net weight	25 g
Regulatory	
Compliance	CE
Certification	CE

As a company of innovation, Carrier Fire & Security reserves the right to change product specifications without notice. For the latest product specifications, visit firesecurityproducts.com online or contact your sales representative.

Last updated on 5 May 2023 – 9:31



Documents / Resources

	<p>Carrier ACA001 Request To Exit Button Surface Mounted [pdf] User Guide ACA001, ACA001 Request To Exit Button Surface Mounted, ACA001, Request To Exit Button Surface Mounted, Exit Button Surface Mounted, Surface Mounted, Mounted</p>
---	--

References

-  [Fire Security Products](#)
-  [TCPDF](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.