



CASIO 1362 ANALOG (HK-W) Smart Watch User Guide

[Home](#) » [Casio](#) » CASIO 1362 ANALOG (HK-W) Smart Watch User Guide 

Contents

- [1 CASIO 1362 ANALOG \(HK-W\) Smart Watch](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 To Set The Time](#)
- [5 To set the day](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)



CASIO 1362 ANALOG (HK-W) Smart Watch



Product Information

- **Specifications**

- **Model:** MA0801-EA
- **Analog** watch
- **Compatible with modules:** 1362, 1398, 1770, 2799, 3378, 4370

Product Usage Instructions

- **Crown (Modules 705, 706, 1300, 1311, 1330, 1344, 1360, 1399, 1747, 1771, 4394, 5049)**
 - When the second hand is at noon, pull out the crown to stop it.
 - Set the hands by rotating the crown. Move the minute hand four or five minutes past the setting you want, and then back it up to the setting.
 - Push the crown back in on a time signal to resume timekeeping.
- **Crown (Modules 1782, 4328, 4747)**
 - When the second hand is at noon, pull out the crown to the second click to stop it.
 - Set the hands by rotating the crown. Move the minute hand four or five minutes past the setting you want, and then back it up to the setting.
 - Push the crown back in on a time signal to resume timekeeping.
 - To set the day, pull out the crown with the first click. Set the day by rotating the crown. Push the crown back into its normal position.
- **Crown (Modules 707, 708, 1331, 1332, 1342, 1345, 1346, 1787, 2717, 2718, 2719, 2725, 2731, 2748, 2749, 2783, 2784, 3363, 3711, 3712, 4393, 5025, 5044)**
 - When the second hand is at noon, pull out the crown to the second click to stop it.
 - Set the hands by rotating the crown. Move the minute hand four or five minutes past the setting you want,

and then back it up to the setting.

- Push the crown back in on a time signal to resume timekeeping.
- To set the day, pull out the crown with the first click. Set the day by rotating the crown counterclockwise. Set the day of the week by rotating the crown clockwise. Confirm that the correct language (English or Spanish) is selected. Push the crown back in to its normal position.

- **Crown (Modules 709, 1333, 1347, 3716)**

- When the second hand is at noon, pull out the crown to the second click to stop it.
- Set the hands by rotating the crown. Move the minute hand four or five minutes past the setting you want, and then back it up to the setting.
- Push the crown back in on a time signal to resume timekeeping.
- To set the day and day of the week, pull out the crown with the first click. Set the day by rotating the crown counterclockwise. Set the day of the week by rotating the crown clockwise. Confirm that the correct language (English or Spanish) is selected. Push the crown back in to its normal position.

- **Elapsed Time Bezel**

- For watches with the elapsed time bezel:
- Rotate the elapsed time bezel to align the mark with the minute hand.
- After a certain amount of time elapsed, read the graduation on the elapsed time bezel which the minute hand points to. The elapsed time is indicated.

- **Frequently Asked Questions (FAQ)**

- **Q:** How do I set the time on my watch?
- **A:** To set the time on your watch, follow the instructions specific to your module number and crown type as mentioned in the user manual.
- **Q:** How do I set the day and day of the week on my watch?
- **A:** To set the day and day of the week on your watch, follow the instructions specific to your module number and crown type as mentioned in the user manual.
- **Q:** How do I use the elapsed time bezel?
- **A:** The elapsed time bezel is used to measure elapsed time. Rotate the bezel to align the mark with the minute hand, and then read the graduation on the bezel where the minute hand points to determine the elapsed time.

To Set The Time

[Modules 1362, 1398, 1770, 2799, 3378, 4370]

- **To set the time**


- Pull out the crown. Set the hands by rotating the crown.
- Push the crown back in on a time signal to resume timekeeping.



[**Modules** 705, 706, 1300, 1311, 1330, 1344, 1360, 1399, 1747, 1771, 4394, 5049]

To set the time

1. When the second hand is at 12 o'clock, pull out the crown to stop it.
2. Set the hands by rotating the crown. Move the minute hand four or five minutes past the setting you want, and then back them up to the setting.
3. Push the crown back in on a time signal to resume timekeeping.



[**Modules** 707, 708, 1331, 1332, 1342, 1345, 1346, 1787, 2717, 2718, 2719, 2725, 2731, 2748, 2749, 2783, 2784, 3363, 3711, 3712, 4393, 5025, 5044]


To set the time

1. When the second hand is at 12 o'clock, pull out the crown to the second click to stop it.
2. Set the hands by rotating the crown. Move the minute hand four or five minutes past the setting you want, and then back them up to the setting.
3. Push the crown back in on a time signal to resume timekeeping.

To set the day


Avoid setting the day between 8:00 p.m. and 2:00 a.m. The day may not change in the following day if you do.

1. Pull out the crown to the first click.
2. Set the day by rotating the crown.
3. Push the crown back in to its normal position.



[Modules 709, 1333, 1347, 3716] To set the time

1. When the second hand is at noon, pull out the crown to the second click to stop it.
2. Set the hands by rotating the crown. Move the minute hand four or five minutes past the setting you want, and then back them up to the setting.
3. Push the crown back in on a time signal to resume timekeeping.



To set the day and day of the week


Avoid setting the day and day of the week between 8:00 p.m. and 4:00 a.m. The day and day of the week may not change in the following day if you do.


1. Pull out the crown to the first click.
2. Set the day by rotating the crown counterclockwise.
3. Set the day of the week by rotating the crown clockwise. Confirm that the correct language (English or Spanish) is selected.

4. Push the crown back in to its normal position.


[Days of the Week]

English	Spanish
SUN	DOM
MON	LUN
TUE	MAR
WED	MIER
THU	JUEV
FRI	VIER
SAT	SAB


- For the watch with the elapsed time bezel Rotate the elapsed time bezel to align the  mark with the minute hand.
- After a certain amount of time elapsed, read the graduation on the elapsed time bezel which the minute hand points to. The elapsed time is indicated.



- Some water-resistant models are equipped with a screw lock crown.
- With such models, you must unscrew the crown in the direction noted in the illustration to loosen it before you can pull it out. Do not pull too forcibly on such crowns.
- Also, note that such watches are not water resistant while their crowns are loosened. Be sure to screw the crowns back in as far as they will go after making any setting.



- MA0801-EA



[CASIO 1362 ANALOG \(HK-W\) Smart Watch](#) [pdf] User Guide
1362 ANALOG HK-W Smart Watch, 1362 ANALOG HK-W, Smart Watch, Watch

References

- [User Manual](#)