



CB Electronics TMC-2 Monitor Controller User Guide

[Home](#) » [CB Electronics](#) » CB Electronics TMC-2 Monitor Controller User Guide 

Contents

- [1 CB Electronics TMC-2 Monitor Controller](#)
- [2 TMC-2 Monitor Controller](#)
- [3 TMC-2 User guide](#)
- [4 Setup Menu Changes](#)
- [5 Product Usage Instructions](#)
- [6 Documents / Resources](#)



CB Electronics TMC-2 Monitor Controller



TMC-2 Monitor Controller

The TMC-2 is a monitor controller designed to be used with the TMC Reference. It is an updated version of the TMC-1, with added features and improvements. The TMC-2 has 13 additional keys compared to the TMC-1, but it is only slightly wider at 20mm.

One of the key enhancements of the TMC-2 is the addition of illuminated keys. This makes it easier to locate and use the keys, especially in a dark studio environment. The software on the TMC-2 is identical to the TMC-1 software, with the exception of supporting the extra keys and two menu changes.

TMC-2 User guide

This document only describes connection details and setup considerations when using TMC-2 and should be used with the TMC Reference.



The TMC-1 has been available for three years now, following suggestions from some users we have added the TMC-2. The TMC-2 has 13 more keys than the TMC-1 but it is only 20mm wider.

As can be seen in the photo above we have added the following new keys

- Six input select keys in a column on the left
- A Master [Link] key or the right, used to Link the main output to all or selected cue outputs
- Three [Scene] keys on the right, These can be used to preset multiple settings but are initially programmed to select between the three speaker sets.
- A dedicated T/B switch on the Right, you can define the Talkback function in the setup menu
- Two extra User keys below the TFT screen, in the picture above they have not been assigned.


When working in a dark studio we noticed that it could be difficult to find the keys, on the TMC-2 the key LED's are always slightly illuminated making easy to locate the keys.

The software on the TMC-2 is identical to the TMC-1 software apart from supporting the extra keys and two menu changes as detailed below

Setup Menu Changes

There are two menu changes in the TMC-2 compared to the TMC-1:

- The T/B key function can now also be used as a Scene key when talkback is not used, such as in Film Re-Mix scenarios.



- The Input+Scene option has been removed from the menu, as the keys for these functions are always fitted on the TMC-2.




Product Usage Instructions

To use the TMC-2 Monitor Controller, follow these steps:

1. Ensure that you have connected the TMC-2 to the TMC Reference according to the provided connection details.
2. Turn on the TMC-2 by pressing the power button.
3. Use the illuminated keys on the TMC-2 to control various functions. The additional keys provide expanded control options compared to the TMC-1.
4. Navigate through the menu using the dedicated buttons and select options using the illuminated keys.
5. Take advantage of the T/B key function, which can also serve as a Scene key when talkback is not used.
6. Adjust input levels and scenes as needed using the available keys and menu options.

Refer to the TMC-2 User Guide for more detailed instructions on specific features and settings.

	<p>CB Electronics TMC-2 Monitor Controller [pdf] User Guide TMC-2 Monitor Controller, TMC-2, Monitor Controller, Controller</p>
---	--