

CHAMPION 100892 4500W Open Frame Inverter Generator User Guide

Home » Champion » CHAMPION 100892 4500W Open Frame Inverter Generator User Guide 🖺

Contents

- 1 CHAMPION 100892 4500W Open Frame Inverter Generator
- 2 Set-Up
- 3 Documents / Resources
- **4 Related Posts**




CHAMPION 100892 4500W Open Frame Inverter Generator




Set-Up



Open shipping carton. Assembly > Unboxing



Remove shipping spacers. Assembly > Remove Shipping Support Spacers.



Add oil. Assembly > Add Engine Oil.

Recommended: 10W-30, up to 18.6 fl. oz. (550 ml) DO NOT overfill.



Move the generator outdoors.

Move generator to an open, outdoor area. Point exhaust away. Never run a generator in enclosed areas (e.g., not in house or garage).



Keep all objects at least 5 feet (1.5 m) from the generator. The heat from the muffler and exhaust gas can ignite combustible materials.

Start-Up



Add fuel. Assembly > Add Fuel **DO NOT** use E15 or E85.




DO NOT plug in any electrical devices.


NEVER START OR STOP THE GENERATOR WITH ELECTRICAL DEVICES CONNECTED OR TURNED ON!




Turn the fuel valve "ON".




Press the **engine switch** to the "ON" position.




Pull the **choke knob** out to the "CHOKE" position




Pull the **recoil** to start the engine.



Push the **choke knob** into the "RUN" position.







Visit our YouTube channel to watch our how-to videos and subscribe to view our latest videos on our Champion Power Equipment products!

EED ASSISTANCE OR HAVE A QUESTIOn? 1•877•338•0999 GIVE US A CALL. CHAMPIOnPOWEREQUIPMENT.COM

Documents / Resources



<u>CHAMPION 100892 4500W Open Frame Inverter Generator</u> [pdf] User Guide 100892, 4500W Open Frame Inverter Generator, 100892 4500W Open Frame Inverter Generator, Generator