Manuals+ — User Manuals Simplified.

Chengxing CXD11668 433 Remote Control

Chengxing CXD11668 433 Remote Control User Manual

Contents

ChengXing

Chengxing CXD11668 433 Remote Control

Specifications

- Model: Remote Control Manual
- Compliance: Part 15 of FCC Rules
- RF Exposure: General RF exposure requirement compliant

Safety Precautions

Before using the remote control, please read the safety precautions in the user manual to ensure safe operation.

Safety matters

- Before using the remote control, please read this manual carefully and then use this product correctly.
- Danger: This product contains radio frequency components. Those equipped with electronic medical equipment such as pacemakers should not approach the switch.
- This product has a built-in button battery, please do not let children use it alone.

Overview

This product is a remote control used for intelligent electronic equipment. It uses 433MHZ radio frequency technology to control the normal operation of electronic equipment.

Technical indicators

- Applicable battery model: CR2025
- Remote control distance: The straight line distance in the open space is greater than 10 meters.

Product function introduction

- This product is customized according to customer needs. For functional operations, please refer to the instruction manual of the supporting electronic devices.
- The remote control only sends a fixed code value when it is working. and the device needs to have a corresponding reception before it can be used normally.

Product use

- Before use, please unplug the battery isolator and then perform button operations. When the button is pressed, the indicator light will light up.
- Refer to the function instructions of the supporting electronic equipment and use each function correctly.
- When using, please ensure that the supporting equipment is in a normal power-on state so that the remote control can be effective.

Notes

- When the indicator light does not light up or the buttons do not respond, please check whether the battery is in good contact. You can remove it reinstall it and try again.
- When the remote control sensitivity decreases or the remote control distance becomes shorter, please replace the new battery in time
- Do not place the remote control in a high temperature or humid environment to avoid damage.
- Do not drop the remote control or subject it to impact to avoid damage.

Battery Installation

1. Open the battery compartment on the back of the remote control.
2. Insert the batteries following the polarity markings (+/-).
3. Close the battery compartment securely.

Pairing with Device

To pair the remote control with your device:

1. Ensure the device is turned on and within range.
2. Press and hold the designated pairing button on the remote control until the device recognizes it.
3. Follow any additional steps required by your device for successful pairing.

Operating the Remote Control

Use the remote control to navigate menus, adjust settings, and control your device from a distance within the specified range.

FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This

device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, under part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used by the Instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation, if this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment into a cutlet on a circuit different from that to which the receiver is
- Consult the dealer or an experienced radio/TV technician for help.

Note: The Grantee is not responsible for any changes or modifications not expressly approved by the party responsible for compliance. such modifications could void the user's authority to operate the equipment. In the device, mas have been evaluated to meet the generic exposure requirement.

Documents / Resources

Chengxing CXD11668 433 Remote Control [pdf] User Manual
CXD11668 433 Remote Control, CXD11668, 433 Remote Control, Remote Control

References

- **User Manual**