



# choetech HUB-RO2 USB-C TO Ethernet Adapter User Manual

[Home](#) » [CHOETECH](#) » choetech HUB-RO2 USB-C TO Ethernet Adapter User Manual 

# choetech

User Manual  
USB-C to Ethernet Adapter  
Model: HUB-RO2

## Contents


- [1 Package Contents](#)
- [2 Specifications](#)
- [3 Windows](#)
- [4 MacOS](#)
- [5 LED Indicator Information](#)
- [6 Troubleshooting](#)
- [7 Attention](#)
- [8 FCC Compliance Statement](#)
- [9 Warranty](#)
- [10 Documents / Resources](#)
- [11 Related Posts](#)

## Package Contents

- 1x USB-C to Ethernet Adapter
- 1x User Manual
- 1x After-Sale Card

## Specifications

Model	HUB-R02
Interface	USB-C x 1, RJ45 x 1
Network Speed	2.5Gbps (Max)



## Windows



1. Plug the hub into your device
2. Plug in an active Ethernet cable.
3. Connect the other end of the Ethernet cable to your router.
4. In Windows, Go to "Computer" and open "CDROM" to install Ethernet driver.

## MacOS

1. Plug the hub into your device.
2. Plug in an active Ethernet cable.
3. Connect the other end of the Ethernet cable to your router.

### Note:

1. No driver installation required for Mac OS systems.
2. This adapter DOES NOT support smart-phones.

## LED Indicator Information

LED Status (Left)	LED Status (Right)	Definition
Flashing yellow	Steady green	Connected
Off	Off	Disconnected

## Troubleshooting

**Problem: Everything is hooked up but RJ45 port is not working. What should | do?**

When you troubleshoot issues with a network port, there are some quick tests that you can complete to rule out potential problems. You can test to make sure that the following components are working correctly and are not the source of the issue:

1. Ethernet cables
2. Network devices
3. Computer system

**To test your setup components, try the following:**

1. Use the Ethernet cables, network devices, and computer system in another setup to see if the problem is with the components or the setup.
2. Use different Ethernet cables, network devices, and a different computer system in your setup to see if the problem persists. Ideally, you should test a component that you know works in another setup.

**When you test your cables, it is recommended that you do the following:**

1. Test each cable individually.
2. Use short cables when you are testing.

### Attention



Do not expose to liquids



Do not drop, knock or disassemble the adapter



Avoid extreme temperatures

**For FAQs and More Information, Please Visit:**



**Choetech/support**



<http://www.choetech.com>

	<a href="http://www.choetech.com">www.choetech.com</a>
	<a href="mailto:support@choetech.com">support@choetech.com</a>
	<a href="mailto:b2b@choetech.com">b2b@choetech.com</a>
	<a href="http://www.facebook.com/choetechofficial">http://www.facebook.com/choetechofficial</a>
	<a href="http://www.twitter.com/CHOETECH">http://www.twitter.com/CHOETECH</a>

## FCC Compliance Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

**Warning:** Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**Note:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.



C&E Connection E-Commerce (DE) GmbH  
 Zum Linnegraben 20, 65933, Frankfurt am Main, Germany  
 E-mail: [info@ce-connection.de](mailto:info@ce-connection.de) Tel: 0049 069/27246648



Manufacturer: Shenzhen DAK Technology Co., Ltd.  
 Address: RM 305, 3F, BLDG No. 4, Demei Industrial CTR,

## Warranty



**18-Month** Warranty



**Lifetime** Technical Support

## Documents / Resources



[choetech HUB-RO2 USB-C TO Ethernet Adapter](#) [pdf] User Manual  
HUB-RO2, USB-C TO Ethernet Adapter

Manuals+.