

CIPHERLAB RS36 Mobile Computer User Guide

Home » CipherLab » CIPHERLAB RS36 Mobile Computer User Guide The Computer User





RS36 / RS36W60 Mobile Computer **Quick Start Guide**

Contents

- 1 Inside the box
- 2 Overview
- 3 Install & Remove Battery
- 4 Install SIM & SD Cards
- 5 Charging &
- Communication
- 6 Documents / Resources
 - **6.1 References**
- **7 Related Posts**

Inside the box

- RS36 Mobile Computer
- · Quick Start Guide
- AC Adapter(Optional)
- Hand Strap(Optional)
- Snap-on Charging & Communication Cable(Optional)

Overview



Power Button
2. Status LED
3. Touchscreen
4. Microphone & Speaker
3. USB-C Port with Cover
6. Side-Trigger (Left)
7, Volume Down Button
8. Volume Up Button
9. Scan Window

10. Function Key

11. Side Trigger (Right)
12. Battery Cover Latch
13. Front Camera
14. Hand Strap Cover
15. Battery with Battery Cover
16. NFC Detection Area
17. Hand Strap Hole
18. Charging & Communication Pins


Battery Information	Main Battery		
Power Supply	Input (AC 100-240V 50/60 Hz Output (DCSV, 2A Cipher Lab approved		
Battery Pack	Battery Model : BA-0154A0 3.85V , 4000mAh Cipher Lab proprietary Li-Po		
Charging Time	Approx. 3 hours via adapter		

19. Receiver


20. Camera

Install & Remove Battery

Please follow the steps to install and remove the main battery.




Step 1: Insert a fully-charged main battery into the grooves from the battery top, and press down the lower edge of the battery.



Step 2: Press both left and right side edges of the battery to make that it is firmly installed without any interstice.

Step 3: Slide the battery latch leftward to "Lock" position.




To remove the battery:

Step 1: Slide the battery latch rightward to unlock it:




Step 2: When the battery cover is unlocked, it'll slightly tilt up. By holding the two sides of the battery cover, lift up the main battery (which is with the battery cover) from its lower end to remove it.



Install SIM & SD Cards

Step 1: Remove the battery (with cover) to open the battery-chamber. Lift up the inner lid that protects the card slots by holding the pull tab.



Step 2 : Slide the SIM cards and the microSD card into their respective slots. Close and push the hinged card cover until it clicks into place.




Step 3: Mount the inner lid and the battery cover, and slide the battery latch back to the "Lock" position.


Charging & Communication

By USB Type-C Cable

Insert a USB Type-C Cable into its port on the right side of the RS36.

mobile computer. Connect the USB plug to the approved adapter for external power connection, or plug it to the PC/Laptop for charging or data transmission.





By Snap-on Charging & Communication Cable:

Hold the Snap-on cup towards the bottom of the RS36 mobile computer, and push the Snap-on cup upwards to make it attach to the RS36 mobile computer.

Connect the USB plug to the approved adapter for external power connection, or plug it to the PC/laptop for charging or data transmission.

CAUTION:

USA (FCC):

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.

This device is slave equipment, the device is not radar detection and not ad-hoc operation in the DFS band. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure warning

This device meets the government's requirements for exposure to radio waves. This device is designed and manufactured not to exceed the emission limits for exposure to radio frequency (RF) energy set by the Federal Communications Commission of the U.S. Government.

The exposure standard employs a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit set by the FCC is 1.6 W/kg. Tests for SAR are conducted using standard operating positions accepted by the FCC with the EUT transmitting at the specified power level in different channels.

The FCC has granted an Equipment Authorization for this device with all reported SAR levels evaluated as in compliance with the FCC RF exposure guidelines. SAR information on this device is on file with the FCC and can be found under the Display Grant section of https://apps.fcc.gov/oetcf/eas/reports/GenericSearch.cfm after searching on FCC ID: Q3N-RS36.

Canada (ISED):

This Class B digital apparatus complies with Canadian ICES-003. CAN ICES-003 (B)/NMB-003(B) This device complies with ISED's licence-exempt RSS standard(s).

Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

- (i) the device for operation in the band 5150-5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems;
- (ii) the maximum antenna gain permitted for devices in the bands 5250-5350 MHz and 5470-5725 MHz shall comply with the e.i.r.p. limit; and
- (iii) the maximum antenna gain permitted for devices in the band 5725-5825 MHz shall comply with the e.i.r.p. limits specified for point-to-point and non point-to-point operation as appropriate. High-power radars are allocated as primary users (i.e. priority users) of the bands 5250-5350 MHz and 5650-5850 MHz and that these radars could cause interference and/or damage to LE-LAN devices.

Radio Frequency (RF) Exposure Information

The radiated output power of the Wireless Device is below the Innovation, Science and Economic

Development Canada (ISED) radio frequency exposure limits. The Wireless Device should be used in such a manner such that the potential for human contact during normal operation is minimized.

This device has been evaluated for and shown compliant with the ISED Specific Absorption Rate ("SAR") limits when operated in portable exposure conditions. (Antennas are greater than 5mm from a person's body).

EU / UK (CE/UKCA):

EU Declaration of Conformity

Hereby, CIPHERLAB CO., LTD. declares that the radio equipment type RS36 is in compliance with Directive 2014/53/EU.

The full text of the EU declaration of conformity is available at the following internet address: www.cipherlab.com

UK Declaration of Conformity

Hereby, CIPHERLAB CO., LTD. declares that the radio equipment type RS36 is in compliance with the essential requirements and other relevant provisions of the Radio Equipment Regulations 2017.

The full text of the UK Declaration of Conformity may be found at h at the following internet address: www.cipherlab.com

The device is restricted to indoor use only when operating in the 5150 to 5350 MHz frequency range.

RF Exposure warning

This device meets the EU requirements (2014/53/EU) on the limitation of exposure of the general public to electromagnetic fields by way of health protection.

The limits are part of extensive recommendations for the protection of the general public. These recommendations have been developed and checked by independent scientific organizations through regular and thorough evaluations of scientific studies. The unit of measurement for the European Council's recommended limit for mobile devices is the "Specific Absorption Rate" (SAR), and the SAR limit is 2.0 W/Kg averaged over 10 grams of body tissue. It meets the requirements of the International Commission on Non-Ionizing Radiation Protection (ICNIRP).

For next-to-body operation, this device has been tested and meets the ICNRP exposure guidelines and the European Standard EN 50566 and EN 62209-2. SAR is measured with the device directly contacted to the body while transmitting at the highest certified output power level in all frequency bands of the mobile device.



AT	BE	BG	СН	CY	CZ	DK	DE
EE	EL	ES	FI	FR	HR	HU	IE
IS	IT	LT	LU	LV	МТ	NL	PL
PT	RO	SI	SE	5K	NI		





All operational modes:

Technologies	Frequency range (MHz)	Max. Transmit Power		
Bluetooth EDR	2402-2480 MHz	9.5 dBm		
Bluetooth LE	2402-2480 MHz	6.5 dBm		
WLAN 2.4 GHz	2412-2472 MHz	18 dBm		
WLAN 5 GHz	5180-5240 MHz	18.5dBm		
WLAN 5 GHz	5260-5320 MHz	18.5 dBm		
WLAN 5 GHz	5500-5700 MHz	18.5 dBm		
WLAN 5 GHz	5745-5825 MHz	18.5 dBm		
NFC	13.56 MHz	7 dBuA/m @ 10m		
GPS	1575.42 MHz			

The adapter shall be installed near the equipment and shall be easily accessible.

CAUTION

Risk of explosion if battery is replaced by an incorrect type.

Dispose of used batteries according to the instructions.

Additional marking for 5 GHz indoor products

For products using frequencies within 5.15-5.35 GHz, please additionally print the following warning text "5GHz product for indoor use only" on your product::

W52/W53 is indoor use only, except for communication with "W52 AP registered in MIC".

Products using frequencies within 5.47-5.72 GHz may be used indoor and/or outdoor.





CIPHERLAB RS36 Mobile Computer [pdf] User Guide

Q3N-RS36W6O, Q3NRS36W6O, RS36, RS36 Mobile Computer, Mobile Computer, Computer

References

- CipherLab | Bring intelligence to your business
- FCC OET Authorization Search
- User Manual

Manuals+, Privacy Policy