

## Contents [ [hide](#) ]

- [1](#) [Ciro3D 42419 Lightstrike Commander](#)
- [2](#) [Product Information](#)
- [3](#) [Lightstrike commander](#)
- [4](#) [Installation Instructions:](#)
- [5](#) [Installation Instructions](#)
- [6](#) [FCC STATEMENT](#)
- [7](#) [FAQs](#)
- [8](#) [Documents / Resources](#)
  - [8.1](#) [References](#)



## Ciro3D 42419 Lightstrike Commander



## Product Information

### Specifications

- Product Name: Lightstrike Commander™
- Manufacturer: Ciro3D
- Model Number: G0042419
- Compatibility: Motorcycle

### Lightstrike commander

- **WARNING** This indication alerts you to the fact that ignoring the contents described herein can result in potential serious injury or death if not followed.
- **CAUTION** This indication alerts you to the fact that ignoring the contents described herein can or will result in material damage and/or personal injury.
- **ATTENTION** This indication alerts you to the fact if you ignore this detail you will affect the performance or functionality of the product.

### Installation Instructions:



### Installation Instructions

1. Park on a level surface and shut off the motorcycle. Ensure that the engine has time to cool before installation. Cover areas of motorcycle around work area to protect surfaces from damage.
2. Remove the seat per your owner's manual and set aside.

3. Locate the main harness shown in Fig. 1 and uncouple. Install the Lightstrike Commander™ in line with the main harness.
4. Remove the battery cover and install the positive and negative leads to the terminals. Replace battery cover. Fig. 2
5. Lightstrike Commander™ module shown in correct position with leads toward the back of motorcycle. Wiring leads marked with purple go to the left side and brown to the right side of the motorcycle. Fig. 3
6. Replace seat.



## FCC STATEMENT

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection

against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions

1. This device may not cause harmful interference, and
2. This device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

G0042419, REV.- For the latest version of installation instructions visit [www.ciro3d.com](http://www.ciro3d.com)

[cn03D.com](http://cn03D.com)

## FAQs


- **What should I do if the Lightstrike Commander™ is not unctioning after installation?**

If the Lightstrike Commander™ is not functioning after installation, ensure that all connections are secure and correctly installed. Check the battery connections and ensure they are properly attached to the terminals.



• **Can I install the Lightstrike Commander™ on any motorcycle?**

The Lightstrike Commander™ is designed for motorcycles, but it is important to check compatibility with your specific make and model. Refer to the manufacturer’s guidelines for compatibility information.

**Documents / Resources**

	<a href="#">Ciro3D 42419 Lightstrike Commander [pdf]</a> Instruction Manual 42419, 42419 Lightstrike Commander, Lightstrike Commander, Command er
---	---

**References**

-  [Ciro3D: Motorcycle Accessories & Parts](#)
-  [Ciro3D: Motorcycle Accessories & Parts](#)
- [User Manual](#)

 42419, 42419 Lightstrike Commander, [Ciro3D](#), [Commander](#), [Lightstrike](#)  
 [Ciro3D](#) [Commander](#)

—Previous Post  
[Ciro3D Goldstrike Grips Installation Guide](#)

**Leave a comment**

Your email address will not be published. Required fields are marked \*

Comment \*

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

**Post Comment**

**Search:**

e.g. whirlpool wrf535swhz

**Search**

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.