


## Ciro3D 46019 Lighting Controller Instructions

[Home](#) » [Ciro3D](#) » [Ciro3D 46019 Lighting Controller Instructions](#) 

### Ciro3D 46019 Lighting Controller Instructions



#### **WARNING**

This indication alerts you to the fact that ignoring the contents described herein can result in potential serious injury or death if not followed.

#### **CAUTION**

This indication alerts you to the fact that ignoring the contents described herein can or will result in material damage and/or personal injury.

#### **ATTENTION**

This indication alerts you to the fact if you ignore this detail you will affect the performance or functionality of the product.

All Ciro products are designed for “easy assembly” and/or “plug and play”. We recommend a competent mechanic install our products, using standard mechanical procedures to assure a safe and successful installation. Read completely and understand the instructions prior to starting installation.

**NOTE:** Ciro products are designed and manufactured under very strict quality control. Ciro warrants that products sold to the original purchaser shall be free from any defects in materials and workmanship for a period of 3 (three) years from the date of purchase, and a limited lifetime warranty against LED failure. Ciro will have no obligation if the customer cannot show proof of purchase. Warranty will not be granted unless the part is properly installed, unmodified and maintained. Ciro will not be liable for any consequential and incidental damages, including labor, or non-Ciro products. Please visit [Ciro3d.com](http://Ciro3d.com) for our complete warranty policy

## Contents

### 1 Installation Instructions

### 2 Documents / Resources

#### 2.1 References

### 3 Related Posts


## Installation Instructions

1. Park motorcycle on level surface and ensure motorcycle has time to cool.


2. **CAUTION:**

Prepare a work area and remove seat per factory owner's manual. Being careful to protect painted surfaces, unplug electrical harness connectors as needed.

3. Locate OEM harness connector and unplug. **Fig. 1**



4. Install new harness adapter by plugging into OEM harness. **Fig. 2**




**NOTE:** When connecting to lights look for the brown wire indicating the right side and the purple wire for the left side.

5. For additional installations consult your specific product instruction sheet.



For the latest version of installation instructions visit [www.ciro3d.com](http://www.ciro3d.com)

**CIRO<sup>®</sup>3D**

## Documents / Resources

	<p><a href="#">Ciro3D 46019 Lighting Controller</a> [pdf] Instructions 46019, 46019 Lighting Controller, Lighting Controller, Controller</p>
---	--

## References

-  [Ciro3D: Motorcycle Accessories & Parts](#)
-  [Ciro3D: Motorcycle Accessories & Parts](#)

