

CISCO Application Centric Infrastructure ACI Simulator Owner's Manual

Contents

1 CISCO Application Centric Infrastructure ACI Simulator
2 Cisco application centric infrastructure overview
3 Cisco ACI simulator product overview
4 Topology supported by Cisco ACI simulator
5 Cisco ACI ecosystem integration
6 Specifications
7 Frequently Asked Questions (FAQ)
8 Documents / Resources
8.1 References
9 Related Posts

CISCO Application Centric Infrastructure ACI Simulator



Cisco application centric infrastructure overview

Cisco® Application Centric Infrastructure (ACI) is an innovative architecture that radically simplifies, optimizes, and accelerates the entire application deployment lifecycle. Cisco ACI uses a holistic systems-based approach, with tight integration between physical and virtual elements, an open ecosystem model, and innovation-spanning Application-Specific Integrated Circuits (ASICs), hardware, and software. This unique approach uses a common policy-based operating model across network and security elements ready to support Cisco ACI (computing and storage elements are planned for the future), overcoming IT silos and drastically reducing costs and complexity.

The Cisco ACI fabric consists of three major components (Figure 1)

- Cisco Application Policy Infrastructure Controller (APIC)
- Cisco Nexus 9000 Series Switches (Cisco ACI spine and leaf switches), Cisco Nexus® 2000 Series Fabric Extenders, and Cisco Application Virtual Edge
- Cisco ACI ecosystem



Cisco ACI simulator product overview

The Cisco ACI is the unifying point for automation, management, monitoring, and programmability for the Cisco ACI fabric. Cisco ACI Simulator provides centralized access to all fabric information, optimizes the application lifecycle for scale and performance, and supports flexible application provisioning across physical and virtual

resources. The Cisco ACI Simulator is a software that provides a simulated Cisco ACI environment. The Cisco ACI Simulator provides full-featured Cisco APIC controller software along with a simulated fabric infrastructure of leaf switches and spine switches in one physical server. Because the Cisco ACI Simulator includes Cisco APIC instances with real production software, you can use it to understand features, exercise APIs, and initiate integration with third-party orchestration systems and applications. The native GUI and Command-Line Interface (CLI) of Cisco APIC use the same APIs that are published for third parties. The Cisco ACI Simulator includes simulated switches, so you cannot validate a data path. In addition, the Cisco APIC Simulator allows simulation of faults and alerts to facilitate testing and demonstrate features.

Topology supported by Cisco ACI simulator

The Cisco ACI Simulator enables you to simulate the Cisco ACI fabric, including the Cisco Nexus 9000 Series Switches supported in a leaf-and-spine topology, to take full advantage of an automated, policy-based, systems management approach.
Table 1 and Figure 2 show the supported configuration for the Cisco APIC Simulator.

Table 1. Supported Configuration

Cisco APIC cluster	1 controller
Cisco ACI spine	1 switch
Cisco ACI leaf	2 switches



Figure 2. Cisco ACI Simulator Topology

Capabilities: Cisco ACI simulator The Cisco ACI Simulator supports the same feature set that is supported on Cisco APIC and Cisco ACI fabric. The only difference is that in the Cisco ACI Simulator, the data plane is simulated. Table 2 summarizes the main capabilities supported on the Cisco ACI Simulator.

Table 2. Main Capabilities

	Domain	Capabilities
1	**Fabric management**	● Perform fabric discovery ● Register leaf and spine switches ● Show topology view
2	**Creation of network constructs**	● Build a tenant ● Build a private Layer 3 network ● Build a bridged domain
3	**Specification of Cisco ACI policy parameters**	● Create filters ● Create contracts
4	**Application deployment**	● Create endpoint groups (EPGs) ● Create application network profile ● Set provider contract ● Set consumer contract

	Domain	Capabilities
5	**Virtualization: VMware integration**	● Create VMM domain ● Create VLAN pool ● Create distributed virtual switch (DVS) ● Add VMware ESXi hosts to DVS ● Associate EPG with VMware vCenter domain ● Associate virtual machine with endpoint port groups
6	**Layer 4 through 7 services**	● Deploy a service graph with application network profile
7	**Monitoring and troubleshooting**	● View faults using GUI ● View events using GUI ● Set log retention policies ● Capture API interchange for inspection ● Show graphical view of managed objects
8	**APIC Northbound API clients**	● Python ● REST with JSON and XML bindings ● PowerShell

Note: Refer to the Cisco ACI compatibility matrix for a full list of supported capabilities (virtualization, automation, management, orchestration, Layer 4 through 7 services, security, etc.) with Cisco APIC and Cisco APIC Simulator.

Configurable faults and delays
Since the hardware is simulated, faults/alerts/delays are artificially injected.

Cisco ACI simulator specifications
The Cisco ACI simulator Virtual Machine requirements

- 8 CPUs
- 24 GB RAM
- 100 GB hard drive

Cisco ACI ecosystem integration

The Cisco APIC Simulator enables ecosystem interoperability with Cisco ACI. It enables interoperability between a Cisco ACI environment and management, orchestration, virtualization, and Layer 4 through 7 services from a broad range of vendors.
The Cisco APIC Simulator provides centralized access to your Cisco ACI deployment through an object-oriented Representational State Transfer (REST) API framework with XML and JavaScript Object Notation (JSON) binding. It also supports a modernized, user-extensible CLI and GUI. APIs have full read and write access to Cisco ACI, providing tenant- and application-aware programmability, automation, and system access.

Table 3 summarizes Cisco ACI integration with ecosystem products.

Table 3. Cisco ACI Integration with Other Products

Cisco ACI Ecosystem integration category	Vendor	Supported products
Virtualization integration	VMware	VMware ESXi, vCenter, and vShield ● DVS version support – 5.1, 5.5, 6.0, 6.5, 6.6
	Cisco	Cisco AVE

Cisco ACI simulator ordering information
The Cisco ACI software simulator can be downloaded on the Cisco software download page.

Service and support
The Cisco ACI software simulator is supported through Cisco Communities.

Cisco Capital
Flexible payment solutions to help you achieve your objectives Cisco Capital makes it easier to get the right technology to achieve your objectives, enable business transformation, and help you stay competitive. We can help you reduce the total cost of ownership, conserve capital, and accelerate growth. In more than 100 countries, our flexible payment solutions can help you acquire hardware, software, services, and complementary third-party equipment in easy, predictable payments.
Learn more.

For more information
For more information about Cisco ACI, please visit **https://www.cisco.com/go/aci**.

Specifications

- **Product Name**: Cisco Application Centric Infrastructure (ACI)
- **Target Audience**: Data center administrators
- **Related Documentation:**
  - Cisco ACI Documentation
  - Cisco ACI Simulator Documentation
  - Cisco Nexus 9000 Series Switches Documentation

Frequently Asked Questions (FAQ)

Q: Who is the primary audience for this guide?
A: Data center administrators with expertise in managing data center operations.

Q: Where can I find related documentation for the product?
A: Related documentation is available at the provided URLs for Cisco ACI, ACI Simulator, and Nexus 9000 Series Switches..

Americas Headquarters
Cisco Systems, Inc. San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd. Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at https://www.cisco.com/go/offices. Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: https://www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Documents / Resources

	CISCO Application Centric Infrastructure ACI Simulator [pdf] Owner's Manual Application Centric Infrastructure ACI Simulator, Application, Centric Infrastructure ACI Simulator, Infrastructure ACI Simulator, ACI Simulator, Simulator

References

- User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.