



Cisco Backup and Restore ONP Database Software User Guide

[Home](#) » [Cisco](#) » Cisco Backup and Restore ONP Database Software User Guide 



Contents

- [1 Backup Database](#)
- [2 Restore Database Using Script](#)
- [3 Documents / Resources](#)
 - [3.1 References](#)
- [4 Related Posts](#)

Backup Database

Based on the database backup configuration on the server, as set by the system admins, you can take the backup of the complete database on a daily, weekly, or monthly basis. Only system admins can access the backup folders

and restore them. Backup archive is stored on highly durable NFS share. The following backup archives are available:

- Archives for the last 7 days
- Weekly archives for the last 4 weeks
- Monthly archives for the last 6 months



Note

You can change the duration for monthly archives.

Setup Backup

Before you begin

- Ensure that highly durable 2 TB NFS storage is available to store database archives.
- Ensure that the storage is accessible from the Cisco ONP environment. Set up rules that are defined by the Cisco ONP network and appropriate ACL (Access Control List) to permit or deny access to the storage.

Step 1 Log into the Cisco ONP server, where you have installed Cisco ONP by using the tar archive.

Step 2 Create a folder for backup. Ideally it should be mounted on a reliable object storage (like NFS).

Step 3 Copy backup, rotation, and setup backup scripts from ONP/images folder to the new folder created in step 2.

Example:

```
$ cd
$ mkdir cnp_backups
$ tree ~/cnp_backups/
/home/ciscocnp/cnp_backups/
├── rotation.sh
└── setup_backup.sh
```

Ensure that all scripts have necessary permissions:

```
$ chmod +x rotation.sh
$ chmod +x setup_backup.sh
$ ls -l | grep .sh
-rwxrwxr-x 1 ciscocnp ciscocnp 518 Jan 16 05:23 backup_mongo.sh
-rwxrwxr-x 1 ciscocnp ciscocnp 1412 Feb 1 05:50 rotation.sh
```

Step 4 Copy restore_mongo.sh from /ONP/images/.

Perform Manual Backup

Perform the following steps for the backup operation:

Step 1 Browse to the location, where the backup_mongo.sh script is stored.

Step 2 Execute the backup_mongo.sh script using the following command:

Example:

```
user@server:~/cnp_backups$ bash backup_mongo.sh
```

The backup file gets stored in the daily backup folder (backup.daily) with the current time stamp.

Schedule a Backup

Schedule a Backup Using Script

Use this task to schedule the backup operation using script:

Step 1 Log in to the Cisco ONP server.

Step 2 Execute the rotation.sh script using the following command:

```
user@server:~/cnp_backups$ bash rotation.sh
```

This command creates necessary folder structure.

Step 3 Execute the setup_backup.sh script using the following command:

Example:

The backup file gets stored in the daily backup folder (backup.daily) with the current time stamp.

Step 4 Enter the path in the user prompt to store the file.

Backup files are stored in your required file path as following:

/user-defined path/backups/backup.daily

Schedule a Backup

Use this task to schedule the backup operation using Crontab:

Step 1 Log in to the Cisco ONP server.

Step 2 Configure the Crontab job using the following command.

```
user@server~/cnp_backups$ sudo crontab -e
```

Step 3 Modify the Crontab.sh script to schedule the backup.

Example:

The following example shows the scheduling of the backup operation, at 3 a.m daily.

```
0 3 * * * /home/ciscocnp/cnp_backups/backup_mongo.sh
```

Syntax to Schedule the Backup Using Crontab

Use the following syntax to schedule backup in Crontab:

m h dom mon dow

Where:

- m—Minutes (0–59)
- h—Hours (1–23)
- dom—Day of the month
- mon—Month of the year
- dow—Day of the week

To define the time, you can provide concrete values for minute (m), hour (h), day of the month (dom), month (mon), and day of the week (dow), or use the wildcard, '*' in these fields (for 'any').



Note

The backup jobs start based on the cron's system daemon's notion of time and time zones.

Restore Database Using Script

You can restore the database using script, which is available at the following location:

```
/ONP/Images/restore_mongo.sh
```

Execute the following command:

```
$ sudo bash restore_mongo.sh DB backup archive file path.
```

For example:

```
$ sudo bash restore_mongo.sh /backups/backup.daily/2019-05-05-23-58.archive
```

The database backup is created and a confirmation prompt appears asking to delete the database (y/n).

Enter y to delete the database.

Enter n to not delete the database.

Enter No to not delete the database and apply only missing data(s) from backup file.

Backup and Restore Cisco ONP Database



Backup and Restore Cisco ONP Database

Discussion

Backup Database

Recall the following: *subgroups of the same size in the same algebra are isomorphic*. Being of the same size does not imply being isomorphic, but *isomorphism implies* being of the same size. Being of the same size does not imply being isomorphic, but *isomorphism implies* being of the same size.

- Adjoining to \mathbb{R} $\sqrt{2}$
- Adjoining to \mathbb{R} $\sqrt{3}$
- Adjoining to \mathbb{R} $\sqrt{5}$

What is going on? What are we really doing?

Setting Backups

- **Noted for high levels of EOPF usage is available in our feature set.**
- **Noted for strong growth rate by our EOPF customers. We provide the following:**
 - Our EOPF services are provided by **the EOPF services** and **the EOPF services** are provided by the EOPF services.

```
Step1: log on to the DFW server, where you have installed the DFW on the target machine
Step2: Open a shell to the target, which is host1 in this case, and run the following command (the IPF):
Step3: Open a shell on the target, and run the following command on the target to write the shellcode to the target:
Step4: Open a shell on the target, and run the following command on the target to write the shellcode to the target:
```

Journal of Interpersonal Violence 30(12)

[Cisco Backup and Restore ONP Database Software](#) [pdf] User Guide

Backup and Restore ONP Database Software, Restore ONP Database Software, ONP Database Software, Database Software, Software

References

- User Manual