



## CISCO Identity Service Serviceability Instructions

[Home](#) » [Cisco](#) » CISCO Identity Service Serviceability Instructions 



### Contents

- [1 Cisco Identity Service Logs](#)
  - [1.1 Set the Cisco Identity Service Log Levels](#)
- [2 Set up a Remote Syslog Server](#)
- [3 Documents / Resources](#)
- [4 Related Posts](#)

### Cisco Identity Service Logs

The Cisco Identity Service generates logs, which you can view in the Real Time\ Monitoring Tool. You set the level of logging you want by using Cisco Identity Service Management.

#### Set the Cisco Identity Service Log Levels

You set log levels for the Cisco Identity Service using Cisco Identity Service Management

#### Procedure

**Step 1:** In Unified CCE Administration, navigate to **System > Single Sign-On**.

**Step 2:** Click **Identity Service Management**.

The Identity Service Management window opens.

**Step 3:** Enter your user name, and then click **Next**.

**Step 4:** Enter your password, and then click **Sign In**.

The Cisco Identity Service Management page opens, showing the **Nodes**, **Settings**, and **Clients** icons in the left pane.

**Step 5:** Click **Settings**.

**Step 6:** From the **Settings** page, click **Troubleshooting**.

**Step 7:** Set the local log level by choosing from **Error**, **Warning**, **Info** (the default), **Debug**, or **Trace**.

**Step 8:** Click **Save**.

## Set up a Remote Syslog Server

To help in troubleshooting, you can identify a remote Syslog server as a repository for receiving errors in Syslog format.

### Procedure

**Step 1:** In Unified CCE Administration, navigate to **System > Single Sign-On**.

**Step 2:** Click **Identity Service Management**.

The Identity Service Management window opens.

**Step 3:** Enter your user name, and then click **Next**.

**Step 4:** Enter your password, and then click **Sign In**.

The Cisco Identity Service Management page opens, showing the **Nodes**, **Settings**, and **Clients** icons in the left pane.

**Step 5:** Click **Settings**.


**Step 6:** From the Settings page, click **Troubleshooting**.

**Step 7:** To receive errors in Syslog format, enter the name of the Remote Syslog Server in the **Host (Optional)** field.

**Step 8:** Click **Save**.

**Note** The remote syslog server setting applies across the cluster.

## Documents / Resources

 <b>Cisco Identity Service Serviceability</b> The Cisco Identity Service Serviceability page provides instructions for configuring the serviceability settings for the Cisco Identity Service. <b>Cisco Identity Service Log</b> The Cisco Identity Service Log page provides instructions for configuring the log settings for the Cisco Identity Service. <b>Set the Cisco Identity Service Log Levels</b> The Cisco Identity Service Log Levels page provides instructions for configuring the log levels for the Cisco Identity Service. <b>Set the Cisco Identity Service Log Levels</b> The Cisco Identity Service Log Levels page provides instructions for configuring the log levels for the Cisco Identity Service. <b>Set the Cisco Identity Service Log Levels</b> The Cisco Identity Service Log Levels page provides instructions for configuring the log levels for the Cisco Identity Service. <b>Set the Cisco Identity Service Log Levels</b> The Cisco Identity Service Log Levels page provides instructions for configuring the log levels for the Cisco Identity Service.	<a href="#">CISCO Identity Service Serviceability</a> [pdf] Instructions Identity Service Serviceability, Service Serviceability, Serviceability
--	---