

clarion CMM-30BB Hideaway Marine Source Unit Owner's Manual

Home » clarion » clarion CMM-30BB Hideaway Marine Source Unit Owner's Manual

Contents

- 1 clarion CMM-30BB Hideaway Marine Source
- **2 FCC COMPLIANCE STATEMENT**
- **3 WHAT IN BOX**
- **4 GENERAL CONTROL FUNCTIONS**
- **5 SIRIUSXM® SATELLITE RADIO**
- **6 SIRIUSXM TROUBLESHOOTING**
- **7 SPECIFICATIONS**
- 8 Documents / Resources
 - 8.1 References
- 9 Related Posts



clarion CMM-30BB Hideaway Marine Source Unit



FCC COMPLIANCE STATEMENT

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must not accept any interference received, including interference that may cause undesired operation. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase separation between the equipment and the receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.


SAFETY CONSIDERATIONS

- Only use this product in vehicles with 12 volt, negative-ground electrical systems. This product is not certified or approved for use in aircraft.
- Mount this product securely to prevent damage or injury in severe conditions.
- Do not replace the power wire fuse with one of a different value. Never bypass the fuse.
- Listen to your audio system at levels appropriate for operating conditions and hearing safety.

INSTALLATION CONSIDERATIONS

- Installation requires appropriate tools and safety equipment. Professional installation is recommended.
- This product is water-resistant. Do not submerge or subject to high-pressure water spray.
- Before installation, turn off the audio system and disconnect the battery system from the audio system.
- Install in a dry, well-ventilated location that does not interfere with your factory-installed systems. If a dry environment is not available, a location that is not exposed to heavy splashing may be used.
- Before cutting or drilling, check for potential obstacles behind mounting surfaces.
- Carefully route all system wiring away moving parts and sharp edges; secure with cable ties or wire clamps
 and use grommets and loom where appropriate to protect from sharp edges.

WHAT IN BOX



CMM-30BB CONTROL OPTIONS1

Two connection types are included to control the CMM-30BB. Refer to the supplied Owner's Manual of each controller/type (sold separately) for specific user and installation instructions.

NMEA 2000® Connection

Control using your compatible NMEA 2000® multi-function display (MFD). Requires compatible NMEA 2000® entertainment protocols (PGN) and may require a software upgrade of connected MFD devices. Refer to your MFD's manufacturer for device compatibility info.


REMOTE Connection


Optional wired remote controllers using accessory controller cables and splitters (sold separately). Connect up to three controllers to a single source unit, at up to 75 ft (23m) away (cumulative cable length).

- CMR-30: Full-Function, Wired
- · Controller with full-

- color LCD Display
- CMR-20: Full-Function, Wired
- Controller with LCD Display CMR-10: Wired Controller

Control functionality will vary depending on the connected MFD and/or remote controller. Full functionality of SiriusXM® requires connection to an optional display-equipped remote controller.





GENERAL CONTROL FUNCTIONS



*Using CMR-30 | Using CMR-30 | Using CMR-30 | Using CMR-30 | Using CMR-30

Control		Function	
SOURCE	Source/ Power	Short press to turn ON; Long press to turn OFF When on, short press to display the Source: Select menu	
	Volume/ Select	Rotate to adjust volume Rotate/press for navigation and making selections	
SETTINGS	Settings	Short press to access Tone, Balance & EQ settings Long press to access Settings: Main Menu	
BACK/MENU	Back/ Menu	Short press to go back one step or access source specific menus	
★ FAVORITES	Favorites	 Short press to access stored presets Long press to store a frequency as a preset (up to 18) 	
► II	Mute/ Pause	Short press to mute/unmute audio (AM/FM/SiriusXM/WB/AUX) or pause/resume the current selection (USB/Bluetooth)	
▶ ►•I	Forward	Short press to: • Manually adjust tuner forwards (AM/FM/SiriusXM/WB) • Select the next track (USB/Bluetooth) Long press to: • Seek to the next channel (AM/FM/WB) • Initiate Rapid Channel Browsing forward (SiriusXM) • Fast-forward (USB/Bluetooth)	
I€€	Backward	Short press to: • Manually adjust tuner backwards (AM/FM/SiriusXM/WB) • Restart track/select the previous track (USB/Bluetooth) Long press to: • Seek to the previous channel (AM/FM/WB) • Initiate Rapid Channel Browsing backward (SiriusXM) • Fast-rewind (USB/Bluetooth)	

SYSTEM MENU SETTINGS*		
ø	Long press to access the Settings: Main Menu	
	Rotate to navigate	
	Press to make selections	
Setting	Function	
Audio Zone Setup	Configures each set of audio zone outputs	
Aux Input Sensitivity	Configures AUX input sensitivity: 2V or 1V RMS (default)	
Diagnostic	Displays hardware and software version info	
Display	Configures display and brightness settings	
Scrolling text	Enables continuous scrolling of available RDS/track text info	
Tuner Region Configures AM/FM tuner range/scale for a specific region		

FAVORITES MENU SETTINGS*	
*	 Short press to access settings/stored presets Long press to store a frequency as a preset (up to 18)
	Rotate to navigate Press to make selections
Setting	Function
Edit	Select to Move or Delete stored presets

TONE, BALANCE & EQ MENU SETTINGS*			
٥	Short press to access settings		
	Rotate to navigate Press to make selections		
Setting	Function	Note	
Treble	Treble level control from -10 to +10		
Mid	Mid level control from -10 to +10	EQ must be set to Off	
Bass	Bass level control from -10 to +10		
Balance	Balance control from full left (-10) to full right (+10)		
EQ	5-band equalizer control from -10 to +10 per band		

AUDIO ZONE MENU SETTINGS*		
\$	Long press to access settings	
0	Rotate to navigate Press to make selections	
Zone	Function	Setting 1
		Variable (default)
		Absolute
	Level Control Mode	Sub (Zone 4 only)
		Off
		Off
		80 Hz
	HP Xover	100 Hz
Z1: Zone 1 Z2: Zone 2 Z3: Zone 3		120 Hz
	Rename Zone	Bow, Bridge, Cabin, Cockpit, Galley, Helm, Stateroom 1, Stateroom 2, Tower, Transom
Z4: Zone 4	nelialile 2011e	Factory Default
	Volume Limit	Max Volume Limit

BLUETOOTH MENU SETTINGS*		
=	Short press to access settings	
	Rotate to navigate Press to make selections	
Setting	Function	
Now Playing	Return to the Now Playing Screen	
Connect Paired Devi	Display all paired devices for connection	
Pair New Device	Initiates Pairing Mode (current connected devices will be disconnected)	
Set Primary Device	Assign priority to a paired device for automatic connection	
Delete a Paired Devic e	Select from paired devices for removal	
Delete All Paired devi	Removes all paired devices from memory	

USB MENU SETTINGS*		
=	Short press to access settings	
	Rotate to navigate	
0	Press to make selections	
Setting	Function	
Now Playing	Return to the Now Playing Screen	
Random	Random playback of all tracks	
Repeat	Repeats playback of the current track or all tracks	
Play All	Plays all tracks within all folders	
Folder list	Displays list of folders/tracks	

IMPORTANT

- Properly secure the connected device before driving to prevent damage from dropping or sudden acceleration/braking.
- Control, functionality and display may vary depending on the model and version of iPhone® connected.
- When connected via USB port, make sure to unpair or disable the Bluetooth connection to avoid possible playback conflicts.
- If you experience abnormal performance during operation, disconnect the iPhone® and check its condition.

 Restart your iPhone® if performance does not improve.
- "Made for iPhone" means that an electronic accessory has been designed to connect specifically to an

iPhone® and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with an iPhone® may affect wireless performance.

 iPhone® and all related marks and logos are trademarks of Apple Inc., registered in the U.S. and other countries.

SIRIUSXM® SATELLITE RADIO

- Only SiriusXM® brings you more of what you love to listen to, all in one place. Get over 140 channels, including commercial-free music plus the
 - best sports, news, talk, comedy and entertainment. Welcome to the world of satellite radio. A SiriusXM Vehicle Tuner and Subscription are required. For more information, visit www.siriusxm.com.
 - (SiriusXM service is only available in the continental US and Canada.)
- Activating Your SiriusXM Subscription After installing your SiriusXM Connect tuner and antenna, power on your CMM-30 and select SiriusXM mode. You should be able to hear the SiriusXM preview channel on Channel 1. If you cannot hear the preview channel, please check the installation instructions to make sure your SiriusXM Connect tuner is properly installed.
- After you can hear the preview channel, tune to Channel 0 to find the Radio ID of your tuner. In addition, the Radio

ID is located on the bottom of the SiriusXM Connect Vehicle Tuner and its packaging. You will need this number to activate your subscription. Write the number down for reference.

Note: the SiriusXM Radio ID does not include the letters I, O, S or F.

In the USA, you can activate online or by calling SiriusXM Listener care:

- Visit <u>www.siriusxm.com/activatenow</u>
- Call SiriusXM Listener Care at 1-866-635-2349

For Canadian Subscriptions, please contact:

- Visit www.siriusxm.ca/activate
- Call SiriusXM Customer Care at 1-888-539-7474

As part of the activation process, the SiriusXM satellites will send an activation message to your tuner. When your radio detects that the tuner has received the activation message, your radio will display: "Subscription Updated". Once subscribed, you can tune to channels in your subscription plan.

Note: The activation process usually takes 10 to 15 minutes, but may take up to an hour. Your radio will need to be powered on and receiving the SiriusXM signal to receive the activation message.

Parental Controls

Some SiriusXM channels contain mature content. When the Parental Controls feature is enabled, channels with mature content are restricted and will require a 4-digit lock code to access.

Enabling Parental Controls

- 1. Press to access the SiriusXM: Main Menu.
- 2. Turn to Parental Controls and press to enter.
- Press to select Lock Mature Channels. After, you must enter a 4-digit lock code to lock mature content channels. (Parental Control default passcode: 0000) Use to enter the 4-digit lock code and select Save when finished.

Changing the Lock Code

- 1. Press back menu to access the SiriusXM: Main Menu.
- 2. Turn to Parental Controls and press to enter.
- 3. Turn to Edit Lock Code and press enter.
- 4. Use to enter the current 4-digit lock code and select Enter when finished.
- 5. Use to enter the new lock code and select Enter to confirm.
- 6. Make sure to save your 4-digit lock code for future reference

SIRIUSXM MAIN MENU

This allows access to the SiriusXM operational menu options. Refer to the table below for available settings and functionality.

- 1. Press to access the SiriusXM: Main Menu.
- 2. Turn to highlight one of the menu settings listed in the table below and press to enter.
- 3. Use to make selections.

Setting	Function
Now Playing	Return to the Now Playing Screen
Browse By Channel	View list of available SiriusXM channels
Browse By Category	View list of available SiriusXM channels by category
Direct Tune	Allows entry for direct channel selection
My Account	View your SiriusXM account status, Radio ID and Reset SiriusXM command
Parental Controls	Settings for access to Lock and Unlock Mature SiriusXM channels

Album Art

Album art can be displayed for most of the SiriusXM music channels. When album art is not available, the Channel Default Logo image or the SiriusXM Default Logo image will be displayed

Resetting SiriusXM Settings

A reset will restore all presets and settings, including parental controls, back to their factory defaults.

- Press to access the SiriusXM: Main Menu.
- 2. Turn to My Account and press to enter.

- 3. Turn to Reset SiriusXM Tuner and press to enter.
- 4. Use to select Confirm.

Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc. All rights reserved.

SIRIUSXM TROUBLESHOOTING

Advisory messages may appear on the display when a SiriusXM-Connect Vehicle Tuner is connected to the CMM-30. Refer to the table below for an explanation and suggested corrective actions

Advisory Messa ge	Description
	The radio has detected a fault with the SiriusXM antenna. The antenna cable may be either disconnected or damaged.
	Verify that the antenna cable is connected to the SiriusXM Connect Vehicle Tuner.
	Inspect the antenna cable for damage and kinks. Replace the antenna if the cable is damaged.
Check Antenna	SiriusXM products are available at your local audio retailer or online at www.shop.sirius xm.com.
	The radio is having difficulty communicating with the SiriusXM Connect Vehicle Tuner. The tuner may be disconnected or damaged.
Check Tuner	Verify that the SiriusXM Connect Vehicle Tuner cable is securely connected to the radio.
	The SiriusXM Connect Vehicle Tuner is having difficulty receiving the SiriusXM satellite sign al.
	Verify that your vehicle/vessel is outdoors with a clear view of the sky.
	Verify that the SiriusXM antenna is mount on the exterior.
	Move the SiriusXM antenna away from any obstructions.
	Inspect the antenna cable for damage and kinks.
No Signal	• Consult the SiriusXM Connect Vehicle tuner installation manual for more information on antenna installation. Replace the antenna if the cable is damaged. SiriusXM products are a vailable at your local audio retailer or online at www.shop . siriusxm.com .
	The radio has detected a change in your SiriusXM subscription status. Press VOL/SEL to cl ear the message.
Subscription Upd ated	In the U.S.A., visit www.siriusxm.com or call 1-866-635-2349 if you have questions about your subscription.
	In Canada, visit <u>www.siriusxm.ca</u> or call 1-888-539-7474 if you have questions about your subscription.

Channel Unavailable	The channel that you have requested is not a valid SiriusXM channel or the channel you we re listening to is no longer available. You may also see this message briefly when first conn ecting a new SiriusXM Connect Vehicle tuner. Visit www.siriusxm.com for more information about the SiriusXM channel lineup.
Channel Unsubscribed	The channel that you have requested is not included in your SiriusXM subscription package of the channel that you were listening to is no longer included in your SiriusXM subscription package. In the U.S.A., visit www.siriusxm.com or call 1-866-635-2349 if you have questions about your subscription package or would like to subscribe to this channel. In Canada, visit www.siriusxm.ca or call 1-877-438-9677.
Channel Locked	The channel that you have requested is Locked by the radio Parental Control fea- ture. See Parental Controls, page 12 for more information on the Parental Control feature and how to access locked channels.

SPECIFICATIONS

Electrical		
Operating Voltage	14.4V DC (10V – 16V)	
Operating Temp Range	-22 F to +167 F (-30 C to +75 C)	
Current Draw / Fuse Value	15 A (max) / 33 mA (standby) / 15 A	
NMEA 2000® LEN	1 (Micro-C connector)	
Compatible MFDs	Simrad, Lowrance, Garmin, Raymarine	
Remote Turn-On Output	500 mA	
Tuner		
	USA: 87.9 MHz to 107.9 MHz (0.2 MHz step)	
	EUR: 87.50 MHz to 108.00 MHz (0.05 MHz step)	
FM Tuner	AUS: 87.50 MHz to 108.00 MHz (0.10 MHz step)	
	OTHER: 87.50 MHz to 108.00 MHz (0.05 MHz step)	
	USA: 530 kHz to 1710 kHz (10 kHz step)	
	EUR: 531 kHz to 1602 kHz (9 kHz step)	
AM Tuner	AUS: 531 kHz to 1629 kHz (9 kHz step)	
	OTHER: 531 kHz to 1629 kHz (9 kHz step)	
NOAA Weatherband	USA: 162.400 MHz – 162.550 MHz (0.025 MHz step)	
Favorites	18 presets across all bands	
Bluetooth®		

Profile / Spec	5.0 / A2DP, AVRCP
Connection Range	Up to 35 ft / 11 m
USB	
Interface / Charging Output	USB 2.0 High Speed / 2.1 A
Supported Audio Formats	MP3, WMA, FLAC, WAV
	Folders: 255
File Limits	Files in a single folder: 3,000 Total Files: 9,999
	iPhone SE (2nd generation) or beyond
Apple Compatibility	(functionality contingent upon compatible iOS release)
Preamp Audio Outputs/Inputs	
Output Channels	Four stereo pairs of RCA plugs (3.5V RMS)
Output Configuration	Variable, Absolute, Off (all zones) or Sub (Zone 4 only)
Auxiliary Input Channels	One stereo pair of RCA plugs (1V / 2V RMS Input Sensitivity)
Amplified Audio Outputs	
Rated RMS Power @ 14.4V	25W x 4 @ 4 Ω
Audio Control Options	
Tone	Treble, Mid, Bass, Balance or 5-band equalizer (all zones)
High-Pass Crossover	Off, 80 Hz, 100 Hz & 120 Hz (all zones)
Dimensions	
Unit W x H x D	5.42 in. x 2.01 in. x 7.90 in. (138 mm x 51 mm x 201 mm)

FCC Radiation Exposure Statement

This device complies with FCC radiation exposure limits set forth for an uncontrolled environment

Canada Statement

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- 1. This device may not cause interference.
- 2. This device must accept any interference, including interference that may cause undesired operation of the device

The device meets the exemption from the routine evaluation limits in section 2.5 of RSS 102 and compliance with RSS-102 RF exposure, users can obtain Canadian information on RF exposure and compliance.

Documents / Resources



clarion CMM-30BB Hideaway Marine Source Unit [pdf] Owner's Manual CMM30BB, 2AD9E-CMM30BB, 2AD9ECMM30BB, CMM-30BB Hideaway Marine Source Unit, CMM-30BB, Hideaway Marine Source Unit, Hideaway Source Unit, Marine Source Unit, Hideaway Unit

References

- SiriusXM: Everything You Want to Hear Lives Here
- Stream or Listen to Music, Entertainment, Sports & More | SiriusXM Canada
- SiriusXM is Loading
- SiriusXM: Everything You Want to Hear Lives Here
- SiriusXM: Everything You Want to Hear Lives Here
- Activate Now | SiriusXM

Manuals+,