




clou Flush 3 Handbasin Instruction Manual

[Home](#) » [clou](#) » clou Flush 3 Handbasin Instruction Manual 

clou

Flush 3 – hindbrain
Ceramics, without tap hole, right, matt white
CL/03.02031
Installation instructions



REV 01
01.08.2022

Contents


- 1 Flush 3 Han basin
- 2 Content of delivery
- 3 Required tools
- 4 Documents / Resources
- 4.1 References

Flush 3 Han basin


- Before starting the installation, check whether the delivery is complete. At the same time the delivery should be checked for damage due to transportation, damage reports that are too late (> 1 day after delivery) will not be accepted.
- The included fixing media are suited for plastered or tiled solid walls with enough supporting power. For other walls the used fixing media is at own responsibility, and the wall might need reinforcement.
- Cloud b.v. reserves the right to introduce technical and visual changes with respect to the depicted images.
- Due to changes in production it is possible that given dimensions are no longer correct. All mentioned dimensions in this manual should be verified before executing the action.
- Cloud b.v. can not be held responsible for the results of improper use, improper transportation or any damage caused during interim storage.

- The current terms of guarantee are always valid.
- All dimensions are in mm.



Content of delivery



Required tools







During installation one has to prevent damaging the surface of the product due to placing hard objects on the product.




User's instructions:


See also the maintenance guides at www.clou.nl




Spare parts




1. Mark with pencil and level the position of the drain of the hindbrain.




2. Mark with pencil and level the preferred height X of the hindbrain. (recommended: $X = 900$ mm)




3. Mark with pencil the spots to drill holes. It is recommended to verify the given dimensions.




4. Drill the holes (\varnothing 10 mm).




5. Insert the dowels in the holes and screw the dowel screw in the dowel on the right, also fix the bracket with the screw.




6. Place the hindbrain on the dowel screw and bracket and fix with the collar nut and bolts.




7. Mount the tap (not included) on the hindbrain and connect it to the water supply.




8. Mount the drain (included) in the hindbrain.



9. Attach the trap (not included) to the drain and to the waste pipe.



10. Adjust the height of the drain cap in a way that the water runs of fast enough.



clou

Cloud. Bath findings.

Clou bv

Thermiekstraat 1

NL-6361 HB Knuth

T +31 (0)45 524 56 56


info@clou.nl

www.clou.nl

Looking for inspiration?



Documents / Resources

<p>clou</p> <p>Flush 3 - handbasin Ceramics, without tap hole, right, matt white</p> <p><small>Technical drawing showing the handbasin and its mounting details.</small></p> 	<p>clou Flush 3 Handbasin [pdf] Instruction Manual CL-03.02031, Flush 3 Handbasin, Flush 3, Handbasin</p>
--	---

References

- [clou Clou bath findings - Sanitair voor design badkamers](#)

Manuals+.