Manuals+ — User Manuals Simplified.

V618-6

CloudFront V618-6 LED Smart Marker Lights User Guide

Contents

CloudFront V618-6 LED Smart Marker Lights

Intelligent LED lights that talk to each other

Our intelligent LED marker lights are ideal for use as road safety flares or as over dimensional load marker lights. They can be quickly deployed on the ground or onto the side of a vehicle to warn other motorists of a temporary or moving road hazard. They are perfect for fire crews, towing and recovery teams, house and over dimension load movers. They can be set to flash in unison or in sequentially to create a guiding runway effect. Six lights are stored and charged in a convenient carry case.

Quick Guide to Operation

Turn ON/OFF and test battery

Tap the ON/OFF Button to turn on, it takes 2 seconds during which time the light tests the battery and wirelessly connects to the previous light The previous l ight must be flashing before turning on the next light.
To power down all lights, press & hold the ON/OFF button on any single light for three seconds.

Changing Flash Patterns on all Flares:

Tap the ON/OFF button t o cycle through the five flash patterns. All lights will learn and store the selected pattern. Tap the ON/OFF button twice to change between asynchronous and synchronized flash modes

Selecting the Top or Side LEDs (Orientation):

Three options available – Tap the pi π button to lock on the 12 amber side LEDs, tap again to use and lock on the 4 red top LEDS and tap a third time to set automatic selection of the LEDs based on the orientation of the light

FEATURES

- 12 Amber side LEDs & 4 Red top LEDS
- Select & lock top or side LEDS flash
- Magnet base for vertical mounting
- Excess of 24 hours on time

- String of lights can flash sequentially
- Multiple lights can be synchronised
- Control all lights from just one of them
- Auto battery status check on start up

SPECIFICATIONS

- Size 108 x 92 x 30mm
- Rechargeable LI Batteries
- 360o viewing angle
- Maximum 15m between lights
- No limit to the number of synced lights
- Five flash patterns
    1. single flash
    2. double flash
    3. slow flash
    4. progressive flash
    5. fast flash
- Rechargeable carry case

    AC charger   Input 240vac   Output 5.5vdc

    Car charger   Input 12-24vdc   Output 5.5vdc
- 1 year warranty

Documents / Resources

CloudFront V618-6 LED Smart Marker Lights [pdf] User Guide
V618-6, LED Smart Marker Lights