

clover C403 Flex Starter Kit User Guide

Home » clover » clover C403 Flex Starter Kit User Guide



Contents

- 1 clover C403 Flex Starter KitInstruction
- 3 INSTALLATIONWaste Electrical and Electronic Equipment-**WEEE**
- 4 FCC Warning
- **5 Radiation Exposure Statement**
- **6 EU Declaration of Conformity**
- 7 Documents / Resources
 - 7.1 References
- **8 Related Posts**



clover C403 Flex Starter Kit



Instruction

- Clover Network, Inc 415 N Mathilda Ave Sunnyvale, CA 94085, USA
- Clover Flex

Model: C403 (Wi-Fi)
FCC ID: HFS-C403W

• IC: 1787B-C403W

• HVIN: C403W

Model: C403 (AT&T)FCC ID: HFS-C403UIC: 1787B-C403U

• Model: C403 (Verizon) FCC ID: HFS-C403V


• Model: C403 (Europe) The FCC IDs and IC certificate are not applicable

• Model: C403 (Argentina)

• CNC ID: C-24204 The FCC IDs and IC certiFlcate are not applicable

• EU Importer Marketplace Merchant Solutions Ltd Unit 9, Richview O°ice Park, Clonskeagh, Dublin 14, Ireland

PARTS



Waste Electrical and Electronic Equipment-WEEE

NOTE: This product is covered electronic equipment under the European Union's Waste from Electrical and Electronic Equipment ("WEEE") Directive (2012/19/EU). The WEEE Directive requires that covered equipment be collected and managed separately from typical household waste in all EU member states. Please follow the guidance of your local environmental authority or ask the shop where you purchased the product for collection or recycling options.

FCC Part 15

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, (2) This device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment of and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit digerent from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Warning

Changes or modi~ications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Radiation Exposure Statement

The product comply with the FCC portable RF exposure limit set forth for an uncontrolled environment and are safe for intended operation as described in this manual. The further RF exposure reduction can be achieved if the product can be kept as far as possible from the user body or set the device to lower output power if such function is available.

Innovation, Science and Economic Development Canada (ISED) statement

CAN ICES-3 (B)/NMB-3(B)

This device complies with ISED's licence-exempt RSSs. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Le présent appareil est conforme aux CNR d' ISED applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) le dispositif ne doit pas produire de brouillage préjudiciable, et (2) ce dispositif doit accepter tout brouillage reçu, y compris un brouillage susceptible de provoquer un fonctionnement indésirable.

Caution

- 1. the device for operation in the band 5150-5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems;
- 2. the worst-case tilt angle(s) necessary to remain compliant with the e.i.r.p. elevation mask requirement set forth in Section 6.2.2(3) shall be clearly indicated.
- 3. Users should also be advised that high-power radars are allocated as primary users (i.e. priority users) of the bands 5250-5350 MHz and 5650-5850 MHz and that these radars could cause interference and/or damage to LE-LAN devices.

Radiation Exposure Statement

The product complies with the Canada portable RF exposure limit set forth for an uncontrolled environment and are safe for intended operation as described in this manual. The further RF exposure reduction can be achieved if the product can be kept as far as possible from the user body or set the device to lower output power if such function is available.

EU Declaration of Conformity

Hereby, Clover Network, Inc. declares that the radio equipment type, C403 is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address: eu.clover.com/eu-compliance

The frequency band and the maximum transmitted power in EU are listed below:

WWAN

LTE Band3: 22.5 dBm (Conducted) LTE Band7: 23 dBm (Conducted)

• LTE Band20: 22 dBm (Conducted)

WLAN

2400MHz-2483.5MHz: 17.5 dBm (EIRP) 5150MHz-5250MHz: 19.5 dBm (EIRP) 5250MHz-5350MHz: 19.5 dBm (EIRP) 5470MHz-5725MHz: 22 dBm (EIRP)

NFC

Restrictions in

AT/BE/BG/CZ/DK/EE/FR/DE/IS/IE/IT/EL/ES/CY/LV/LI/LT/LU/HU/MT/NL/NO/PL/PT/RO/SI/SK/TR/FI/SE/CH/UK/HR. 5150MHz-5250MHz is for indoor use only.

Caution: Exposure to Radio Frequency Radiation

This product complies with EU requirements regarding restriction of exposure of persons to radio-frequency energy (RF) emitted by telecommunication and radio devices as it is designed and manufactured in such a way as not to exceed the exposure limits indicated by the European Union Commission. The permitted SAR limit for the general population is 2.0 W/Kg for body and 4.0 W/Kg for limb. This limit guarantees an ample safety margin that protects all persons regardless of age and health condition. SAR is measured with the device at 5mm to the body and at 0mm to the extremity, while transmitting at the highest certi ied output power level in all frequency bands of the device. The highest SAR level recorded for this model was equal to body 1.44W/Kg, & limb 2.28 W/Kg.

Documents / Resources



clover C403 Flex Starter Kit [pdf] User Guide C403 Flex Starter Kit, C403, Flex Starter Kit

References

- **Clover Help**
- BOS System & Credit Card Readers | Clover
- **Clover**

Manuals+