



CO2METER COM V6 Walk-In Draft Cooler Installation Guide

[Home](#) » [CO2METER.COM](#) » CO2METER COM V6 Walk-In Draft Cooler Installation Guide 

Contents


- [1 CO2METER COM V6 Walk-In Draft Cooler Installation Guide](#)
- [2 Documents / Resources](#)
- [3 Related Posts](#)

CO2METER COM V6 Walk-In Draft Cooler Installation Guide

Walk-In Draft Cooler Installation single strobe outside

Components

- 1 –SEU main unit with sensor inside
- 2 –Wall Plug
- 3 –Standard CAT5E cable
- 4 –RDU remote display unit
- 5 –Amber Strobe




Notes

- Drill hole in cooler large enough to fit the CAT5 and power cable
- Unscrew power supply from SEU
- Fish power cable from outside to inside of cooler –reconnect
- Connect power plug to wall outlet
- Connect CAT5 from SEU to RDU
- Connect CAT5 from RDU to strobe

Walk-In Draft Cooler Installation double strobe

Components

- 1 –SEU main unit with sensor inside
- 2 –Wall Plug
- 3 –Standard CAT5E cable
- 4 –RDU remote display unit
- 5 –Amber Strobe



Notes

- Drill hole in cooler large enough to fit the CAT5 and power cable
- Unscrew power supply from SEU
- Fish power cable from outside to inside of cooler –reconnect
- Connect power plug to wall outlet
- Connect CAT5 from SEU to RDU
- Connect CAT5 from SEU & RDU to strobe

Read More About This Manual & Download PDF:

Documents / Resources



[CO2METER COM V6 Walk-In Draft Cooler](#) [pdf] Installation Guide
V6 Walk-In Draft Cooler, V6, Walk-In Draft Cooler