

# **COMARK RF400 WiFi Monitoring System User Guide**

Home » COMARK » COMARK RF400 WiFi Monitoring System User Guide 🖺





**RF400** Cloud-connected **Data logging QUICK START GUIDE** 

COMARK RF400 WiFi Monitoring iligence WiFi

#### **Contents**

- 1 Welcome! Setting up your RF400
- 2 Remove mounting bracket
- 3 Remove battery cover
- 4 Connect probe/s
- **5 Install AA batteries**
- 6 Now you are set up and ready to monitor!
- **7 Device Indication Overview**
- 8 Important safety information
- 9 Sales and Technical Support
- 10 Documents / Resources
- 11 Related Posts

### Welcome! Setting up your RF400 Logger

Before you connect your RF400 data logger, you will need to complete the following steps.



- Set up an account on <a href="https://www.comarkinstruments.net/software/44Cloud">www.comarkinstruments.net/software/44Cloud</a> so that you can view your devices remotely.
- Download the Comark Cloud App on your phone or tablet
- Have your WiFi network details to hand






## Remove mounting bracket




## Remove battery cover


(Do not refit this until setup is complete)



# Connect probe/s



## **Install AA batteries**



7. Once the RF400 data logger is connected to your WiFi network replace the battery cover and install the RF400 data logger where it is to be used.

View and change device settings using the App or through your Comark Cloud Account


### Now you are set up and ready to monitor!



### **Device Indication Overview**

visit Comark Cloud <a href="https://comark.wifisensorcloud.com/">https://comark.wifisensorcloud.com/</a> and click Support for a detailed visual and sound state indication

State	Front Button LED	Sounder
Device OK	1 Flash / 5 Sec	No Sounder
X Fault	1 Flash / 5 Sec	Single-tone ring every 30 minutes
Alarm	1 Flash / 5 Sec	Continuous two-tone ring



## Important safety information

**WARNING:** Failure to follow these safety instructions could result in fire, electrical shock, other injury or damage. **Repairing or modifying** 

Never attempt to repair or modify this product. Dismantling may cause damage that is not covered under the warranty. Servicing should only be provided by an approved supplier. If the product has been punctured or seriously damaged, do not use it and return it to an approved supplier.

#### Using connectors and ports

Never force a connector into a port. Check for obstruction in the port; make sure that the connector matches the port and that you have positioned the connector correctly in relation to the port. If the connector and port do not join with reasonable ease, they probably do not match and should not be used.

### **Power Supply**

Only use 1.5V AA batteries or a genuine RF420 power adapter to power your RF400 data logger.

#### Disposal and recycling

You must dispose of this product and batteries according to relevant laws and regulations. This product contains electronic components and therefore must be disposed of separately from household waste.

#### Caution

Risk of explosion if the battery is replaced by an incorrect type. Dispose of used batteries according to the instructions.

To access Declaration of Conformity information for RF400 products view: <a href="https://www.comarkinstruments.com/documents">www.comarkinstruments.com/documents</a>

## **Sales and Technical Support**



You can view FAQs, Help Guides and other support resources at www.comarkinstruments.com

#### **Comark Instruments**

52 Hurricane Way

Norwich, Norfolk, NR6 6JB the United Kingdom Tel: +44 (0) 207 942 0712

Email: sales@comarkinstrumentsi.com

#### **Comark Instruments**

P.O. Box 500

Beaverton, 0R97077, USA Toll-Free: (800) 555 6658

Email: <a href="mailto:sales@comarkusa.com">sales@comarkusa.com</a>
© 2019 Comark Instruments

#### **Documents / Resources**



