



# COMICA VM10-K5 Multi Functional Smartphone Video Kit User Manual

[Home](#) » [COMICA](#) » COMICA VM10-K5 Multi Functional Smartphone Video Kit User Manual 

## COMICA

PROFESSIONAL AUDIO EQUIPMENT

VM10-K5 Multi Functional Smartphone Video Kit  
User Manual



**VM10-K5**  
**Multi-functional Smartphone Video Kit**

#### **Contents**

- [1 VM10-K5 Multi Functional Smartphone Video Kit](#)
- [2 Packing List](#)
- [3 Components and Instruction](#)
- [4 Installation and Operation](#)
- [5 Specifications](#)
- [6 Documents / Resources](#)
- [7 Related Posts](#)

### **VM10-K5 Multi Functional Smartphone Video Kit**

#### **Foreword**

Thanks for purchasing CVM-VM10-K5

#### **Main Features**

- 360° Adjustable Rotation Ball Head, Support Horizontal and Vertical Shooting

- Equipped with Cold Shoe Rod for Matching Deferent Accessories
- Integrated with Bi-color LED Light for Versatile Shooting
- Professional Microphone, Cardioid Pattern
- Adjustable Width of Smartphone Holder, Wide Range of Applications
- Loading up to 3.5kg for Stable Usage

#### Notice



Do not use the equipment in the vicinity of heat source or interference source




The product belongs to high-precision instruments, please avoid falling, collision or pounding



Do not use the equipment in rain or in the damp environment to avoid short-circuit danger


#### Packing List



Microphone



Shock Mount



LED Light




Cold Shoe Rod




Smartphone Clamp




Ball Head




Tripod



Wind Muff



3.5mm TRS – TRRS Audio Cable



Charging Cable










User Manual




Warranty Card


#### Components and Instruction




	Power Switch Button: Long press to turn on or off
	Color Temperature/Brightness Switch Button: Short press to switch color temperature or brightness. The red light shows the color temperature, and the blue light shows the brightness
	Color Temperature/Brightness+: Short or long press to increase the color temperature or brightness
	Color Temperature/Brightness : Short or long press to reduce the color temperature or brightness
	USB-C Charge Port: Connect the LED light with the external power through the charging cable to charge
	Power Indicator Light: There are four power indicator lights, one of which represents 25% of the power



3.5mm TRS Audio Output Port: It can be inserted with 3.5mm TRS audio cable for audio output




 Additional accessories can be attached to the cold shoe rod


## Installation and Operation

Shooting Horizontally (With Cold Shoe Rod)



1. Install as shown below



2. Adjust the smartphone clamp to an appropriate height through the screwing plate, then install the smartphone and fix it




3. Connect the microphone and smartphone through the 3.5mm TRS-TRRS audio cable. TRS plug is for microphone, TRRS plug is for smartphone




#### Shooting Horizontally (Without Cold Shoe Rod)

1. Install as shown below






2. Connect the microphone and smartphone through the 3.5mm TRS-TRRS audio cable. TRS plug is for microphone, TRRS plug is for smartphone




## Shooting Vertically

1. Install as shown below



2. Rotate the smartphone clamp through 90° via the lever, then connect microphone and smartphone through the 3.5mm TRS-TRRS audio cable



## Specifications

### Microphone

Polar Pattern	Cardioid
Frequency Response	60Hz~20kHz
S/N	75dB
Equivalent Noise	19dBA
Maximum SPL	130dB
Sensitivity	-35dB±2dB
Operating Voltage	1V~5V DC
Output Interface	3.5mm TRS Interface
Dimension	Φ21x85mm
Net Weight	35g
Operating Temperature	0 °C~50 °C
Storage Temperature	-10 °C~60 °C

## LED Light

Power	MAX:3.7W
Color Temperature Range	3200K-6500K
Brightness Range	0.5m ≥430LUX 0.3m ≥1100LUX
Battery Capacity	Lithium-polymer Battery (3.7V/1000mAh)
Duration	80mins±5% (Duration under the brightest condition)
Net Weight	75g
Dimension	85*55*20mm
Operating Temperature	0~55°C
Storage Temperature	-10~60°C



[https://linktr.ee/ComicaAudio?utm\\_source=qr\\_code](https://linktr.ee/ComicaAudio?utm_source=qr_code)


Website: [comica-audio.com](https://comica-audio.com)

Facebook: Comical Audio Tech Global

Instagram: Comical Audio  
YouTube: Comical Audio  
The COMICA logo is trademark which is  
registered and owned by COMM lite  
Technology Co.,Ltd  
Email: [support@comica-audio.com](mailto:support@comica-audio.com)

**COMICA**  
PROFESSIONAL AUDIO EQUIPMENT

## Documents / Resources

 <p>COMICA PROFESSIONAL AUDIO EQUIPMENT</p> <p>VM10-K5 Multi-Functional Smartphone Video Kit</p> <p>User Manual</p>	<p><a href="#">COMICA VM10-K5 Multi Functional Smartphone Video Kit</a> [pdf] User Manual VM10-K5, VM10-K5 Multi Functional Smartphone Video Kit, Multi Functional Smartphone Video Kit, Smartphone Video Kit, Video Kit</p>
--	--

Manuals+