


# COMMScope NG4-MMD7E0R000 NG4access MPO Module Singlemode SC UPC MPO 12 Fiber Right Exit Owner's Manual

[Home](#) » [CommScope](#) » COMMScope NG4-MMD7E0R000 NG4access MPO Module Singlemode SC UPC MPO 12 Fiber Right Exit Owner's Manual 

COMMScope NG4-MMD7E0R000 NG4access MPO Module Singlemode SC UPC MPO 12 Fiber Right Exit



## Contents

- 1 INTRODUCTION
- 2 Product Classification
- 3 General Specifications
- 4 Dimensions
- 5 Outline Drawing
- 6 Optical Specifications
- 7 Environmental Specifications
- 8 Packaging and Weights
- 9 Regulatory Compliance/Certifications
- 10 Documents / Resources
  - 10.1 References
- 11 Related Posts

## INTRODUCTION

- Offers the same craft-friendly interface for LC and SC connectors as the cabled module
- Allow installers to connect an MPO trunk cable to turn up services in rapid installation applications

## Product Classification

**Regional Availability** Latin America | North America

**Portfolio** CommScope®

**Product Type** Fiber module

**Product Brand** NG4access®

**Product Series** NG4

## General Specifications

**Functionality** Breakout

**Application** NG4 MPO module

**Adapter Color** Blue

**Adapters, quantity, front** 12

**Body Style** Simplex

**Color, front** Black

**Color, housing** Black

**Color, rear** Black

**Interface, front** SC/UPC

**Interface, rear** MPO

**Interface Feature, rear** Standard

**Polarity Method** A

**Total Fibers, quantity** 12

**Total Ports, quantity, front** 12

## Dimensions

**Height** 13.21 mm | 0.52 in

**Width** 159.77 mm | 6.29 in

**Depth** 130.3 mm | 5.13 in

## Outline Drawing



## Optical Specifications

**Fiber Mode** Singlemode

**Fiber Type** G.657.A2

## Environmental Specifications

**Operating Temperature** -5 °C to +40 °C (+23 °F to +104 °F)

**Storage Temperature** -5 °C to +50 °C (+23 °F to +122 °F)

**Relative Humidity** Up to 85%, non-condensing

## Packaging and Weights

**Packaging quantity** 1

**Packaging Type** Bag | Carton

## Regulatory Compliance/Certifications

### Agency Classification

**CHINA-ROHS** Above maximum concentration value

**REACH-SVHC** Compliant as per SVHC revision on [www.commscope.com/ProductCompliance](http://www.commscope.com/ProductCompliance)


**ROHS** Compliant/Exempted

**UK-ROHS** Compliant/Exempted





Documents / Resources

	<p><a href="#">COMMScope NG4-MMD7E0R000 NG4access MPO Module Singlemode SC UPC MPO 12 Fiber Right Exit</a> [pdf] Owner's Manual</p> <p>NG4-MMD7E0R000 NG4access MPO Module Singlemode SC UPC MPO 12 Fiber Right Exit, NG4-MMD7E0R000, NG4access MPO Module Singlemode SC UPC MPO 12 Fiber Right ExitModule Singlemode SC UPC MPO 12 Fiber Right Exit, MPO 12 Fiber Right Exit</p>
---	---

References

- [Product Compliance](#)
- [CommScope Trademarks](#)