



COMMScope SSH-2630 PIM Guard SnapTak Hanger Installation Guide


[Home](#) » [CommScope](#) » COMMScope SSH-2630 PIM Guard SnapTak Hanger Installation Guide 

COMMScope® PIM Guard SnapTak Hanger: SSH-2630 for 26-30mm cables

Contents


- [1 SSH-2630 PIM Guard SnapTak Hanger](#)
- [2 Documents / Resources](#)
- [2.1 References](#)

SSH-2630 PIM Guard SnapTak Hanger





Squeeze gripping tabs and insert SnapTak adjustable cable hanger into 3/4 inch hole. Polymer SnapTak hangers may be snapped into any other CommScope Snap-in hangers or adapters.



Typical acceptable stack combinations.



Squeeze gripping tabs to remove SnapTak adjustable cable hanger.



WARNING

Be careful not to damage latches when the hanger is installed and removed from the hole.

Part Information for Available Hangers		
Part Number	Stackability	Cable Diameter Range mm(in)
SSH-2630	3	26.00(1.02) min to 30.00(1.18) max

Notice: CommScope disclaims any liability or responsibility for the results of improper or unsafe installation, inspection, maintenance, or removal practices.

CommScope

1100 CommScope Place SE P.O. Box 339, Hickory, NC 28603-0339

828-324-2200 800-982-1708

www.commscope.com

Customer Service 24 hours

Technical Support :+1 888 297 6433,

Option 3 (Toll Free US and Canada): +1 828 323 4220,

Option 3 (local): <https://www.commscope.com/wisupport>(open a ticket)

Documents / Resources



[COMMScope SSH-2630 PIM Guard SnapTak Hanger](#) [pdf] Installation Guide
SSH-2630, SSH-2630 PIM Guard SnapTak Hanger, PIM Guard SnapTak Hanger, Guard SnapTak Hanger, SnapTak Hanger, Hanger

References

- **[User Manual](#)**

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.