



# comwave SR515 Internet Modem TV Bundle Installation Guide

[Home](#) » [comwave](#) » comwave SR515 Internet Modem TV Bundle Installation Guide 

## comwave SR515 Internet Modem TV Bundle Installation Guide



### Contents

- [1 ADVANCED WI-FI SETTINGS](#)
- [2 PACKAGE CONTENTS](#)
- [3 COMPLETE SETUP OVERVIEW](#)
- [4 SETTING UP YOUR WI-FI](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)

## ADVANCED WI-FI SETTINGS



For advanced users wishing to change their network name (SSID) and/or password, follow the steps below.

1. Open your internet browser and type <http://192.168.17.1> in the address bar.
2. Enter your Username and Password and click LOGIN to proceed.
3. Click on Wi-Fi in the local network on left as shown in figure 3.
4. Use caution when making any changes.
5. Click Save.



## PACKAGE CONTENTS

## INTERNET CABLE CONTENTS



INTERNET MODEM  
(SR515)



TELEPHONE CORD



ETHERNET CABLE



POWER ADAPTER

*Items may not be exactly as shown*

## TV CONTENTS



COMWAVE TV SET-TOP BOX  
(ABOX M30)



REMOTE  
(BATTERIES INCL.)



HDMI CABLE



POWER ADAPTER

## HOME PHONE CONTENTS



HOME PHONE ADAPTER  
(GRANDSTREAM HT801)




ETHERNET CABLE



POWER ADAPTER

*Items may not be exactly as shown*

## COMPLETE SETUP OVERVIEW



### STEP A – INTERNET



1. Connect the Comwave Internet Modem using the supplied telephone cord to the phone jack.
2. Connect one end of the supplied Ethernet Cable to the LAN port of the Internet Modem and the other end to your computer. For Wi-Fi instructions see “SETTING UP YOUR WI-FI”
3. Connect the Internet modem to power using the supplied power adapter. Note: Please allow up to 5 minutes for your modem to be operational.

Start your computer. You should be able to browse the internet instantly.

### STEP B – PHONE



3. Connect one end of the supplied Ethernet Cable to the WAN port of the Home Phone Adapter and the other to any LAN port on the modem.
4. Connect your telephone to the PHONE port of the Home Phone Adapter.
5. Connect the Home Phone Adapter to power using the supplied power adapter and wait 5 minutes for the phone

to register before use.

To test your phone line, pickup the phone receiver and listen for a dial tone. If you have no dial tone, please call Comwave support (phone number is on the back).

## STEP C – TV



6. Using the supplied HDMI cable, connect one end to an HDMI port on your TV and the other end to the ComwaveTV set-top box. Note: Remember which HDMI port you used on your TV.

7. (Wired Network – Recommended) Connect an Ethernet cable from one end of the ComwaveTV set-top box to any LAN port on the Modem.

8. Connect the ComwaveTV set-top box to power using the supplied power adapter.

## SETTING UP YOUR WI-FI

**NOTE:** FOR THE BEST TV EXPERIENCE, WE RECOMMEND THE INTERNET MODEM TO BE AS CLOSE AS POSSIBLE TO YOUR MAIN TV AND YOUR COMWAVETV SET-TOP BOX.

Once steps are completed, turn on your TV and select the correct HDMI input. Follow the on-screen instructions to connect ComwaveTV to your network.

The network name (SSID) and password are located on the bottom of the modem. There are two to choose from. The 5GHz network usually performs the best.

If you would like to change the network name (SSID) and password, please see “ADVANCED WI-FI SETTINGS”



## Documents / Resources



[comwave SR515 Internet Modem TV Bundle](#) [pdf] Installation Guide  
SR515, Internet Modem TV Bundle, SR515 Internet Modem TV Bundle, ABOX M30,  
GRANDSTREAM HT801

Manuals+.