





# **CONSORT HRXSL Handheld Controller Battery powered User** Guide

Home » Consort » CONSORT HRXSL Handheld Controller Battery powered User Guide 🖫



#### **Contents**

- 1 CONSORT HRXSL Handheld Controller Battery powered
- **2 Product Information**
- **3 Product Usage Instructions**
- 4 HRXSL Handheld Controller Battery-powered
- 5 Dimensions (mm)
- **6 HRXSL Energy Saving Features**
- 8 Documents / Resources
  - 8.1 References
- 9 Related Posts



**CONSORT HRXSL Handheld Controller Battery powered** 



## **Product Information**

# **Specifications**

• Model: HRXSL

• Power Source: Battery-powered

• Dimensions:

Height: 141mmDepth: 20mmWidth: 54mm

## **Product Usage Instructions**

## **Getting Started**

- 1. Insert the required batteries into the handheld controller according to the polarity markings.
- 2. Power on the controller by pressing the designated power button.

## **Using the Controller**

Once powered on, you can navigate through the different functions and features using the control buttons on the handheld controller.

## **Battery Replacement**

When the battery power is low, replace the batteries following the instructions in the user manual to ensure uninterrupted usage.

#### HRXSL Handheld Controller – Battery-powered

The HRXSL handheld controller offers an intelligent optional feature that detects open windows or doors and responds to temperature changes in the room or area where it's installed. Once activated in the setup menu, this feature operates automatically without needing further attention. When an open window or door causes a sudden temperature drop, the heater will power off to conserve energy. Once the window or door is closed, the heater resumes regular operation. You can adjust the detection time and temperature settings within the setup menu.

- Battery-powered (includes 2 'AA' batteries)
- · Compatible with all RX and SL heaters
- Option to select room temperature measurement on HRXSL or compatible heaters
- · Quick and simple pairing to heaters
- · Open window detection
- Stylish and sleek modern design
- · Large backlit LCD display for easy reading
- · Supplied with security wall bracket
- · Simple to set up and easy to programme
- 4 different operating modes:
  - Automatic
  - Manual temperature control
  - Boost
  - Frost protection
- 15-minutes Boost feature providing maximum comfort quickly with temperature control
- Time/Manual mode is available with compatible heaters
- Fan only mode for compatible heaters
- · Electronic child lock
- Option to limit min/max temperature
- Not compatible with MRX1 controller

## **Dimensions (mm)**

Model No.	Height	Depth	Width
HRXSL	141	20	54

#### **HRXSL Energy Saving Features**

- 6 temperature programmes per day.
- 7-day heating programmes per week.
- Half heat when approaching target temperature for compatible heaters
- Maintains temperature within 0.5°C
- Set temperature in 0.5°C increments

For further details, contact Sales: 01646 692172 or visit our website at www.consortepl.com

## Q: How long do the batteries typically last in the HRXSL Handheld Controller?

A: The battery life can vary depending on usage, but under normal conditions, the batteries last approximately X hours.

#### **Documents / Resources**



<u>CONSORT HRXSL Handheld Controller Battery powered</u> [pdf] User Guide HRXSL1023, HRXSL Handheld Controller Battery powered, HRXSL, Handheld Controller Battery powered, Controller Battery powered, powered

## References

- <a> Consort Claudgen Electric Heating Solutions</a>
- User Manual

#### Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.