



## CONSORT PLK1 Locking Device Quality Space Heaters Instructions

[Home](#) » [Consort](#) » CONSORT PLK1 Locking Device Quality Space Heaters Instructions 

# CONSORT

QUALITY SPACE HEATERS  
USER INSTRUCTIONS FOR  
PLK1 LOCKING DEVICE



- Locking tab



3)



4)



5)



**Consort Equipment Products Ltd.**

**Registered Office:**

**Thornton Industrial Estate, Milford Haven, Pembrokeshire, SA73 2RT**

**Tel: 01646 692172 Fax: 01646 695195**

**Emails: [technical@consortepl.com](mailto:technical@consortepl.com) | [sales@consortepl.com](mailto:sales@consortepl.com)**

**BS EN ISO 9001 Registered Company No FM12671**

Reasonable care has been taken to ensure that this guide is accurate at the time of printing. In the interest of progress the Company reserve the right to vary specifications from time to time without notice.


## Contents

[1 Documents /](#)

[Resources](#)

[2 Related Posts](#)

## Documents / Resources

|                                                                                   |                                                                                                                                                                                                             |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <p><a href="#">CONSORT PLK1 Locking Device Quality Space Heaters</a> [pdf] Instructions<br/>PLK1, Locking Device Quality Space Heaters, Locking Device, Quality Space Heaters, PLK1, S<br/>pace Heaters</p> |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Manuals+.