

Control4  
Control4 DS2  
Doorstation 2  
Module



## Control4 DS2 Doorstation 2 Module Instructions

[Home](#) » [Control4](#) » Control4 DS2 Doorstation 2 Module Instructions 

### Contents

- [1 Control4 DS2 Doorstation 2 Module](#)
- [2 Product Usage Instructions](#)
- [3 INTERACTION MODULES](#)
- [4 SECURITY ACCESSORIES \(OPTIONAL\)](#)
- [5 Documents / Resources](#)
  - [5.1 References](#)
- [6 Related Posts](#)

Control4<sup>®</sup>

**Control4 DS2 Doorstation 2 Module**



## Product Specifications

- Model: DS2 Doorstation
- Modules: 2 or 3 modules configuration
- Mount Types: Surface Mount, Flush Mount
- Color Options: Black, Brushed Nickel, Venetian Bronze
- Required Components: Base Unit, Mounts, Modules

## Product Usage Instructions

### Step One: Base Unit

Choose the DS2 Camera Module (C4-DS2CM-\*) in Black or Brushed Nickel for the base unit.

### Step Two: Mounts

#### Option 1

- Choose the DS2 Surface Mount Frame 2-Module (C4-DS2-2M-SM-\*) in Black, Brushed Nickel, or Venetian Bronze.
- Select one of the following backplates: DS2 Backplate 2-Module (C4-DS2-BP-2) or DS2 Wedge Backplate 2-Module (C4-DS2-WB-2) for flush mount installation.

#### Option 2

- Opt for the DS2 Flush Mount Frame 2-Module (C4-DS2-2M-FM-\*) available in Black, Brushed Nickel, or Venetian Bronze.
- Choose the DS2 Flush Mount Back Box 2-Module (C4-DS2BB-2) for surface mount installation.

Step Three: Modules

Choose from the following modules:

- DS2 Touch Keypad (C4-DS2TKP)
- DS2 5-Button Keypad (C4-DS25B)
- DS2 Touch Display (C4-DS2TD)
- DS2 Info Panel (C4-DS2IP)
- DS2 Blind Panel (C4-DS2BP)

Step Four: Recommended Additions

Consider adding optional security components:

- DS2 Security Relay (C4-DS2-SR)
- DS2 Tamper Switch (C4-DS2TS) – Requires I/O Module
- DS2 I/O Module (C4-DS2-IO)

Frequently Asked Questions (FAQ)

- **Q: Can I mix and match modules from different configurations?**  
A: Yes, you can choose modules from different configurations to customize your setup.
- **Q: Are the mounts interchangeable between the 2-module and 3-module configurations?**  
A: Some mounts are interchangeable, but ensure compatibility before mixing components.

DS2 DOORSTATION  
2-MODULE CONFIGURATION GUIDE

STEP ONE: BASE UNIT

|          |          |            |                   |          |                |
|----------|----------|------------|-------------------|----------|----------------|
| Intercom | Required | C4-DS2CM-* | DS2 Camera Module | Choose 1 | Black          |
|          |          |            |                   |          | Brushed Nickel |

STEP TWO: MOUNTS

| OPTION 1      |          |                |                                  |          |                 |
|---------------|----------|----------------|----------------------------------|----------|-----------------|
| Surface Mount | Required | C4-DS2-2M-SM-* | DS2 Surface Mount Frame 2-Module | Choose 1 | Black           |
|               |          |                |                                  |          | Brushed Nickel  |
|               |          |                |                                  |          | Venetian Bronze |
|               | Optional | C4-DS2-BP-2    | DS2 Backplate 2-Module           |          |                 |
|               | Optional | C4-DS2-WB-2    | DS2 Wedge Backplate 2-Module     |          |                 |

| OPTION 2    |          |                |                                   |          |                 |
|-------------|----------|----------------|-----------------------------------|----------|-----------------|
| Flush Mount | Required | C4-DS2-2M-FM-* | DS2 Flush Mount Frame 2-Module    | Choose 1 | Black           |
|             |          |                |                                   |          | Brushed Nickel  |
|             |          |                |                                   |          | Venetian Bronze |
|             | Required | C4-DS2BB-2     | DS2 Flush Mount Back Box 2-Module |          |                 |

### STEP THREE: MODULES

|         |                                         |           |                     |
|---------|-----------------------------------------|-----------|---------------------|
| Modules | Required<br><br><br><br><i>Choose 1</i> | C4-DS2TKP | DS2 Touch Keypad    |
|         |                                         | C4-DS25B  | DS2 5-Button Keypad |
|         |                                         | C4-DS2TD  | DS2 Touch Display   |
|         |                                         | C4-DS2IP  | DS2 Info Panel      |
|         |                                         | C4-DS2BP  | DS2 Blind Panel     |

### STEP FOUR: RECOMMENDED ADDITIONS

|          |          |           |                                                |
|----------|----------|-----------|------------------------------------------------|
| Security | Optional | C4-DS2-SR | DS2 Security Relay                             |
|          | Optional | C4-DS2TS  | DS2 Tamper Switch <i>(Requires I/O Module)</i> |
|          | Optional | C4-DS2-IO | DS2 I/O Module                                 |

### STEP ONE: BASE UNIT

|          |          |            |                   |                 |                |
|----------|----------|------------|-------------------|-----------------|----------------|
| Intercom | Required | C4-DS2CM-* | DS2 Camera Module | <i>Choose 1</i> | Black          |
|          |          |            |                   |                 | Brushed Nickel |

### STEP TWO: MOUNTS

| OPTION 1      |          |                |                                  |          |                 |
|---------------|----------|----------------|----------------------------------|----------|-----------------|
| Surface Mount | Required | C4-DS2-3M-SM_* | DS2 Surface Mount Frame 3-Module | Choose 1 | Black           |
|               |          |                |                                  |          | Brushed Nickel  |
|               |          |                |                                  |          | Venetian Bronze |
|               | Optional | C4-DS2-BP-3    | DS2 Backplate 3-Module           |          |                 |

| OPTION 2    |          |                |                                   |          |                 |
|-------------|----------|----------------|-----------------------------------|----------|-----------------|
| Flush Mount | Required | C4-DS2-3M-FM-* | DS2 Flush Mount Frame 3-Module    | Choose 1 | Black           |
|             |          |                |                                   |          | Brushed Nickel  |
|             |          |                |                                   |          | Venetian Bronze |
|             | Required | C4-DS2BB-3     | DS2 Flush Mount Back Box 3-Module |          |                 |

**STEP THREE: MODULES**

|         |                                         |           |                     |
|---------|-----------------------------------------|-----------|---------------------|
| Modules | Required<br><br><br><br><i>Choose 2</i> | C4-DS2TKP | DS2 Touch Keypad    |
|         |                                         | C4-DS25B  | DS2 5-Button Keypad |
|         |                                         | C4-DS2TD  | DS2 Touch Display   |
|         |                                         | C4-DS2IP  | DS2 Info Panel      |
|         |                                         | C4-DS2BP  | DS2 Blind Panel     |


**STEP FOUR: RECOMMENDED ADDITIONS**

|          |          |           |                                                |
|----------|----------|-----------|------------------------------------------------|
| Security | Optional | C4-DS2-SR | DS2 Security Relay                             |
|          | Optional | C4-DS2TS  | DS2 Tamper Switch <i>(Requires I/O Module)</i> |
|          | Optional | C4-DS2-IO | DS2 I/O Module                                 |

**INTERACTION MODULES**



Control4 DS2  
Touch Display



Control4 DS2  
Touch Keypad



Control4 DS2  
Keypad Module



Control4 DS2  
5 Button Module




Control4 DS2  
Info Panel



Control4 DS2  
Blind Panel

## SECURITY ACCESSORIES (OPTIONAL)



Control4 DS2 Tamper Switch



Control4 DS2 Security Relay




Control4 DS2 I/O Module

## 2-MODULE FLUSH MOUNT



Back Box  
(C4-DS2-2BB)




Flush Frame  
(C4-DS2-2BB)

### 3-MODULE FLUSH MOUNT



Back Box  
(C4-DS2-2BB-3)




Flush Frame  
(C4-DS2-2BB)

### 2-MODULE SURFACE MOUNT



Backplate  
(C4-DS2-BP-2)



Wedge Plate  
(C4-DS2-WB-2)




Surface Frame  
(C4-DS2-2M-SM)

3-MODULE SURFACE MOUNT



Backplate  
C4-DS2-BP-3)



Surface Frame  
(C4-DS2-3M-SM)

Copyright © 2024 Snap One, LLC. the property of their respective owners.  
Use of its website implies acceptance of Snap One’s Website Terms of Use and Privacy Policy.

Documents / Resources

Control4 DS2 DOORSTATION  
MODULE CONFIGURATION GUIDE

STOP USE BLUE LIST

STOP HARDWARE

STOP FIRMWARE

STOP FIRM RECOMMENDED IDENTIFY

[Control4 DS2 Doorstation 2 Module](#) [pdf] Instructions  
C4-DS2CM-, C4-DS2-2M-SM-, C4-DS2-2M-FM-, C4-DS2-3M-SM-, C4-DS2-3M-FM-, DS2 Door station 2 Module, DS2, Doorstation 2 Module, Module

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.