Home » Controllers » Controllers LED Mini Dream-Color Controller User Manual

Controllers LED Mini Dream-Color Controller User Manual

Contents

- 1 Controllers LED Mini Dream-Color
- Controller
- **2 Product Information**
- **3 Product Usage Instructions**
- **4 Button Description**
- 5 Light strip
- **6 FCC STATEMENT**
- 7 Documents / Resources

CONTROLLERS

Controllers LED Mini Dream-Color Controller



Product Information

The LED Mini Dream-color controller is a device used to control a 19.68in long, 5.5mm wide colorful light strip with a bare board backing. It comes with an RF Simple Controller with Remote Control, which allows for easy operation. The controller has a dimension of 3.94in x 1.57in x 6.7in.

The device complies with part 15 of the FCC Rules, ensuring that it does not cause harmful interference and can accept any interference received.


Product Usage Instructions

• Power on/Play pause: Press the + button to power on or play, and press the - button to pause.




- Mode switching: Use the M+ and M- buttons to switch between the 366 available modes.
- Speed adjustment: Use the S+ and S- buttons to adjust the speed of the light strip across 10 levels.
- Monochrome Display: Press the buttons corresponding to the desired color to display it on the light strip.
- Remote Control Matching: For the RF version only, long press any button for 5 seconds to pair the remote control with the device. This allows only the paired remote control to control the device.
- **Setting Menu:** Under the shutdown state, press the + button five times to enter the setting menu. Use the M+ and M- buttons to adjust the LED points. Press the blue key to adjust the RGB sequence and save the changes by pressing the OFF button.
- **Brightness Adjustment:** Use the Brightness+ and Brightness- buttons to adjust the brightness of the light strip across 32 levels.
- RGB Sequence Adjustment: In the shutdown state, press the AUTO button to enter the setup menu. The first three lights of the LED strip will display the current RGB sequence. Press this button to adjust the RGB sequence until the sequence of the previous three lights are red, green, and blue. Press the OFF button to save the changes.
- Cancel Remote Control Matching: For the RF version only, long press any button for 5 seconds to cancel the remote control matching. After canceling, all remote controls can control the device.

Button Description



Light strip



FCC STATEMENT

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference, and
- 2. This device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

RF warming for Portable devices:

The device has been evaluated to meet general RF exposure requirements. The device can be used in portable exposure conditions without restriction.

Documents / Resources



Controllers LED Mini Dream-Color Controller [pdf] User Manual

2BB9B-PS003, 2BB9BPS003, ps003, LED Mini Dream-Color Controller, LED Mini, Dream-Color Controller, Color Controller, Controller