



CrowPi B07W3ZGBQ4 All In One Kit User Guide

[Home](#) » [CrowPi](#) » CrowPi B07W3ZGBQ4 All In One Kit User Guide 

Contents

- 1 CrowPiB07W3ZGBQ4 All In One Kit
- 2 Quick Start Guide
- 3 Hardware, Sensors & GPIO Usage
- 4 Sensor Control Description
- 5 Initial Installation
- 6 Summary
- 7 Documents / Resources
 - 7.1 References
- 8 Related Posts



CrowPiB07W3ZGBQ4 All In One Kit



Specifications

- ABS Plastic Case
- 9 inch HDMI Touch Screen
- Various sensors and modules included for diverse projects
- Raspberry Pi included in the Advanced kit
- GPIO pins for sensor control

Product Usage Instructions

Module List

- ABS Plastic Case
- Camera
- 9 inch HDMI Touch Screen
- Power Circuit
- LCD Module(MCP23008)
- Segment LED (HT16K33)
- Vibration Motor
- Matrix LED(MAX7219)
- Light sensor(BH1750)
- Buzzer
- Sound Sensor
- PIR Motion Sensor(LH1778)
- Ultrasonic Sensor
- Servo Interface
- UART
- Stepper Motor Interface

- Tilt Sensor(SW-200D)
- IR Sensor
- Touch Sensor(TTP223)
- Temperature and Humidity Sensor (DHT20)
- Microphone
- Relay
- Button Array
- NFC Module(MFRC522)
- Switches
- Raspberry Pi
- Bread board
- GPIO LED Indicators
- Acrylic board

CrowPi All-in-One Kit

Quick Start Guide

Please read this instruction carefully before using this Kit and keep it for future reference.

What 's in the box: Basic kit

- 1 x CrowPi (not included Raspberry Pi)
- 1 x Power Adapter
- 1 x 32G TF Card
- 1 x TF Card Reader
- 1 x RFID Card+ Tag
- 1 x Touch Pen
- 1 x 5V Stepper Motor
- 1 x Headphone Jack
- 1 x HDMI Connector
- 1 x Screw Driver
- 1 x GPIO Cable
- 1 x IR Receiver
- 1 x 9g Servo
- 1 x Infrared Remote Controller
- 20 x Key caps
- 1 x Screws Bag
- 1 x User Manual

Advanced kit

- 1 x CrowPi (32G TF Card, GPIO Cable, HDMI Connector, Headphone Jack and Screws are pre-assembled inside CrowPi.)


- 1 x Power Adapter
- 1 x TF Card Reader
- 1 x RFID Card+ Tag
- 1 x Touch Pen
- 1 x 5V Stepper Motor
- 1 x 9g Servo
- 1 x Infrared Remote Controller
- 20 x Key caps
- 1 x Earphone
- 1 x Heatsink Kit for RPI
- 2 x Game Controller
- 1 x Wireless Keyboard & Mouse Kit
- 1 x User Manual

Advanced kit (RPI Included)

- 1 x CrowPi (Raspberry Pi, 32G TF Card, GPIO Cable, HDMI Connector, Headphone jack and Screws are pre-assembled inside CrowPi.)
- 1 x Power Adapter
- 1 x TF Card Reader
- 1 x RFID Card+ Tag
- 1 x Touch Pen
- 1 x 5V Stepper Motor
- 1 x 9g Servo
- 1 x Infrared Remote Controller
- 20 x Key caps
- 1 x Earphone
- 1 x Heatsink Kit for RPI
- 2 x Game Controller
- 1 x Wireless Keyboard & Mouse Kit
- 1 x User Manual

Hardware, Sensors & GPIO Usage

Module List:



1. ABS Plastic Case
2. Camera
3. 9 inch HDMI Touch Screen
4. Power Circuit
5. LCD Module(MCP23008)
6. Segment LED (HT16K33)
7. Vibration Motor
8. Matrix LED(MAX7219)
9. Light sensor(BH1750)
10. Buzzer
11. Sound Sensor
12. PIR Motion Sensor(LH1778)
13. Ultrasonic Sensor
14. Servo Interface
15. UART
16. Stepper Motor Interface
17. Tilt Sensor(SW-200D)
18. IR Sensor
19. Touch Sensor(TTP223)
20. Temperature and Humidity Sensor (DHT20)
21. Relay
22. Button Array

23. Independent Buttons
24. NFC Module(MFRC522)
25. Switches
26. Bread board
27. Raspberry Pi
28. GPIO LED Indicators
29. Acrylic board
30. Microphone

Note: The CHIP name (module) of each sensor is inside the parenthesis

Pin#	NAME		NAME	Pin#
01	3.3v DC Power		DC Power 5v	02
03	GPIO02 (SDA1 , PC)		DC Power 5v	04
05	GPIO03 (SCL1 , PC)		Ground	06
07	GPIO04 (GPIO_GCLK)		(TXD0) GPIO14	08
09	Ground		(RXD0) GPIO15	10
11	GPIO17 (GPIO_GEN0)		(GPIO_GEN1) GPIO18	12
13	GPIO27 (GPIO_GEN2)		Ground	14
15	GPIO22 (GPIO_GEN3)		(GPIO_GEN4) GPIO23	16
17	3.3v DC Power		(GPIO_GEN5) GPIO24	18
19	GPIO10 (SPI_MOSI)		Ground	20
21	GPIO09 (SPI_MISO)		(GPIO_GEN8) GPIO25	22
23	GPIO11 (SPI_CLK)		(SPI_CE0_N) GPIO08	24
25	Ground		(SPI_CE1_N) GPIO07	26
27	ID_SD (I ² C ID EEPROM)		(PC ID EEPROM) ID_SC	28
29	GPIO05		Ground	30
31	GPIO06		GPIO12	32
33	GPIO13		Ground	34
35	GPIO19		GPIO16	36
37	GPIO26		GPIO20	38
39	Ground		GPIO21	40

Sensor Control Description

Sensor Name	Control Pin	Control Method	Remarks
BUZZER	pin12/GPIO18	GPIO OUTPUT	
RELAY	pin40/GPIO21	GPIO OUTPUT	
SOUND SENSOR	pin18/GPIO24	GPIO INPUT	
TILT SWITCH	pin15/GPIO22	GPIO INPUT	UX5-2 ON
VIBRATION MOTOR	pin13/GPIO27	GPIO OUTPUT	UX5-1 ON
PIR MOTION SENSOR	pin16/GPIO23	GPIO OUTPUT	
TOUCH SENSOR	pin11/GPIO17	GPIO INPUT	
STEPPER MOTOR	pin29/GPIO5 pin31/GPIO6 pin33/GPIO13 pin35/GPIO19	GPIO OUTPUT	UX5-3 ON UX5-4 ON UX5-5 ON UX5-6 ON
SERVO	pin22/GPIO25	GPIO OUTPUT	UX5-8 ON
IR RECEIVER	pin38/GPIO20	GPIO BOTH	
TEMPERATURE&HUMIDITY	I2C	I2C	Address:0x38
ULTRASONIC SENSOR	ECHO:Pin32/GPIO12 TRIG:Pin36/GPIO16	GPIO INPUT	
LIGHT SENSOR	I2C	I2C	Address:0x5c
I2C LCD	I2C	I2C	Address:0x21
4 BIT SEGMENT	I2C	I2C	Address:0x70
LED MATRIX	SPI	SPI	CS: pin26/GPIO8
NFC MOUDLE	SPI	SPI	CS: pin24/GPIO7

INDEPENDENT BUTTON	UP: pin37/GPIO26 DOWN: pin33/GPIO13 RIGHT: pin35/GPIO19 LEFT: pin22/GPIO25	GPIO INPUT	UX1-5 ON UX1-6 ON UX1-7 ON
BUTTON ARRAY	Row1: pin13/GPIO27	GPIO INPUT	UX1-1 ON
	Row2: pin15/GPIO22		UX1-2 ON
	Row3: pin29/GPIO5		UX1-3 ON
	Row4: pin31/GPIO6		UX1-4 ON
	Col1: pin22/GPIO25		UX1-5 ON
	Col2: pin37/GPIO26		UX1-6 ON
	Col3: pin35/GPIO19		UX1-7 ON
	Col4: pin33/GPIO13		UX1-8 ON

Note : UX1 and UX5 are dialing switches, some sensors use the same GPIO, so if you want to use those sensors, you have to turn on the right switch, for example: button-LEFT using the same GPIO with the SERVO 2, if you want to use the SERVO, You can open UX5-8, if you want to use button-LEFT , you can open UX1-8.

The CrowPi Safety Notes and Warnings

Elecrow puts their customer's safety and security at the first priority, for the same reason Elecrow doesn't use dangerous materials while manufacturing, and we follow extremely strict QA tests to make sure the highest quality product will be shipped to our customers. The CrowPi is a safe-to-use product with 5V/5A(Power Delivery) input by power supply. Even though it's completely safe to use it under normal circumstances there are a few rules that parents should be aware of when buying this product for their children.

- Children should be under parent's supervision while using such a product, the product contains small parts which might cause choking to small children if swallowed.
- The relay module supplied inside our CrowPi board should ONLY be used within the breadboard circuit designing, standing with 5V/5A(Power Delivery) power supply and SHOULD NOT under any circumstances be used / connected or wired to a 220v/110v power plug like light bulb, air conditioner etc ...
- We care about your children's eyes and health just as you do, we do not recommend using the device in dark room with no light for safety reasons and to protect the eyes from the light of the LED's and LCD display.
- The portable device can be taken anywhere, including out-doors, school, train and so on. The device should not be left out-doors without supervision and in bad weather conditions such as rain and snow. The device is neither water nor dust proof.

Initial Installation

Pre-installation requirements

Before diving right into the CrowPi Initial installation guide we'd like to confirm you have everything that is required in order to make the installation process as smooth as possible. Please go through the following checklist and make sure you have it all

Note: These are not optional. They are all necessary for the installation process.



Official Elecrow CrowPi Board



Raspberry Pi 4/5



CrowPi Power Adapter



Micro SD Card (Highly recommended
Class 10, With high Read/Write speed)




Micro SD Adapter (To be able to
connect to your PC / Laptop)



Mouse + Keyboard (Can be
bluetooth as well as USB)

If you've confirmed you have the above items, You're ready to go!

Downloading the CrowPi Image




- The Raspberry Pi uses an Linux-based operating system in order to function properly, it uses a Micro-SD card to boot the operating system into a use-friendly environment to enable customers like you to code and make amazing things.
- In the following steps we'll go through downloading the Raspberry Pi Image that we're going to use.
- In order to make the whole process much easier and user-friendly, we've created an image based on the stock Raspberry Pi Raspbian Image with all the necessary drivers and installation that will help you get you started

right away without hassle .

- You can either use this method and burn our Image or use a stock Raspbian Image from the Raspberry Pi website and then install all the drivers manually.
- We highly recommend the first method. To clarify, We didn't modify or add any thing unnecessary to the image, all the modifications are for the pure purpose of making our CrowPi working perfectly with the Raspbian OS. If you don't have any advanced knowledge with compiling packages from source / getting around Linux OS – We strongly recommend downloading our Image.
- To download our Image, go to the following link on your favourite web browser:
Ras Pi 4: <https://www.elecrow.com/download/crowpi/Crowpi-32image-RPI-4B-Version.zip>
<https://www.elecrow.com/download/crowpi/Crowpi-64image-RPI-4B-Version.zip>
Ras Pi 5: <https://www.elecrow.com/download/crowpi/Crowpi-32image-RPI-5-Version.zip>
<https://www.elecrow.com/download/crowpi/Crowpi-64image-RPI-5-Version.zip>
- And download the “.img” (image) file that contains the CrowPi Raspbian OS.
- To download the stock Raspbian image, go to the following link on your favourite web browser:
<https://www.raspberrypi.org/downloads/>
- And download the official Raspberry pi Raspbian OS or any other Raspberry compatible image that works for you .
- Burning the image into an Micro SD Card
- After you've successfully downloaded the image, you should have a file called “<file_name>.img” while “<file_name>” can depend on where you downloaded from, either Elecrow website or the Raspberry Pi Official website.
- The file extension should be “.img” or “.zip” if it's an “.zip” you should extract it to have a file extension “.img” .
- In order to extract it,download the software “7zip” for Windows or “the unarchiver” for Mac OSX:
- Windows: <http://www.7-zip.org/download.html>
- Mac OSX: <http://wakaba.c3.cx/s/apps/unarchiver.html>
- After you successfully confirmed you have the file, the next step will be burning the image into your Micro SD card.
- In order to burn the image, we'll need a tool called “Etcher” , Etcher is a graphical Micro SD card writing tool that works on Mac OS, Linux and Windows.
- You can download Etcher for your Operating System here: <https://etcher.io/>

After downloading and opening Etcher you should see something like this:




Follow the following steps:

1. Click the “Select Image” button and select your .img file which you downloaded from either Elecrow Website or Raspberry Pi official website
2. Click “Select Drive” button to select your Micro SD Card that you would like to burn the image on (if Micro SD Card inserted, Etcher will do this step for you automatically)

3. Click Flash Button to flash the image, wait for it to finish and we're done!


Attaching the Raspberry Pi to the CrowPi Board

After finishing the burning process it's time to disconnect the micro SD card from the PC / laptop and plug it into the Raspberry Pi.



Note: Make sure to follow the following steps carefully, don't apply extra pressure or strong force over the cable as you might damage the pins.

After successfully plugging back in the Micro SD card, we'll need to lay the Raspberry Pi over its location on top of the CrowPi board.




Afterwards, we'll need to plug it in by using "rainbow" (flat) cable. We'll first carefully plug it into the Raspberry pi making sure it covers the exact pins of the raspberry pi and very importantly doing it carefully not to damage the Raspberry pi pins.




The second step will be plugging the "rainbow" cable into the CrowPi board.

We'll take the other end of the "rainbow" cable and carefully plug it directly into the board making sure it covers all the pins and placed at the right spots.




And ... We are done! Well ... almost!

To make sure that the Raspberry Pi won't move during your rapid development we will need to attach it using screws, the Raspberry Pi contains screws to be attached to the CrowPi board, take a look at the following picture for reference:




Make sure to attach them tightly for your Raspberry Pi safety.

Last thing will be to plug the power adapter into the CrowPi board, it's highly recommended to use the power supply we supply with the board, but also any other power supply like 5V/5A portable power bank with PD protocol.



We can do it by simply plugging in a USB keyboard and USB mouse Or connect Bluetooth keyboard and mouse using the touch screen with the bluetooth configuration



The screenshot displays a Linux desktop with a blue background. A red arrow points to the 'Turn Off Wireless LAN' window, which lists network interfaces. A circular inset shows a close-up of an Ethernet cable plugged into a network port on a device.

Turn Off Wireless LAN

Network Interface	Status	Icon
FAST_4994	✓	Wi-Fi
7226	5G	Wi-Fi
ARW		Wi-Fi
CMCC-GUA-5G	5G	Wi-Fi
elecrow		Wi-Fi
elecrow888		Wi-Fi
More Networks		>
Advanced Options		>

Ethernet cable

After this, you should have fully functional CrowPi laptop that you can do everything you want to with it!

Summary

What should you do next?

Now, when the initial installation is complete – you're ready to go!

We've prepared 21 lessons for you to get started with the CrowPi.


The lessons will get you started using Python 3 and modules usages including all on-board sensors and creating your own first project using the breadboard.

Download the lessons PDF Here: <https://www.elecrow.com/download/CrowPi-lessons.pdf>

1. Lesson 1 – Using the Buzzer for alert sound or notification.
2. Lesson 2 – Get input from button to control the Buzzer.
3. Lesson 3 – How Relay works and how to control it.
4. Lesson 4 – Send vibration signal to the vibration sensor.
5. Lesson 5 – Detect sound using the sound sensor.
6. Lesson 6 – Detect low or bright light using the Light sensor.
7. Lesson 7 – Detect room temperature and humidity using the DHT20 sensor.
8. Lesson 8 – Detect motion using the motion sensor.
9. Lesson 9 – Getting distance information using the Ultrasonic sensor.
10. Lesson 10 – Controlling the LCD Display.
11. Lesson 11 – Read / Write RFID card using the NFC module.
12. Lesson 12 – Using the step motor and making step movements.
13. Lesson 13 – Controlling servos motors using the servo interfaces.
14. Lesson 14 – Controlling the 8×8 Matrix LED.
15. Lesson 15 – Controlling the 7 Segment Display.
16. Lesson 16 – Detecting touch using the Touch Sensor.
17. Lesson 17 – Detecting tilt using the Tilt Sensor.
18. Lesson 18 – Using and controlling the Button Array.
19. Lesson 19 – Using and controlling the IR sensor
20. Lesson 20 – Making your own circuit board using the Bread Board
21. Lesson 21 – Using the CrowPi Camera


If you encounter any issues or have any question regarding the CrowPi, don't hesitate to ask, we are always here for you. info@elecrow.com

Documents / Resources

	<p>CrowPi B07W3ZGBQ4 All In One Kit [pdf] User Guide B07W3ZGBQ4 All In One Kit, B07W3ZGBQ4, All In One Kit, In One Kit, One Kit, Kit</p>
---	--

References

-  [The Unarchiver | Top Free Unarchiving Software for macOS](#)

-  [balenaEtcher - Flash OS images to SD cards & USB drives](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.