



CRYSTORAMA 6623-VG-CL-MWP_CEILING Othello Three Light Ceiling Mount Light Instruction Manual

[Home](#) » [CRYSTORAMA](#) » CRYSTORAMA 6623-VG-CL-MWP_CEILING Othello Three Light Ceiling Mount Light Instruction Manual 

Contents

- [1 CRYSTORAMA 6623-VG-CL-MWP_CEILING Othello Three Light Ceiling Mount Light](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 ASSEMBLY INSTRUCTION](#)
- [5 Part Number](#)
- [6 Documents / Resources](#)
- [7 Related Posts](#)

CRYSTORAMA

CRYSTORAMA 6623-VG-CL-MWP_CEILING Othello Three Light Ceiling Mount Light



Product Information

The model #6623-VG-CL-MWP_CEILING is a damp rated lighting fixture that requires 3-candelabra base bulbs. The recommended wattage for the bulbs is 40W, and the maximum wattage is 60W. It is important to use LED bulbs for extended use. All electrical components must be installed by a licensed electrician who follows the National Electric Code and the appropriate local electrical codes. The fixture comes with a fabric shade, frame, canopy 1 and 2, collar loop and ring, chain, top assembly, bobèche, metal sleeve, plastic sleeve, ball nuts, screws and wire connectors.

Product Usage Instructions

To install the fixture for hanging:

Place the shade over the frame, then place the top assembly over the shade. Make sure the slot in the top assembly is aligned with the shade spoke. Secure the shade with the loop.

To install the fixture for ceiling:

1. Place the shade over the frame, then place canopy 2 over the shade. Make sure the slot in canopy 2 is aligned with the shade spoke. Secure the shade with a hex nut.
2. After safely attaching the fixture into the outlet box, install bobèches, bulbs and proceed to connecting the power.
3. When you begin to dress the fixture, start with packet labeled (A).
4. Apply crystal sets in alphabetical order.


ASSEMBLY INSTRUCTION



MODEL #6623-VG-CL-MWP_CEILING

WARNING:




All electrical components must be installed by a licensed electrician in accordance with the National Electric Code and the appropriate local electrical codes You will need 3-Candelabra Base Bulb 40Watts Recommended 60 Watts Max. USE LED BULBS FOR EXTENDED USE The fixture is damp rated






Part Number



1. A. (3)-Wire Connector

2. **B.** (1)-Mounting Plate
3. **C.** (1)-Ground Screw
4. **D.** (1)-Nipple
5. **E.** (2)-Outlet Box Screws
6. **F.** (1)-Canopy 1 (W5.1'xH1") XEH6623VGCAN5IN
7. **G.** (1)-Collar Loop
8. **H.** (1)-Collar Ring
9. **I.** (1)-Chain:72" 4mm XEH6623VGCHA4MM
10. **J.** (1)-Top Assembly
11. **K.** (1)-Frame
12. **L.** (1)-Fabric Shade (W14'xH6.5*) XEH6623SHA14IN
13. **M.** (3)-Bobeche (D3.9' x Hole:1") XEH6623B0B4IN
14. **N.** (3)-Metal Sleeve (H2.75")XEH6623VGMCDL2.75IN
15. **O.** (3)-Plastic Sleeve (H2.75*) XEH6623PCDL2.75IN
16. **P.** (1)-Canopy 2(W4.25 xH1") XEH6623VGCAN4.25IN
17. **Q.** (2)-Ball Nuts XEH6623VGBANUT
18. **R.** (2)-Screws
19. **S.** (3)-Wire Connector

Documents / Resources

	CRYSTORAMA 6623-VG-CL-MWP_CEILING Othello Three Light Ceiling Mount Light [pdf] I nstruction Manual 6623-VG-CL-MWP_CEILING, 6623-VG-CL-MWP_CEILING Othello Three Light Ceiling Mount L ight, Othello Three Light Ceiling Mount Light
---	---