Cuddeback X-Change Models Owner's Manual

Cuddeback X-Change Models

Contents

How-to guideline for the installation of firmware

Here is how – if the relevant Cdy_8_3_0.zip file has been downloaded or sent to you via e-mail:

OPTION 1:

1. Unzip / Extract the cdy_8_3_0.zip folder to your PC / laptop
2. Copy ONLY the applicable .fw file labelled 'cdy_1200_8_3_0.fw' onto a clean / formatted standard size SD memory card not larger than 32GB (this .fw files are located inside the new cdy_8_3_0 folder).
   File cdy_1200_8_3_0.fw is for C, E, G & J Series cameras
3. Insert the SD card back into the camera trap
4. (For C / E / G & J Series cameras) – Press MODE until COMMANDS is displayed. Press MORE until LOAD F/W is displayed. Then press UP or DOWN arrow to proceed.

OPTION 2:

1. DO NOT Unzip / Extract the cdy_8_3_0.zip folder to your PC / laptop
2. Copy the entire cdy_8_3_0.zip folder onto a clean / formatted standard size SD memory card not larger than 32GB.
3. Insert the SD card back into the camera trap
4. (For C / E / G & J Series cameras) – Press MODE until COMMANDS is displayed. Press MORE until LOAD F/W is displayed. Then press UP or DOWN arrow to proceed.

PLEASE NOTE – battery level must be 50% or greater for firmware to load (please do not try to open the .fw files on your computer as they will not be able to read them)
If you have questions on this, or the products themselves, of if you need other assistance for want to place an order, please feel free to contact us.

Kind Regards CAMERA TRAPS cc
Web: www.cameratraps.co.za
E-mail: info@cameratraps.co.za
LEVEL 4 B-BBEE CONTRIBUTOR

Customer Support

CAMERA TRAPS cc
Co. Reg. No: 2008/129351/23
VAT Reg. No: 4640247856
Tel: +27 (0)83 560 0555 / +27 (0)82 422 0356
E-mail: info@cameratraps.co.za
Website: www.cameratraps.co.za

Documents / Resources

	Cuddeback X-Change Models [pdf] Owner's Manual X-Change Models, Change Models, Models

References

- **User Manual**