

CUMMINS ALLISON JetScan IFX Currency Scanner



CUMMINS ALLISON JetScan IFX Currency Scanner User Guide

[Home](#) » [CUMMINS ALLISON](#) » CUMMINS ALLISON JetScan IFX Currency Scanner User Guide 

Contents

- [1 CUMMINS ALLISON JetScan IFX Currency Scanner](#)
- [2 Quick Start Guide](#)
- [3 Documents / Resources](#)
 - [3.1 References](#)



CUMMINS ALLISON JetScan IFX Currency Scanner



Quick Start Guide


1. Remove machine and accessories from shipping box and place in desired location.
2. Remove the shipping paper from under the center wheel.




3. Remove the wing nuts and the washer from the machine as shown.




4. Identify the document hopper and the plastic support.



5. Place the hopper support in the machine as shown and fastened with your hands placing the washers first and then the wing nuts.



6. Assemble the hopper into the support as shown.



7. Plug the power cable and power on your JetScan IFX.


8. Set the calibration wheel to zero.

scan this qr code for installation video



cumminsallison.com

Documents / Resources

	<p>CUMMINS ALLISON JetScan IFX Currency Scanner [pdf] User Guide</p> <p>JetScan IFX Currency Scanner, JetScan, IFX Currency Scanner, Currency Scanner, Scanner</p>
--	--

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.