

CURT 51202 True Course Advanced Bluetooth Instruction Manual

Home » Curt » CURT 51202 True Course Advanced Bluetooth Instruction Manual





CURT 51202 True Course Advanced Bluetooth



Product Information

- Product Name: Control Module
- · Level of Difficulty: Easy
- Product Photo: [Insert product photo here]
- Parts List:
 - 1 Control module
 - 4 Self-tapping screws, 1/4"
 - 1 Owner's tag
- Tools Required:
 - Cordless/electric drill or screwgun
 - Drill bit, 1/8"
 - Marker
 - Drive bits

• Product Registration and Warranty: CURT offers industry-leading warranties. To register your purchase, obtain product warranties, or provide feedback, visit curtmfg.com/registration.

Product Usage Instructions

Installation

- 1. Hold the control module against the roadside trailer frame and mark the locations for four pilot holes.
 - Ensure there is adequate length on the attached front 7-way cord to connect to the tow vehicle.
 - Position the module to be level with the top of the frame where it will be installed.
- 2. Using a 1/8" drill bit, drill pilot holes for the four 1/4" self-tapping screws.
- 3. Install the screws to secure the module to the frame.
- 4. Connect the attached 7-way cord to the tow vehicle.
- 5. Attach the trailer's 7-way connector to the back of the control module.

Operation & Setup RV Users

- 1. Determine your towing scenario and download the app.
- 2. Open the app and tap the + icon.
- 3. Select 'Safety Systems' from the menu.
- 4. Select 'Search for Devices' to begin pairing.
- 5. Once the device is found, tap the device description and then tap 'Connect' to begin pairing.
- 6. To finalize pairing, enter the 6-digit PIN (PW) number when prompted. This number can be found on the owner's tag or on the bottom of the device.
- 7. A message will indicate a successful connection of True CourseTM.

Auto Users

- 1. Determine your towing scenario and download the app.
- 2. Open the app and tap the + icon.
- 3. Select 'Safety Systems' from the menu.
- 4. Select 'Search for Devices' to begin pairing.
- 5. Once the device is found, tap the device description and then tap 'Connect' to begin pairing.
- 6. To finalize pairing, enter the 6-digit PIN number when prompted. This number can be found on the owner's tag or on the bottom of the device.
- 7. A message will indicate a successful connection of True CourseTM.

Troubleshooting

If issues persist or you encounter diagnostic trouble codes (DTC), follow the blinking patterns as described in the user manual. If problems continue, contact CURT technical support for further assistance.

Level of Difficulty Easy

• Installation difficulty levels are based on time and effort involved and may vary depending on the installer's

level of expertise, the condition of the vehicle, and the proper tools and equipment.

Parts List

Qty Description

1	Control module
4	Self-tapping screws, 1/4"
1	Owner's tag

Tools Required

- · Cordless/electric drill or screwgunMarker
- Drill bit, 1/8" Drive bits

WARNING

• Never exceed the vehicle manufacturer's recommended towing capacity.

Product Photo



CAUTION

- Do not use the module as a step for the trailer. Stepping on the module may damage the system.
- Moving parts can pinch, crush or cut. Keep clear at all times.

NOTICE

- Visit www.curtmfg.com for a full-color copy of this instruction manual, as well as helpful videos, guides and much more!
- · Before you begin installation, read all instructions thoroughly.
- Proper tools will improve the quality of installation and reduce the time required.
- Images used in this document are for reference only when assembling, installing, and/or operating this product.

 The actual appearance of provided and/or purchased parts and assemblies may differ.


- The app is available on Apple App Store® for iPhone® and iPad® and also on Google Play™ for Android™ users.
- Apple App Store®, iPhone®, and iPad® are registered trademarks of Apple Inc. Google Play™ and Android™
 are trademarks of Google Inc.
- Periodic inspection of your product should be performed to ensure all hardware and/or components remain secure.

Product Registration and Warranty

CURT stands behind our products with industry-leading warranties. To get copies of the product warranties,
 register your purchase or provide feedback, visit: curtmfg.com/registration

INSTALLATION

Step 1Hold the control module against the roadside trailer frame and mark the locations for four pilot holes.



Note: Before positioning the module for marks, make sure there is adequate length on the attached front 7-way cord to connect to the tow vehicle.

Note: Place the module so it is level to the top of the frame where it is to be installed.

NOTICE

• Be sure to mount the module horizontal and level to the trailer frame. Failureto correctly mount the module may cause the unit to not function as intended.

Step 2



- Using a 1/8" bit, drill pilot holes for the four 1/4" self-tapping screws.
- Install the screws to secure the module to the frame.

Step 3

• Connect the attached 7-way cord to the tow vehicle.

Step 4

• Attach the trailer's 7-way connector to the back of the control module.

OPERATION & SETUP

Before You Begin

Once the module is connected to the tow vehicle and the trailer's 7-way connector, the tow control system is active. Connect to OneControl® Auto or RV app for system status and notifications. Real-time updates will be provided. There is a label placed on the bar code on the owner's tag that will have all the Bluetooth information. Ensure your Bluetooth setting on your smartphone is enabled prior to pairing.

Determine Towing Scenario and Download App









- Download and install the Lippert OneControl® Auto or RV app on a mobile smart device. Both apps are available on Apple App Store® for iPhone® and iPad® and also on Google Play™ for Android™ users.
- **IMPORTANT**: Download and use the OneControl® RV app for RV applications and the OneControl® Auto app for trailer applications.

• Note: The owner's tag is also a label and can be removed to be placed in the trailer for reference by the owner.

APP SETUP FOR RV USERS


Step 1

- Download the OneControl® RV app from the app store.
- Read and agree to the license agreement.
- Follow the prompts in the app for connecting to an existing account or creating a new account.

Note: Make sure the 7-way connector from the trailer is plugged into the True Course[™] controller and the 7-way cord from the controller is plugged into the tow vehicle with the engine running or that the 7-way plug has power.


Step 2





• Tap the + icon and select 'Safety Systems' from the menu. From here, select 'Search for Devices' to begin pairing.

Step 3



• Once device has been found, select the device by tapping the device description, and then tap 'connect' to begin pairing.

Step 4



• To finalize pairing, enter the 6-digit PIN (PW) number when prompted. This number can be found on the owner's tag or on the bottom of the device.

Step 5


Once the system has been connected, a message will indicate the True Course™ has connected successfully.

APP SETUP FOR AUTO USERS

- Download the OneControl® Auto app from the app store.
- Read and agree to the license agreement.
- Follow the prompts in the app for connecting to an existing account or creating a new account.

Note: Make sure the 7-way connector from the trailer is plugged into the True Course[™] controller and the 7-way cord from the controller is plugged into the tow vehicle with the engine running or that the 7-way plug has power.

Step 2



• From the home menu, tap the 'Pair Device' button under the True Course™ icon.

Step 3



• Once the device has been found, select the device by tapping the device description, and then tap 'connect' to

begin pairing.

Step 4



• To finalize pairing, enter the 6-digit PIN number when prompted. This number can be found on the owner's tag on the bottom of the device.

Step 5

Once the system has been connected, a message will indicate the True Course™ has connected successfully.

TOWING BASICS & SAFETY INFORMATION

• For information on safely towing your trailer, visit curtmfg.com/understanding-towing.

TROUBLESHOOTING

NOTICE

- Diagnostic trouble codes (DTC) blinks: One green blink followed by red count; the pattern repeats until the issue is corrected.
- If there are multiple DTCs, the blink pattern is green then DTC #1 count, then green then
- DTC #2 count. This continues until all DTCs are accounted for, and then the pattern repeats
- Should issues persist, contact CURT technical support to speak to a representative who can assist further.

Light Flash (Status)	Problem Cause	Possible Solution
Off (NO LIGHT)	Unit is not powered and not active (OFF an d NOT MONITORING). Activate trailer brak es to turn on.	Unit is in low power. Activate tow vehicle br ake to wake unit. Verify the 7-way connection to unit. Unit is powered by tow vehicle and trailer battery t hrough the 7-way.
3 Green, 3 Red, 3 Blue, Solid Green	Wake-up self-checks are in progress.	No action.

Green Solid	Unit is awake and monitoring for sway.	Every 5 seconds, there will be a brief time t he Green LED turns off for a fraction of a se cond. This indicates the unit is functional.
Red blink (1/2 seco nd on, 1/2 second off, repeats)	True Course™ detected a sway event and i s active.	After the sway event subsides, the light will return to green.
1 Green, 1 Red	Low voltage condition detected.	Check the battery connection and determin e the voltage of the battery is within the proper operating range (9 – 16 volts).
1 Green, 2 Red	Voltage is too low for True Course™ operation.	The battery may read normal battery range, but during the units power check it determin ed the voltage dropped. Ensure the battery is fully charged.
1 Green, 3 Red	High voltage condition detected.	Check the battery connection and determin e the voltage of the battery is within the pro per operating range (9 – 16 volts). Check al I connections at the module and tow vehicle
1 Green, 4 Red	A short to 12 volt was detected on the brak e actuator output.	Verify the breakaway switch is not activated . Verify blue brake wire is not shorted to 12 v olts.
1 Green, 5 Red	Not connected to trailer brakes.	Verify the blue brake wire is connected to the trailer brakes. Verify the 7-way is properly seated in the unit.
1 Green, 6 Red	A short to ground is detected on the brake wire output.	Verify the blue brake wire is not shorted to the ground or trailer frame. Disconnect the harness, and wait 10 seconds.
1 Green, 8 Red	Internal load check issue.	Check the 7-way connection to the module and to tow vehicle. Make sure the pins are making good contact. Disconnect the harness, and wait 10 seconds.
1 Green, 9 – 14 Re d	Trailer light issues detected.	Verify all trailer lamps are functional.
1 Green, 15 Red	Module hardware issue detected.	Disconnect the module completely, then rec onnect. If issues persist, bypass the module with the trailer. 7-way and plug directly into tow vehicle.

Red Solid	The unit is not functional.	Disconnectthe harness from the tow vehicle and disconnect the trailer harness. Wait 10 seconds. Connect harness. If the light becomes solid red, unplug the unit and contact the service department.
Red Fast Blink (100 ms on, 100 ms off, repeats)	The unit is in reflash mode.	If reflashing, wait for the process to complet e. If reflash was not requested, Disconnect th e module and wait 10 seconds.
5 seconds Green, t hen 2 seconds Blu e	Active BLE Connection.	Wait for LED codes to finish to allow the process to complete.
1 second Blue, 1 second off	BLE Pairing.	Wait for LED codes to finish to allow the process to complete.

<u>CURTMFG.COM</u> • PRODUCT SUPPORT: 877.287.8634 • 51202-INS-RC • CCD-0007418 • 06/20/2023 • ECN10893 • PAGE 7

Contents

1 Documents / Resources

1.1 References

Documents / Resources



<u>CURT 51202 True Course Advanced Bluetooth</u> [pdf] Instruction Manual 51202 True Course Advanced Bluetooth, 51202, True Course Advanced Bluetooth, Course Adv

References

• SCURT: Trailer Hitches - Trailer Wiring - 5th Wheel - Gooseneck

anced Bluetooth, Advanced Bluetooth, Bluetooth

- S Product Registration
- Towing Guide, How-tos, References & Glossary
- SCURT: Trailer Hitches Trailer Wiring 5th Wheel Gooseneck

