

CyberPower BR700ELCD Backup UPS Systems



CyberPower BR700ELCD Backup UPS Systems User Guide

[Home](#) » [CyberPower](#) » CyberPower BR700ELCD Backup UPS Systems User Guide 

Contents

- [1 CyberPower BR700ELCD Backup UPS Systems](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 SAFETY](#)
- [5 UNPACKING](#)
- [6 INSTALLATION GUIDE](#)
- [7 BASIC FUNCTIONALITY](#)
- [8 Documents / Resources](#)
 - [8.1 References](#)

CyberPower

CyberPower BR700ELCD Backup UPS Systems



Product Information

Specifications

- **Models:** BR700ELCD, BR1000ELCD, BR1200ELCD
- **Model Number:** K01-C000883-00
- Do not use with medical or life support equipment, aquariums, or laser printers
- Install in a temperature and humidity-controlled indoor area free of conductive contaminants

Frequently Asked Questions

- **Q:** Can I use this UPS with medical equipment?
 - **A:** No, this UPS should not be used with medical or life support equipment.
- **Q:** How long should I charge the batteries for?
 - **A:** It is recommended to charge the batteries for at least eight hours to reach maximum capacity.
- **Q:** Can I connect my computer using the USB port on the UPS?
 - **A:** Yes, you can connect your computer using the USB port on the UPS for communication and power protection.

Product Usage Instructions

Unpacking:

- Follow the instructions provided in the Quick Start Guide for unpacking the UPS unit.

Battery Charging:

- It is recommended to charge the batteries for at least eight hours to ensure maximum capacity. If using software, connect the USB cable to the UPS's USB port.

Connecting Devices:

- To protect a fax, telephone line, or network cable, connect them to the input socket of the UPS and then connect another cable from the output socket of the UPS to the device.

Communication Ports:

- The UPS features communication ports to protect standard modems, fax machines, telephone lines, or network cables from voltage surges.

Power Connection:

Connect the UPS to a power source using the appropriate power cable for your region (e.g., Schuko or UK plug).

Circuit Breaker and Power LED:






- Make sure the circuit breaker is in the correct position and check the power on LED indicator to ensure the UPS is functioning properly.

SAFETY

CAUTION


- DO NOT USE WITH MEDICAL OR LIFE SUPPORT EQUIPMENT!
- To prevent the risk of fire or electrical shock, install in a temperature and humidity-controlled indoor area, free of conductive contaminants.
- To avoid an electrical shock, turn off the unit and disconnect it from the AC power source, before servicing the battery or installing a computer component.
- DO NOT USE WITH OR NEAR AQUARIUMS!
- DO NOT USE WITH LASER PRINTERS!

UNPACKING

	Quick Start Guide
	USB cable (A+B type)
	Telephone communication cable
	Cable Collector
	UPS unit


PowerPanel® Personal software is available on our website. Please visit www.cyberpower.com and select the Software Section for a free download.

INSTALLATION GUIDE



Recharging the battery for at least 8 hours is recommended to ensure that the battery's maximum charge capacity is achieved. If you will use the software, connect the USB cable to the USB port on the UPS. To protect a fax, telephone, modem line, or network cable, connect a telephone cable or network cable from the wall jack outlet to the IN jack of the UPS. Then connect a telephone cable or network cable from the OUT jack on the UPS to the modem, router, computer, telephone, fax machine, or network device.

BASIC FUNCTIONALITY



1. Power Switch
2. LCD Toggle Function Switch
3. LCD Display
4. Communication Line Protection Outlets
5. +5VDC USB Charger Port
6. AC outlets
7. USB Port to PC
8. Circuit Breaker
9. Power on LED
10. Cable Collector

For technical support, contact CyberPower at: www.cyberpower.com/contact

Copyright © 2023 Cyber Power Systems, Inc. All rights reserved.
11F., No.26, Jinzhuang Rd., Neihu Dist., Taipei City 114, Taiwan






Documents / Resources



[CyberPower BR700ELCD Backup UPS Systems \[pdf\] User Guide](#)
BR700ELCD, BR1000ELCD, BR1200ELCD, BR700ELCD Backup UPS Systems, Backup UPS Systems, UPS Systems, Systems

References

-  [CyberPower UPS Systems, Battery Backup, PDUs, USB Surge Protectors](#)
-  [CyberPower UPS Systems, Battery Backup, PDUs, USB Surge Protectors](#)
-  [CyberPower Worldwide | CyberPower](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.