



CYBEX CI-BBR Ion Series Barbell Rack Owner's Manual

[Home](#) » [CYBEX](#) » CYBEX CI-BBR Ion Series Barbell Rack Owner's Manual 



Ion Series Barbell Rack
Owner's Manual
CI-BBR



Contents

- [1 Corporate Headquarters](#)
- [2 Safety](#)
- [3 Access Control](#)
- [4 Installation](#)
- [5 Assembly](#)
- [6 Assembly Procedure](#)
- [7 Product Information](#)
- [8 Maintenance Procedures](#)
- [9 Warranty](#)
- [10 Bolt to Floor Guide](#)
- [11 Documents / Resources](#)
- [12 Related Posts](#)

Corporate Headquarters

Columbia Centre III, 9525 West Bryn Mawr Avenue, Rosemont, Illinois 60018

• U.S.A. 847.288.3300

• FAX: 847.288.3703

Service phone number: 800.351.3737 (toll-free within the U.S.A., Canada)

Global Website: www.lifefitness.com

International Offices

AMERICAS

North America

Life Fitness, Inc.

Columbia Centre III

9525 West Bryn Mawr Avenue

Rosemont, IL 60018 U.S.A.

Telephone: (847) 288 3300

Service Email: customersupport@lifefitness.com

Sales/Marketing Email: commercialsales@lifefitness.com

Brazil

Life Fitness Brasil

Av. Rebouças, 2315

Pinheiros

São Paulo, SP 05401-300

BRAZIL

SAC: 0800 773 8282 option 2

Telephone: +55 (11) 3095 5200 option 2

Service Email: suportebr@lifefitness.com

Sales/Marketing Email: vendasbr@lifefitness.com

Latin America and the Caribbean*

Life Fitness, Inc.

Columbia Centre III

9525 West Bryn Mawr Avenue

Rosemont, IL 60018 U.S.A.

Telephone: (847) 288 3300

Service Email: customersupport@lifefitness.com

Sales/Marketing Email: commercialsales@lifefitness.com

EUROPE, MIDDLE EAST, and AFRICA (EMEA)

Netherlands and Luxemburg

Life Fitness Atlantic BV

Bijdorpplein 25-31

2992 LB Barendrecht

THE NETHERLANDS

Telephone: (+31) 180 646 666

Service Email: service.benelux@lifefitness.com

Sales/Marketing Email: marketing.benelux@lifefitness.com

United Kingdom

Life Fitness UK LTD

Queen Adelaide

Ely, Cambs, CB7 4UB

Telephone: General Office (+44) 1353.666017

Customer Support (+44) 1353.665507

Service Email: uk.support@lifefitness.com

Sales/Marketing Email: life@lifefitness.com

Germany, Austria, and Switzerland

Life Fitness Europe GMBH

Neuhofweg 9

85716 Unterschleißheim

GERMANY

Telephone:

+49 (0) 89 / 31775166 Germany

+43 (0) 1 / 6157198 Austria

+41 (0) 848 / 000901 Switzerland

Service Email: kundendienst@lifefitness.com

Sales/Marketing Email: vertrieb@lifefitness.com

Spain

Life Fitness IBERIA

C/Frederic Mompou 5, 1^ª ^a

08960 Sant Just Desvern Barcelona

SPAIN

Telephone: (+34) 93.672.4660

Service Email: servicio.tecnico@lifefitness.com

Sales/Marketing Email: info.iberia@lifefitness.com

Belgium

Life Fitness Benelux NV

Parc Industriel de Petit-Rechain

4800 Verviers

BELGIUM

Telephone: (+32) 87 300 942

Service Email: service.benelux@lifefitness.com

Sales/Marketing Email: marketing.benelux@lifefitness.com

All Other EMEA Countries and Distributor Business EMEA*

Bijdorpplein 25-31

2992 LB Barendrecht

THE NETHERLANDS

Telephone: (+31) 180 646 644

Service Email: EMEAServiceSupport@lifefitness.com

ASIA PACIFIC (AP)
Japan
Life Fitness Japan, Ltd
4-17-33 Minami Aoyama 1F/B1F
Minato-ku – Tokyo 107-0062
Japan
Telephone: (+81) 0120.114.482
Fax: (+81) 03-5770-5059
Service Email: service.lfj@lifefitness.com
Sales/Marketing Email: sales@lifefitnessjapan.com

Hong Kong
Life Fitness Asia Pacific LTD
32/F, Global Trade Square
21 Wong Chuk Hang Road
Hong Kong
Telephone: (+852) 2575.6262
Service Email: Service.HK@lifefitness.com
Sales/Marketing Email: hongkong.sales@lifefitness.com

All Other Asia Pacific countries and distributor
business Asia Pacific*
32/F, Global Trade Square
21 Wong Chuk Hang Road
Hong Kong
Telephone: (+852) 2575.6262
Fax: (+852) 2575.6894
Service Email: Service.AP@lifefitness.com
Sales/Marketing Email: Marketing.HK.Asia@lifefitness.com

*Also check www.lifefitness.com for local representation or distributor/dealer

Life Fitness® is a registered trademark.

Gym Wipes® is a registered trademark of the 2XL Corporation. PureGreen 24 is a trademark of Pure Green.

© Copyright 2020, Life Fitness, LLC. All Rights Reserved. Life Fitness, Hammer Strength, Cybex, ICG, and SCIFIT are registered trademarks of Life Fitness, LLC and its affiliated companies and subsidiaries. Brunswick and related trademarks are used under license from Brunswick Corporation. Disclaimer: Images and specifications are current as of the date of publication and are subject to change. Columbia Center III – 9525 West Bryn Mawr Ave, Rosemont, IL 60018

• 800-351-3737 • 847-288-3700 • FAX 800-216-8893 www.cybexintl.com • 1015907-0001 AA • 2020

Safety

Safety Information

It is the sole responsibility of the purchaser of Life Fitness Family of Brands products to read the owner's manual and warning labels and instruct all individuals, whether they are the end-user or supervising personnel, on proper usage of the equipment.

UNDERSTANDING EACH AND EVERY WARNING TO THE FULLEST IS IMPORTANT. IF ANY OF THESE WARNINGS ARE UNCLEAR, CONTACT Life Fitness Family of Brands CUSTOMER SERVICE IMMEDIATELY AT 1-800-351-3737.

This equipment is categorized as class S per EN ISO 20957-1. As such this equipment is only intended for commercial, institutional, and/or studio facilities. It is not intended for home use. Contact Life Fitness Family of Brands with any questions regarding this classification.

It is recommended that all users of Life Fitness Family of Brands exercise equipment be informed of the following information prior to use.

Operating Warnings

WARNING: This product can expose you to chemicals including Methyl Isobutyl Ketone, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <http://www.P65Warnings.ca.gov>

- It is the purchaser's sole responsibility to properly instruct its end users and supervising personnel as to the proper operating procedures of all equipment.
- This equipment is not intended for use by children. Keep children under the age of 13 away from the machine.
- Do not allow users to wear loose-fitting clothing or jewelry while using the equipment. It is also recommended to have users secure long hair back and up to avoid contact with moving parts.
- All bystanders must stay clear of all users, moving parts, and attached accessories and components while the machine is in operation.

Access Control

- Life Fitness Family of Brands recommends that all commercial fitness equipment be used in a supervised area. It is recommended that the equipment be located in an access-controlled area. Control is the responsibility of the facility owner.

Installation

- Life Fitness Family of Brands recommends that all equipment be secured to a solid, level surface to stabilize it and eliminate rocking or tipping over. This must be performed by a licensed contractor. See Bolt to Floor Guide for the installation procedure.

Proper Usage

- Do not use any equipment in any way other than designed or intended by the manufacturer. It is imperative that Life Fitness Family of Brands equipment is used properly to avoid injury.
- Injuries may result if exercising improperly or excessively. It is recommended that all individuals consult a physician prior to commencing an exercise program. If at any time during exercise you feel faint, dizzy or experience pain, STOP EXERCISING and consult your physician.

Inspection

- DO NOT attempt to use or repair any accessory approved for use with the equipment which appears to be damaged or worn.
- DO NOT use or permit the use of any equipment that is damaged and/or has worn or broken parts. For all Life Fitness Family of Brands equipment use only replacement parts supplied by Life Fitness Family of Brands.

- Maintain labels and nameplates – Do not remove labels for any reason. They contain important information. If unreadable or missing, contact Life Fitness Family of Brands customer service for a replacement.
- Equipment Maintenance – Preventative maintenance is the key to smooth operating equipment as well as keeping your liability to a minimum. Equipment needs to be inspected at regular intervals.
- Ensure that any person(s) making adjustments or performing maintenance or repair of any kind is qualified to do so. Life Fitness Family of Brands will provide service and maintenance training at our corporate facility upon request or in the field if proper arrangements are made.
- Before use, examine all accessories approved for use with the Life Fitness family of Brands equipment for damage or wear.

Plate Loaded, Free Weight, and Body Weight Systems

- Never exceed the load rating for any plate loaded station, bodyweight station, bench, or another free weight device; including specific weight rod and band peg limits. See machine-specific section for load limit information.
- Contact a Life Fitness Family of Brands representative with any questions regarding proper weights and loading.
- Warnings and Cautions
- Warning labels indicate a potentially hazardous situation that could result in serious injury or death if the precautions are not observed.
- Caution labels indicate a potentially hazardous situation that could result in serious injury or damage to the machine if the precautions are not observed.
- Contact Customer Support Services to replace any worn or damaged labels. Product Labels

General Warning



WARNING

SERIOUS INJURY CAN OCCUR ON THIS EQUIPMENT. YOU MUST FOLLOW THESE PRECAUTIONS TO AVOID INJURY!

1. **Before using, read all the warnings and obtain instructions on the use of this machine. Use only for intended exercise. DO NOT modify the machine.**
2. **Obtain a medical exam before beginning any exercise program.**
3. **. Keep body, hair, and clothing free of all moving objects.**
4. **Inspect the machine and attachments before use. DO NOT use if the machine or attachments appear damaged. DO NOT attempt to fix the broken or jammed machines or damaged attachments. Notify staff immediately.**
5. **Be certain that the weight pin is completely inserted. Use only the pin provided by the manufacturer. If unsure, seek assistance.**
6. **Never pin the weights or prop plate into an elevated position. DO NOT use the machine if found in this condition. DO NOT attempt to fix. Seek assistance.**
7. **Inspect cables and their connections before using the machine. DO NOT attempt to fix. Seek**

assistance.

8. Use only the incremental weights supplied by the manufacturer. DO NOT use dumbbells or other means to add resistance to the machine.
9. Children must not be allowed near this machine. Supervise teenagers.
10. The manufacturer recommends that all equipment be secured to the floor to stabilize and eliminate rocking or tipping over. Use a licensed contractor. 11. DO NOT REMOVE THIS LABEL. REPLACE IF DAMAGED.

Serial Number

9525 WEST BRYN MAWR AVE
ROSEMONT, IL 60018
USA 1-800-351-3737
CAGE Code: OCMYS



0CMY5PSBC0719B004PSBC

www.cybexintl.com

Model: XXX

Made in Hungary

Max User Wt: XXXIbs XXXkgs

Max Training Wt: XXXIbs XXXkg

SN: XXXXXXXXXXXXX



Label Locations



Item	Description	Qty.
1	General Warning	1
2	Serial Number	1

Assembly


Component and Hardware List

Components

Item	Description	Qty.
1	Left Frame	1
2	Right Frame	1
3	Bottom Cross Brace	1
4	Rear Cross Brace	1

Hardware

Item	Description	Qty.
1	Hardware Pack	1
2	M10 Hex Nylock Nut	8
3	3/8" Flat Washer	12
4	Hole Plug	8
5	M10 x 25mm Bolt	4
6	M10 x 120mm Bolt	4




Tools Required

- 17 mm Socket wrench
- 8 mm Allen wrench
- Torque wrench
- Rubber mallet

Assembly Procedure

Assemble Frame

Loosely install bolts, washers, and hex nuts securing bottom cross brace to left and right frames using an 8mm Allen wrench and 17mm wrench.




Item	Description	Qty.
1	Bottom Cross Brace	1
2	Left Frame	1
3	Right Frame	1
4	M10 Hex Nylock Nut	4
5	3/8" Flat Washer	8
6	M10 x 120mm Bolt	4



Hand tightens hardware.

Loosely install bolts, washers, and hex nuts securing rear cross brace to left and right frames using an 8mm Allen wrench and 17mm wrench.




Item	Description	Qty.
1	Rear Cross Brace	1
2	Left Frame	1
3	Right Frame	1
4	M10 x 25mm Bolt	4
5	3/8" Flat Washer	4
6	M10 Hex Nylock Nut	4
7	Hole Plug	4



Hand tightens hardware.

Install Hole Plugs

Install hole plugs to left and right frames using a rubber mallet.




Item	Description	Qty.
1	Left Frame	1
2	Right Frame	1
3	Hole Plug	4

Product Information

Specifications

Machine Weight:	92 lbs.	42 kg.
Size (L x W x H):	in. = 36 x 23.5 x 56.5	cm = 91.5 x 60 x 143.5
Live Area (L x W):	in. = 60 x 47.5	cm = 152 x 121
Storage Weight:	450 lbs.	204 kg.



Maintenance Procedures

Maintenance Schedule

ACTION	DAILY	WEEKLY	MONTHLY	AS NEEDED
WAX				
Frames				X
INSPECT				
Paint			X	
Hardware		X		
Frame		X		

Wax

- Frames with a standard, non-abrasive, wax finish.

Inspect

- Hardware. Check for loosening. Tighten as required.
- Frames. Inspect for wear and damage.
- For paint chips. Fill in immediately with manufacturer touch-up paint.

Once a Week

- Visually inspect all hardware for loosening, tampering, or wear.

Once a Month

- Inspect hardware on all machines and tighten any bolts or nuts that may have loosened over the life of the product.

Notes

- Use polishing compounds (such as car wax) and remove shoe scuffs from powder-coated surfaces as necessary.

Approved and Compatible Cleaners

Two preferred cleaners have been approved by reliability experts: PureGreen 24 and Gym Wipes. Both cleaners will safely and effectively remove dirt, grime, and sweat from equipment. PureGreen 24 and the Antibacterial Force formula of Gym Wipes are both disinfectants that are effective against MRSA and H1N1.

PureGreen 24 is available in a spray that is convenient for gym staff to use. Apply the spray to a microfiber cloth and wipe down the equipment. Use PureGreen 24 on the equipment for at least 2 minutes for general disinfection purposes and at least 10 minutes for fungus and viral control.

Gym Wipes are large, durable pre-moistened wipes to use on the equipment before and after workouts. Use Gym Wipes on the equipment for at least 2 minutes for general disinfection purposes.

Contact Customer Support Services to order these cleaners (1-800-351-3737 or email: customersupport@lifefitness.com).

Mild soap and water or a mild non-abrasive household cleaner can also be used to clean the display and all exterior surfaces. Use a soft microfiber cloth only. Apply the cleaner to the microfiber cloth before cleaning. DO NOT use ammonia or acid-based cleaners. DO NOT use abrasive cleaners. DO NOT use paper towels. DO NOT apply cleaners directly to the equipment surfaces.

Removal of Paint, Marking Pens, or Labels

- Butyl cellosolve works well for the removal of paints, marking pen inks, lipstick, etc.
- Labels, stickers, etc. may be removed using kerosene. When the solvent will not penetrate sticker material, apply heat (hairdryer) to soften the adhesive and promote removal. GASOLINE SHOULD NOT BE USED.

Warranty

What is Covered

This Life Fitness Family of Brands commercial exercise equipment product is warranted to be free of all defects in material and workmanship.

Who is Covered

The original purchaser or any person receiving the product as a gift from the original purchaser.

Who Pays Transportation and Insurance For Service

If the Product or any covered part must be returned to a service facility for repairs, We, Life Fitness Family of Brands, will pay all transportation and insurance charges for the first year. You are responsible for transportation and insurance charges after the first year.

What We Will Do To Correct Covered Defects

We will ship to you any new or rebuilt replacement part or component, or at our option, replace the Product. Such replacement parts are warranted for the remaining portion of the original warranty period.

What is Not Covered

Any failures or damage caused by unauthorized service, misuse, accident, negligence, improper assembly or installation, debris resulting from any construction activities in the Product's environment, rust, or corrosion as a result of the Product's location, alterations, or modifications without our written authorization, or by failure on your part to use, operate and maintain the Product as set out in your Operation Manual.

All terms of this warranty are void if this product is moved beyond the continental borders of the United States of America (excluding Alaska, Hawaii, and Canada) and are then subject to the terms provided by that country's local authorized Life Fitness Family of Brands representative.

Owner's Manual

It is VERY IMPORTANT THAT YOU READ THIS MANUAL before operating the Product. Remember to perform the periodic maintenance requirements specified in the Manual to assure proper operation and your continued satisfaction.

Exclusive Warranty

THIS LIMITED WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES OF ANY KIND EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND ALL OTHER OBLIGATIONS OR LIABILITIES ON OUR PART. We neither assume nor authorize any person to assume for us any other obligation or liability concerning the sale of this Product. Under no circumstances shall we be liable under this warranty, or otherwise, of any damage to any person or property, including any lost profits or lost savings, for any special, indirect, secondary, incidental, or consequential damages of any nature arising out of the use of or inability to use this Product. Some states do not allow the exclusion or limitation of implied warranties or of liability for incidental or consequential damages, so the above limitations or exclusions may not apply to you. Warranty coverages and terms may differ outside the United States. Please contact the Life Fitness office servicing your country (contact information found at the front of this manual) or visit the applicable local Life Fitness website to receive the specific warranty information for your country.

Changes in Warranty Not Authorized

No one is authorized to change, modify or extend the terms of this limited warranty.

Effects of State Laws

This warranty gives you specific legal rights, and you may have other rights which vary from state to state and country by country.

Warranty Coverage

NOTE: There is no warranty coverage for labor on Strength Products.

Item	10 Years	5 Years	1 Year	90 Days
Frame	X			X
Hardware / Mechanical				X
Items Not Specified				

Bolt to Floor Guide

Introduction

Cybex designs its products to be stable when used as designed. Because strength training is dynamic, we cannot predict how users will ultimately use the products in all circumstances. Therefore, Cybex recommends that strength training equipment be secured to a solid, level surface to stabilize and eliminate rocking or tipping over. Each new unit shipped comes with a multi-language hangtag stating the importance of bolting the unit down as a safety precaution.

It is the facility's responsibility to adhere to local and regional building codes.

Delivery and Installation Tips

All Anchors

- Fasteners must have minimum embedment in the concrete floor, not including screed, regardless of wood/tile/rubber over sub-floor. (See Anchor Types for maximum sub-floor thickness between unit and concrete to equipment foot must be made of flooring or other material (i.e. no air gaps)).
- DO NOT reuse fasteners. Static and Dynamic anchors are designed for one-time use only.
- Factor in equipment's feet height when selecting fastener length.
- Factor in flooring thickness when selecting fastener length.
- It is also recommended to drill an additional 1/2" (12.7 mm) of depth beyond the length of the fastener being used to ensure that debris does not block the entry of the anchor.
- Minimum concrete compressive strength: 3000 psi (20 N/mm²).

Anchoring

- All anchors must have a minimum embedment into concrete, regardless of wood/tile/rubber/screed over sub-floor.
- Dynamic anchors must have a minimum embedment depth in concrete to ensure maximum security and pull-out force. See Anchor Types for embedment depth minimums.

Building Codes

It is the facility's responsibility to adhere to local and regional building codes. Please verify with the customer to ensure that they are aware of this.

Carpeting

If bolted down to carpet flooring, be sure to use a box cutter knife to cut the carpet threads around each foot. This will help avoid the carpet threads from being wrapped around and pulled by the drill bit.

Competitor Product

The bolt down guidelines and procedures for Cybex products were determined by the company's Engineering and Installation

Development groups. These guidelines include which anchors to use and positioning of the anchors are required for Cybex products.

- Cybex does not have that level of specification or engineering input for competitive products.
- Cybex installation teams are not permitted to anchor competitor equipment.

Drilling

It is also recommended to drill an additional 1/2" (12.7 mm) of depth beyond the length of the fastener being used to ensure that debris does not block the entry of the anchor.

- This can be done by marking your drill bit with a piece of tape.
- While it is recommended that a vacuum be used to clean up debris, this will not account for all the debris that will settle at the bottom of the drilled hole.

Anchor Types

Anchor		Subfloor between the unit and concrete 0" to 1/2" (12.7mm) thick	Subfloor between unit and concrete over 1/2" (12.7mm) thick
Static	Imperial	KH-EZ 1/4" x 4"	KH-EZ 1/4" x 5"
	Metric	HUS-H 6mm x 120mm	HUS-H 6mm x 150mm

Anchor Specifications

Static Anchor	Minimum Concrete	Minimum Drill Depth i n	Minimum C oncrete	Minimum concrete
KH-EZ 1/4"	Thickness	Concrete	Embedmen t	compressive strength
HUS-H 6mm	4-1/8" (105mm)	1/2" (12.7mm) beyon d	2-1/2" (63.5 mm)	3000psi (20 N/mm2)

Pullout Force

Cybex specifies Hilti™ static and dynamic anchors. According to the anchor manufacturer, the recommended design pullout force (in tension) for the specified anchors, when properly installed in cracked concrete, is provided in the side table. This table should be used for reference only; for additional and up-to-date information on the anchor capabilities or the design pullout force in other substrates, please consult Hilti directly at <https://www.us.hilti.com>.

Selected Anchor	Design Resistance in Tension *
KH-EZ 1/4" x 4"	830 lb
HUS-H 6MM x 120MM	3.3 kN
KH-EZ 3/8" x 4"	1535 lb
KH-EZ 3/8" x 5"	1535 lb
HUS-H 8MM x 120MM	3.3 kN
HUS-H 8MM x 150MM	3.3 kN
HSL-3 M 8/40	2000 lb
HST M12 x 115/20	8 kN
HST M12 x 195/200	8 kN
KB-TZ 3/8" x 3-3/4"	1615 lb

* Design strength extracted from the Hilti Anchor Fastening Technology Manual issued September 2014.

Tools Required

WARNING: Adhere to manufacturer's equipment warnings and guidelines. Follow manufacturer's instructions for proper usage.


Static Anchor

- Floor scanner / rebar detector (optional)
- 1" L-shape SDS rotary hammer
- 1/4" x 12" (6mm x 305mm) carbide drill bit (for 1/4" (6mm) anchors)
- 3/8" x 12" (8mm x 305mm) carbide drill bit (for 3/8" (8mm) anchors)
- Safety glasses
- Extension cord
- Impact wrench
- Vacuum (for debris)

Static Anchor Procedure


CAUTION: If it is possible that the length of your bolt will not provide the minimum requirement of 2.5" (63.5mm) of engagement, a longer anchor should be used.

1. Place unit into position to be mounted and cycle unit to set stance.
2. Each foot **must** get at least one static fastener.
3. Wearing protective glasses, drill down into the flooring to the required depth as perpendicular as possible, ensuring that the foot thickness is being accounted for; refer to Anchor Selection and Foot Dimensions.
- 4.




Insert fastener and tighten to 18 Foot-Pounds (24Nm) for 1/4" (6mm) anchor or 40 Foot-Pounds (54Nm) for 3/8" (8mm) anchor.

NOTE: If the legs/frame do not contact the mounting surface **DO NOT** pull down with the fastener or anchor. Loosen frame hardware and re-tighten to allow the machine to align.



Foot Dimensions

Use the below image to determine foot specifications.






Columbia Center III – 9525 West Bryn Mawr Ave, Rosemont, IL 60018

- 800-351-3737
 - 847-288-3700
 - FAX 800-216-8893
- www.cybexintl.com

Documents / Resources

	<p>CYBEX CI-BBR Ion Series Barbell Rack [pdf] Owner's Manual CI-BBR, Ion Series Barbell Rack</p>
---	--

Manuals+.