

D-Link DUB-2325 5-in-1 USB-C Hub with Card Reader User Guide

Home » D-Link » D-Link DUB-2325 5-in-1 USB-C Hub with Card Reader User Guide




Contents

- 1 D-Link DUB-2325 5-in-1 USB-C Hub with Card Reader Product **Highlights**
- 2 Features
- 3 Hardware Overview
- **4 Technical Specifications**
- **5 Documents / Resources**
 - **5.1 References**
- **6 Related Posts**



D-Link DUB-2325 5-in-1 USB-C Hub with Card Reader



Product Highlights

Easily add 2 x USB 3.0 ports to Windows and macOS computers, Chromebooks and iPad Pro with a spare USB-C port. Simply plug in, no need to install additional software

Ultra-Fast USB 3.0

SuperSpeed USB 3.0 technology allows you to transfer files up to 10 times faster than with USB 2.0

Dual-Slot SD Card Reader

Dual-slot SD card reader is compatible with both SD and microSD cards

Features

SD Card Compatibility

- SD card1 & microSD card2
- · SD, SDHC, SDXC

Versatile and Convenient

- Two USB 3.0 SuperSpeed 5 Gbps ports
- One USB 3.0 Type-C port with data sync
- · Simply plug-and-play, no software required
- Compact design
- Compatible with Windows and macOS computers, Chromebooks, and iPad Pro

The DUB-2325 5-in-1 USB-C Hub with Card Reader instantly adds an SD card reader, two USB 3.0 ports, and a USB-C port to your Windows and macOS computers, Chromebooks and iPad Pro. You can connect up to two USB devices and insert a microSD or regular SD card, giving you direct access to your full-resolution photos stored on memory cards from your cameras. You can also sync one USB-C device, meaning that you don't have to give up the USB-C port this hub is connected to.

Hardware Overview



Technical Specifications

Technical Specifications		
Connectivity		
Interfaces	 One USB Type-C connector Two USB 3.0 Type-A ports One USB Type-C port (for data transmission only) 	SD card slot1 microSD card slot2
LEDs	• Power	
General		
Standards	USB 3.0 for Type-CUSB 3.0USB 2.0USB 1.1	OHCIUHCIEHCIxHCI
Data rate	Up to 5 Gbps	
System requirements	 Windows 7/8/8.1/10, macOS (OS X 10.8 and above) Chromebooks, iPad Pro 	Available USB Type-C port
Physical		
Dimensions (W x H x D)	• 118 x 35 x 13.5 mm	
Power	From computer (USB bus powere d)	5 V / 2 A DC power adapter (Micro-USB)
Temperature	Operating: 0 to 45 °C	Storage: -10 to 70 °C
Humidity	Operating: up to 85% non-conde nsing	Storage: up to 85% non- condensing
Certifications	• CE	

For more information: eu.dlink.com

D-Link (Deutschland) GmbH, Schwalbacher Strasse 74, 65760 Eschborn, Germany

D-Link (Europe) Ltd, Artemis Building, Odyssey Business Park, West End Road, South Ruislip HA4 6QE, United Kingdom

Specifications are subject to change without notice. D-Link is a registered trademark of D-Link Corporation and its overseas subsidiaries. All other trademarks belong to their respective owners. ©2019 D-Link Corporation. All rights reserved. E&OE.

Updated April 2022

Documents / Resources



<u>D-Link DUB-2325 5-in-1 USB-C Hub with Card Reader</u> [pdf] User Guide DUB-2325 5-in-1 USB-C Hub with Card Reader, DUB-2325, 5-in-1 USB-C Hub with Card Reader, Card Reader, Reader



<u>D-Link DUB-2325 5-in-1 USB-C Hub with Card Reader</u> [pdf] User Guide DUB-2325 5-in-1 USB-C Hub with Card Reader, DUB-2325, 5-in-1 USB-C Hub with Card Reader, USB-C Hub with Card Reader, Card Reader, Reader

References

• **D** For Home D-Link

Manuals+,