Manuals+ — User Manuals Simplified.

D-Link DUB-M530 5-In-1 USB-C Hub with HDMI And SD-Microsd Card Reader Installation Guide

D-Link®

5-IN-1 USB-C HUB WITH HDMI AND SD/MICROSD CARD READER
DUB-M530
QUICK INSTALLATION GUIDE

Contents

PACKAGE CONTENTS

5-IN-1 USB-C HUB WITH HDMI AND SD/MICROSD CARD READER DUB-M530

If any of these items are missing or damaged, please contact your reseller.

SYSTEM REQUIREMENTS

- Computer running Microsoft Windows®OS, Mac OS®, or Chrome OS™
- USB Type-C Port with DisplayPort Alternate Mode supported
- A HDMI Cable (HDMI 1.4 is required for 4K resolution)

PRODUCT SETUP

Step 1:
Plug the DUB-M530's USB Type-C connector into an available USB Type-C port on your computer.
**Step 2:**
Connect a HDMI cable to the DUB-M530's HDMI port.
Step 3:
Attach the other end of the HDMI cable to your HDMI display.
Step 4 (Optional):
Connect up to two USB devices to the USB 3.0 ports. You can also use the dual-slot card reader to access data on the SD or microSD card simultaneously.
Note: The device may become warm to touch while in use. This is within normal operating temperature.

HDMI Display

Computer

Monitor   Television   Projector

USB 3.0

SD/microSD Card Slot

D-Link®

Documents / Resources

D-Link 5-IN-1 USB-C HUB WITH HDMI AND SD-MICROSD CARD READER DUB-M530 QUICK INSTALLATION GUIDE	**[D-Link DUB-M530 5-In-1 USB-C Hub with HDMI And SD-Microsd Card Reader](#)** [pdf] Installation Guide DUB-M530 5-In-1 USB-C Hub with HDMI And SD-Microsd Card Reader, DUB-M530, 5-In-1 USB-C Hub with HDMI And SD-Microsd Card Reader, 5-In-1 USB-C Hub, USB-C Hub, Hub

References

- **D Consumer | D-Link**